



ΠΑΡΑΡΤΗΜΑ ΤΡΙΤΟ  
ΤΗΣ ΕΠΙΣΗΜΗΣ ΕΦΗΜΕΡΙΔΑΣ ΤΗΣ ΔΗΜΟΚΡΑΤΙΑΣ  
Αρ. 2886 της 17ης ΙΟΥΝΙΟΥ 1994  
ΔΙΟΙΚΗΤΙΚΕΣ ΠΡΑΞΕΙΣ

---

ΜΕΡΟΣ Ι  
Κανονιστικές Διοικητικές Πράξεις

Αριθμός 144

ΟΙ ΠΕΡΙ ΚΥΠΡΙΑΚΩΝ ΠΡΟΤΥΠΩΝ ΚΑΙ ΕΛΕΓΧΟΥ ΠΟΙΟΤΗΤΑΣ  
(ΕΠΙΤΡΟΠΕΣ ΓΙΑ ΤΗΝ ΚΑΤΑΡΤΙΣΗ ΚΑΙ ΑΝΑΘΕΩΡΗΣΗ  
ΠΡΟΤΥΠΩΝ) ΚΑΝΟΝΙΣΜΟΙ ΤΟΥ 1976

Γνωστοποίηση βάσει του Κανονισμού 8

Με το παρόν γνωστοποιείται ότι, βάσει του Κανονισμού 8 των Κανονισμών του 1976 για τα Κυπριακά Πρότυπα και Έλεγχο Ποιότητας (Επιτροπές για την Κατάρτιση και Αναθεώρηση Προτύπων), ο Κυπριακός Οργανισμός Προτύπων και Ελέγχου Ποιότητας εξέδωσε τα πιο κάτω Κυπριακά Πρότυπα:

- CYS ETS 300 001:1993 - Attachments to Public Switched Telephone Network (PSTN); General technical requirements for equipment connected to an analogue subscriber interface in the PSTN
- CYS ETS 300 002:1993 - Public Switched Telephone Network (PSTN); Category II attachment requirements for 9600 or 4800 bits per second duplex modems standardised for use on the PSTN

- CYS I-ETS 300 003:1993 - Business Telecommunications (BT);  
Transmission characteristics of digital  
Private Automatic Branch Exchanges  
(PABXs)
- CYS I-ETS 300 004:1993 - Business Telecommunications (BT);  
Transmission characteristics at 2-wire  
analogue interfaces of a digital  
Private Automatic Branch Exchange  
(PABX)
- CYS I-ETS 300 005:1993 - Business Telecommunications (BT);  
Transmission characteristics at 4-wire  
analogue interfaces of a digital  
Private Automatic Branch Exchange  
(PABX)
- CYS I-ETS 300 006:1993 - Business Telecommunications (BT);  
Transmission characteristics at digital  
interfaces of a digital Private  
Automatic Branch Exchange (PABX)
- CYS ETS 300 007:1993 - Integrated Services Digital Network  
(ISDN); Support of packet-mode terminal  
equipment by an ISDN
- CYS ETS 300 008:1993 - Integrated Services Digital Network  
(ISDN); CCITT Signalling System No.7  
Message Transfer Part (MTP) to support  
international interconnection
- CYS ETS 300 009:1993 - Integrated Services Digital Network  
(ISDN); CCITT Signalling System No.7  
Signalling Connection Control Part  
(SCCP) (connectionless service) to  
support international interconnection
- CYS ETS 300 010-1:1993 - Transmission and Multiplexing (TM);  
Synchronous cross connect equipment 64  
and  $n \times 64$  kbit/s cross connection rate  
2 048 kbit/s access ports  
Part 1: Core functions and  
characteristics

- CYS ETS 300 011:1993 - Integrated Services Digital Network (ISDN); Primary rate user-network interface  
Layer 1 specification and test principles
- CYS ETS 300 012:1993 - Integrated Services Digital Network (ISDN); Basic user-network interface  
Layer 1 specification and test principles
- CYS ETS 300 019-1-1:1993 - Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment  
Part 1-1: Classification of environmental conditions  
Storage
- CYS ETS 300 019-1-2:1993 - Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment  
Part 1-2: Classification of environmental conditions  
Transportation
- CYS ETS 300 019-1-3:1993 - Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment  
Part 1-3: Classification of environmental conditions  
Stationary use at weatherprotected locations

- CYS ETS 300 019-1-4:1993 - Equipment Engineering (EE);  
Environmental conditions and  
environmental tests for  
telecommunications equipment  
Part 1-4: Classification of  
environmental conditions  
Stationary use at  
non-weatherprotected locations
- CYS ETS 300 019-1-5:1993 - Equipment Engineering (EE);  
Environmental conditions and  
environmental tests for  
telecommunications equipment  
Part 1-5: Classification of  
environmental conditions  
Ground vehicle installations
- CYS ETS 300 019-1-6:1993 - Equipment Engineering (EE);  
Environmental conditions and  
environmental tests for  
telecommunications equipment  
Part 1-6: Classification of  
environmental conditions  
Ship environments
- CYS ETS 300 019-1-7:1993 - Equipment Engineering (EE);  
Environmental conditions and  
environmental tests for  
telecommunications equipment  
Part 1-7: Classification of  
environmental conditions  
Portable and non-stationary use
- CYS I-ETS 300 020-1:1993 - European digital cellular  
telecommunications system (phase 1);  
Mobile station conformity  
specifications (GSM 11.10)

- CYS I-ETS 300 020-2:1993 - European digital cellular telecommunications system (phase 1); Mobile station conformance test system  
System simulator specification (GSM 11.40)
- CYS I-ETS 300 021:1993 - European digital cellular telecommunications system (phase 1); Mobile station - Base Station System (MS-BSS) interface data link layer specification (GSM 04.06)
- CYS I-ETS 300 022-1:1993 - European digital cellular telecommunications system (phase 1); Mobile radio interface layer 3 specification (GSM 04.08)
- CYS I-ETS 300 023:1993 - European digital cellular telecommunications system (phase 1); Point-to-point short message service support on mobile radio interface (GSM 04.11)
- CYS I-ETS 300 024:1993 - European digital cellular telecommunications system (phase 1); Short Message Service Cell Broadcast (SMS-CB) support on the mobile radio interface (GSM 04.12)
- CYS I-ETS 300 025:1993 - European digital cellular telecommunications system (phase 1); Rate adaptation on the Mobile Station - Base Station System (MS-BSS) interface (GSM 04.21)

- CYS I-ETS 300 026:1993 - European digital cellular telecommunications system (phase 1); Radio Link Protocol (RLP) for data and telematic services on the Mobile Station - Base Station System (MS-BSS) interface and the Base Station System - Mobile Services Switching Centre (BSS-MSC) interface (GSM 04.22)
- CYS I-ETS 300 027:1993 - European digital cellular telecommunications system (phase 1); Mobile radio interface layer 3 supplementary services specification Formats and coding (GSM 04.80)
- CYS I-ETS 300 028:1993 - European digital cellular telecommunications system (phase 1); Mobile radio interface layer 3 call offering supplementary services specification (GSM 04.82)
- CYS I-ETS 300 029:1993 - European digital cellular telecommunications system (phase 1); Mobile radio interface layer 3 call restriction supplementary services specification (GSM 04.88)
- CYS I-ETS 300 030:1993 - European digital cellular telecommunications system (phase 1); Multiplexing and multiple access on the radio path (GSM 05.02)
- CYS I-ETS 300 031:1993 - European digital cellular telecommunications system (phase 1); Channel coding (GSM 05.03)

- CYS I-ETS 300 032:1993 - European digital cellular telecommunications system (phase 1); Modulation (GSM 05.04)
- CYS I-ETS 300 033:1993 - European digital cellular telecommunications system (phase 1); Radio transmission and reception (GSM 05.05)
- CYS I-ETS 300 034-1:1993 - European digital cellular telecommunications system (phase 1); Radio sub-system link control (GSM 05.08)
- CYS I-ETS 300 035:1993 - European digital cellular telecommunications system (phase 1); Radio sub-system synchronisation (GSM 05.10)
- CYS I-ETS 300 036:1993 - European digital cellular telecommunications system (phase 1); Full-rate speech transcoding (GSM 06.10)
- CYS I-ETS 300 037:1993 - European digital cellular telecommunications system (phase 1); Substitution and muting of lost frames for full-rate speech traffic channels (GSM 06.11)
- CYS I-ETS 300 038:1993 - European digital cellular telecommunications system (phase 1); Comfort noise aspects for full-rate speech traffic channels (GSM 06.12)

- CYS I-ETS 300 039:1993 - European digital cellular telecommunications system (phase 1); Discontinuous transmission (DTX) for full-rate speech traffic channels (GSM 06.31)
- CYS I-ETS 300 040:1993 - European digital cellular telecommunications system (phase 1); Voice activity detection (GSM 06.32)
- CYS I-ETS 300 041:1993 - European digital cellular telecommunications system (phase 1); General on terminal adaptation functions for mobile stations (GSM 07.01)
- CYS I-ETS 300 042:1993 - European digital cellular telecommunications system (phase 1); Terminal adaptation functions for services using asynchronous bearer capabilities (GSM 07.02)
- CYS I-ETS 300 043:1993 - European digital cellular telecommunications system (phase 1); Terminal adaptation functions for services using synchronous bearer capabilities (GSM 07.03)
- CYS I-ETS 300 044-1:1993 - European digital cellular telecommunications system (phase 1); Mobile application part specification (GSM 09.02)



- CYS I-ETS 300 045:1993 - European digital cellular telecommunications system (phase 1); Subscriber Identity Module - Mobile Equipment (SIM-ME) interface specification (GSM 11.11)
- CYS ETS 300 046-1:1993 - Integrated Services Digital Network (ISDN); Primary rate access - safety and protection  
Part 1: General
- CYS ETS 300 046-2:1993 - Integrated Services Digital Network (ISDN); Primary rate access - safety and protection  
Part 2: Interface Ia - safety
- CYS ETS 300 046-3:1993 - Integrated Services Digital Network (ISDN); Primary rate access - safety and protection  
Part 3: Interface Ia - protection
- CYS ETS 300 046-4:1993 - Integrated Services Digital Network (ISDN); Primary rate access - safety and protection  
Part 4: Interface Ib - safety
- CYS ETS 300 046-5:1993 - Integrated Services Digital Network (ISDN); Primary rate access - safety and protection  
Part 5: Interface Ib - protection
- CYS ETS 300 047-1:1993 - Integrated Services Digital Network (ISDN); Basic access - safety and protection  
Part 1: General

- CYS ETS 300 047-2:1993 - Integrated Services Digital Network (ISDN); Basic access - safety and protection  
Part 2: Interface Ia - safety
- CYS ETS 300 047-3:1993 - Integrated Services Digital Network (ISDN); Basic access - safety and protection  
Part 3: Interface Ia - protection
- CYS ETS 300 047-4:1993 - Integrated Services Digital Network (ISDN); Basic access - safety and protection  
Part 4: Interface Ib - safety
- CYS ETS 300 047-5:1993 - Integrated Services Digital Network (ISDN); Basic access - safety and protection  
Part 5: Interface Ib - protection
- CYS ETS 300 048:1993 - Integrated Services Digital Network (ISDN); ISDN Packet Mode Bearer Services (PMBS)  
ISDN Virtual Call (VC) and Permanent Virtual Call (PVC) bearer services provided by the B-channel of the user access - basic and primary rate
- CYS ETS 300 049:1993 - Integrated Services Digital Network (ISDN); ISDN Packet Mode Bearer Services (PMBS)  
ISDN Virtual Call (VC) and Permanent Virtual Call (PVC) bearer services provided by the D-channel of the user access - basic and primary rate

- CYS ETS 300 050:1993 - Integrated Services Digital Network (ISDN); Multiple Subscriber Number (MSN) supplementary service  
Service Description
- CYS ETS 300 051:1993 - Integrated Services Digital Network (ISDN); Multiple Subscriber Number (MSN) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 052:1993 - Integrated Services Digital Network (ISDN); Multiple Subscriber Number (MSN) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 053:1993 - Integrated Services Digital Network (ISDN); Terminal Portability (TP) supplementary service  
Service Description
- CYS ETS 300 054:1993 - Integrated Services Digital Network (ISDN); Terminal Portability (TP) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 055:1993 - Integrated Services Digital Network (ISDN); Terminal Portability (TP) supplementary service  
Digital Subscriber Singalling System No. one (DSS1) protocol

- CYS ETS 300 056:1993 - Integrated Services Digital Network (ISDN); Call Waiting (CW) supplementary service  
Service Description
- CYS ETS 300 057:1993 - Integrated Services Digital Network (ISDN); Call Waiting (CW) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 058:1993 - Integrated Services Digital Network (ISDN); Call Waiting (CW) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 059:1993 - Integrated Services Digital Network (ISDN); Subaddressing (SUB) supplementary service  
Service Description
- CYS ETS 300 060:1993 - Integrated Services Digital Network (ISDN); Subaddressing (SUB) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 061:1993 - Integrated Services Digital Network (ISDN); Subaddressing (SUB) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol

- CYS ETS 300 062:1993 - Integrated Services Digital Network (ISDN); Direct Dialling In (DDI) supplementary service  
Service Description
- CYS ETS 300 063:1993 - Integrated Services Digital Network (ISDN); Direct Dialling In (DDI) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 064:1993 - Integrated Services Digital Network (ISDN); Direct Dialling In (DDI) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 065:1993 - Radio Equipment and Systems (RES);  
Narrow-band direct-printing telegraph equipment for receiving meteorological or navigational information (NAVTEX)  
Technical characteristics and methods of measurement
- CYS ETS 300 066:1993 - Radio Equipment and Systems (RES);  
Float-free maritime satellite;  
Emergency Position Indicating Radio Beacons (EPIRBs) operating on 406,025 MHz;  
Technical characteristics and methods of measurement
- CYS I-ETS 300 068:1993 - European digital cellular telecommunications system (phase 1);  
Man-machine interface of the mobile station (GSM 02.30)

- CYS I-ETS 300 069:1993 - European digital cellular telecommunications system (phase 1); Technical realization of the short message service  
Cell broadcast (GSM 03.41)
- CYS I-ETS 300 078:1993 - European digital cellular telecommunications system (phase 1); MS-BSS Layer 1 - General Requirements (GSM 04.04)
- CYS ETS 300 079:1993 - Integrated Services Digital Network (ISDN); Syntax-based videotex  
End-to-end protocols, circuit mode  
DTE-DTE
- CYS ETS 300 080:1993 - Integrated Services Digital Network (ISDN); ISDN lower layer protocols for telematic terminals
- CYS ETS 300 081:1993 - Integrated Services Digital Network (ISDN); Teletex end-to-end protocol over the ISDN
- CYS ETS 300 082:1993 - Integrated Services Digital Network (ISDN); 3, 1 kHz telephony teleservice  
End-to-end compatibility
- CYS ETS 300 083:1993 - Integrated Services Digital Network (ISDN); Circuit mode structured bearer service category usable for speech information transfer  
Terminal requirements for end-to-end compatibility

- CYS ETS 300 084:1993 - Integrated Services Digital Network (ISDN); Circuit mode structured bearer service category usable for 3,1 KHz audio information transfer  
Terminal requirements necessary for end-to-end compatibility
- CYS ETS 300 089:1993 - Integrated Services Digital Network (ISDN); Calling Line Identification Presentation (CLIP) supplementary service  
Service description
- CYS ETS 300 090:1993 - Integrated Services Digital Network (ISDN); Calling Line Identification Restriction (CLIR) supplementary service  
Service description
- CYS ETS 300 091:1993 - Integrated Services Digital Network (ISDN); Calling Line Identification Presentation (CLIP) and Calling Line Identification Restriction (CLIR) supplementary services  
Functional capabilities and information flows
- CYS ETS 300 092:1993 - Integrated Services Digital Network (ISDN); Calling Line Identification Presentation (CLIP) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol

- CYS ETS 300 093:1993 - Integrated Services Digital Network (ISDN); Calling Line Identification Restriction (CLIR) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 094:1993 - Integrated Services Digital Network (ISDN); Connected Line Identification Presentation (COLP) supplementary service  
Service description
- CYS ETS 300 095:1993 - Integrated Services Digital Network (ISDN); Connected Line Identification Restriction (COLR) supplementary service  
Service description
- CYS ETS 300 096:1993 - Integrated Services Digital Network (ISDN); Connected Line Identification Presentation (COLP) and Connected Line Identification Restriction (COLR) supplementary services  
Functional capabilities and information flows
- CYS ETS 300 097:1993 - Integrated Services Digital Network (ISDN); Connected Line Identification Presentation (COLP) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol



- CYS ETS 300 098:1993 - Integrated Services Digital Network (ISDN); Connected Line Identification Restriction (COLR) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 099:1993 - Integrated Services Digital Network (ISDN);  
Specification of the Packet Handler Access Point Interface (PHI)
- CYS ETS 300 100:1993 - Integrated Services Digital Network (ISDN); Routing in support of ISUP Version 1 services
- CYS I-ETS 300 101:1993 - Integrated Services Digital Network (ISDN); International digital audiographic teleconference
- CYS ETS 300 105:1993 - Terminal Equipment (TE); International Videotex interworking (T/TE 06-20)
- CYS ETS 300 106:1993 - Terminal Equipment (TE); International Videotex interworking between a terminal and a host (T/TE 06-21)
- CYS ETS 300 107:1993 - Terminal Equipment (TE); International Videotex interworking between gateways (T/TE 06-22)
- CYS ETS 300 108:1993 - Integrated Services Digital Network (ISDN); Circuit-mode 64 kbit/s unrestricted 8 kHz structured bearer service category  
Service description

- CYS ETS 300 109:1993 - Integrated Services Digital Network (ISDN); Circuit-mode 64 kbit/s 8 kHz structured bearer service category usable for speech information transfer  
Service description
- CYS ETS 300 110:1993 - Integrated Services Digital Network (ISDN); Circuit-mode 64 kbit/s 8 kHz structured bearer service category usable for 3,1 kHz audio information transfer  
Service description
- CYS ETS 300 111:1993 - Integrated Services Digital Network (ISDN); Telephony 3,1 kHz teleservice  
Service description
- CYS I-ETS 300 113:1993 - Radio equipment and systems  
Land mobile service  
Technical characteristics and test conditions for non-speech and combined analogue speech/non-speech equipment with an internal or external antenna connector, intended for the transmission of data
- CYS ETS 300 120:1993 - Integrated Services Digital Network (ISDN);  
Service requirements for telefax group 4
- CYS ETS 300 121:1993 - Integrated Services Digital Network (ISDN); Application of the ISDN User Part (ISUP) of CCITT Signalling System No. 7 for international ISDN interconnections (ISUP Version 1)

- CYS ETS 300 122:1993 - Integrated Services Digital Network (ISDN); Generic keypad protocol for the support of supplementary services Digital Subscriber Signalling No. one (DSS1) protocol
- CYS ETS 300 128:1993 - Integrated Services Digital Network (ISDN); Malicious Call Identification (MCID) supplementary service Service description
- CYS ETS 300 129:1993 - Integrated Services Digital Network (ISDN); Malicious Call Identification (MCID) supplementary service Functional capabilities and information flows
- CYS ETS 300 130:1993 - Integrated Services Digital Network (ISDN); Malicious Call Identification (MCID) supplementary service Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS I-ETS 300 131:1993 - Radio Equipment and Systems (RES); Common air interface specification to be used for the interworking between cordless telephone apparatus in the frequency band 864.1 MHz to 868.1 MHz, including public access services
- 
- CYS ETS 300 133-1:1993 - Paging Systems (PS); European Radio Message System (ERMES)  
Part 1: General aspects
- CYS ETS 300 133-2:1993 - Paging Systems (PS); European Radio Message System (ERMES)  
Part 2: Service aspects

- CYS ETS 300 133-3:1993 - Paging Systems (PS); European Radio Message System (ERMES)  
Part 3: Network aspects
- CYS ETS 300 133-4:1993 - Paging Systems (PS); European Radio Message System (ERMES)  
Part 4: Air interface specification
- CYS ETS 300 133-5:1993 - Paging Systems (PS); European Radio Message System (ERMES)  
Part 5: Receiver conformance specification
- CYS ETS 300 133-6:1993 - Paging Systems (PS); European Radio Message System (ERMES)  
Part 6: Base station conformance specification
- CYS ETS 300 133-7:1993 - Paging Systems (PS); European Radio Message System (ERMES)  
Part 7: Operations and maintenance aspects
- CYS ETS 300 134:1993 - Integrated Services Digital Network (ISDN); CCITT Signalling System No.7 Transaction Capabilities Application Part (TCAP)
- CYS ETS 300 136:1993 - Integrated Services Digital Network (ISDN); Closed User Group (CUG) supplementary service  
Service description

- CYS ETS 300 137:1993 - Integrated Services Digital Network (ISDN); Closed User Group (CUG) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 138:1993 - Integrated Services Digital Network (ISDN); Closed User Group (CUG) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 139:1993 - Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service  
Service description
- CYS ETS 300 140:1993 - Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 141:1993 - Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 147:1993 - Transmission and Multiplexing (TM); Synchronous digital hierarchy  
Multiplexing structure
- 
- CYS ETS 300 149:1993 - Terminal Equipment (TE); Videotex  
Audio syntax

- CYS ETS 300 150:1993 - Transmission and Multiplexing (TM);  
Protocol suites for Q interfaces for  
management of transmission systems
- CYS I-ETS 300 151:1993 - Radio Equipment and Systems  
9 GHz radar transponders for use in  
search and rescue operations  
Technical characteristics and methods  
of measurement
- CYS ETS 300 152:1993 - Radio Equipment and Systems  
Maritime Emergency Position Indicating  
Radio Beacons (EPIRBs) intended for use  
on the frequency 121.5 MHz or the  
frequencies 121.5 MHz and 243 MHz for  
homing purposes only  
Technical characteristics and methods  
of measurement
- CYS ETS 300 153:1993 - Integrated Services Digital Network  
(ISDN); Attachment requirements for  
terminal equipment to connect to an  
ISDN using ISDN basic access
- CYS ETS 300 156:1993 - Integrated Services Digital Network  
(ISDN); Attachment requirements for  
terminal equipment to connect to an  
ISDN using ISDN primary rate access
- CYS ETS 300 157:1993 - Satellite Earth Stations (SES);  
Receive-only Very Small Aperture  
Terminals (VSATs) used for data  
distribution operating in the 11/12 GHz  
frequency bands

- CYS ETS 300 158:1993 - Satellite Earth Stations (SES);  
Television Receive Only (TVRO-FSS)  
Satellite Earth Stations operating  
in the 11/12 GHz FSS bands
- CYS ETS 300 159:1993 - Satellite Earth Stations (SES);  
Transmit/receive Very Small Aperture  
Terminals (VSATs) used for data  
communications operating in the Fixed  
Satellite Service (FSS) 11/12/14 GHz  
frequency bands
- CYS ETS 300 160:1993 - Satellite Earth Stations (SES); Control  
and monitoring functions at a Very  
Small Aperture Terminal (VSAT)
- CYS ETS 300 161:1993 - Satellite Earth Stations (SES);  
Centralised control and monitoring  
functions for VSAT networks
- CYS ETS 300 164:1993 - Integrated Services Digital Network  
(ISDN); Meet-Me Conference (MMC)  
supplementary service  
Service description
- CYS ETS 300 165:1993 - Integrated Services Digital Network  
(ISDN); Meet-Me Conference (MMC)  
supplementary service  
Functional capabilities and information  
flows
- ~~CYS I-ETS 300 168:1993 - Radio Equipment and Systems (RES);  
Digital Short Range Radio (DSRR)~~

- CYS I-ETS 300 169:1993 - Private Telecommunications Network (PTN); Signalling at the S-reference point; Data link layer protocol; ECMA-SSIG-L2
- CYS I-ETS 300 170:1993 - Private Telecommunications Network (PTN); Inter-exchange signalling protocol; Data link layer protocol; ECMA-QSIG-L2
- CYS ETS 300 171:1993 - Private Telecommunications Network (PTN); Specification, functional models and information flows; Control aspects of circuit mode basic services; ECMA-BCSD
- CYS ETS 300 172:1993 - Private Telecommunications Network (PTN); Inter-exchange signalling protocol; Circuit mode basic services; ECMA-QSIG-BC
- CYS ETS 300 173:1993 - Private Telecommunications Network (PTN); Specification, functional models and information flows; Identification supplementary services; ECMA-ISSD
- CYS ETS 300 174:1993 - Network Aspects (NA); Digital coding of component television signals for contribution quality applications in the range 34-45 Mbit/s
- CYS ETS 300 175-1:1993 - Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT) Common interface Part 1: Overview



- CYS ETS 300 175-2:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 2: Physical layer
- CYS ETS 300 175-3:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 3: Medium access control layer
- CYS ETS 300 175-4:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 4: Data link control layer
- CYS ETS 300 175-5:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 5: Network layer
- CYS ETS 300 175-6:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 6: Identities and addressing
- CYS ETS 300 175-7:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 7: Security features

- CYS ETS 300 175-8:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 8: Speech coding and transmission
- CYS ETS 300 175-9:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Common interface  
Part 9: Public access profile
- CYS I-ETS 300 176:1993 - Radio Equipment and Systems (RES);  
Digital European Cordless  
Telecommunications (DECT)  
Approval test specification
- CYS ETS 300 177:1993 - Terminal Equipment (TE); Videotex  
Photographic Syntax
- CYS ETS 300 178:1993 - Integrated Services Digital Network  
(ISDN); Advice of Charge: charging  
information at call set-up time  
(AOC-S) supplementary service  
Service description
- CYS ETS 300 179:1993 - Integrated Services Digital Network  
(ISDN); Advice of Charge: charging  
information during the call (AOC-D)  
supplementary service  
Service description
- CYS ETS 300 180:1993 - Integrated Services Digital Network  
(ISDN); Advice of Charge: charging  
information at the end of the call  
(AOC-E) supplementary service  
Service description

- CYS ETS 300 181:1993 - Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 182:1993 - Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service  
Digital Subscriber Signalling System No. one (DSS1) protocol
- CYS ETS 300 183::1993 - Integrated Services Digital Network (ISDN); Conference call, add-on (CONF) supplementary service  
Service description
- CYS ETS 300 184:1993 - Integrated Services Digital Network (ISDN); Conference call, add-on (CONF) supplementary service  
Functional capabilities and information flows
- CYS ETS 300 185:1993 - Integrated Services Digital Network (ISDN); Conference call, add-on (CONF) supplementary service  
Digital Subscriber Singalling System No. one (DSS1) protocol
- CYS ETS 300 189:1993 - Private Telecommunications Network (PTN); Addressing;  
~~ECMA-PTNA~~
-

- CYS ETS 300 190:1993 - Private Telecommunications Network (PTN); Signalling at the S-reference point; Generic keypad protocol for the support of supplementary services; ECMA-SSIG-KP
- CYS ETS 300 191:1993 - Private Telecommunications Network (PTN); Signalling at the S-reference point; Identification supplementary services; ECMA-SSIG-ID
- CYS ETS 300 192:1993 - Private Telecommunications Network (PTN); Signalling protocol at the S-reference point; Circuit mode basic services; ECMA-SSIG-BC
- CYS ETS 300 211:1993 - Network Aspects (NA); Metropolitan Area Network (MAN) Principles and architecture
- CYS ETS 300 212:1993 - Aspects (NA); Metropolitan Area Network (MAN) Media access control layer and physical layer specification
- CYS ETS 300 213:1993 - Network Aspects (NA); Metropolitan Area Network (MAN) Physical layer convergence procedure for 2,048 Mbit/s
- CYS ETS 300 214:1993 - Network Aspects (NA); Metropolitan Area Network (MAN) Physical layer convergence procedure for 34,386 Mbit/s

- CYS ETS 300 215:1993 - Network Aspects (NA); Metropolitan Area Network (MAN)  
Physical layer convergence procedure for 139,264 Mbit/s
- CYS ETS 300 216:1993 - Network Aspects (NA); Metropolitan Area Network (MAN)  
Physical layer convergence procedure for 155,520 Mbit/s
- CYS ETS 300 217-1:1993 - Network Aspects (NA); Connectionless Broadband Data Service (CBDS)  
Part 1: Overview
- CYS ETS 300 217-2:1993 - Network Aspects (NA); Connectionless Broadband Data Service (CBDS)  
Part 2: Basic bearer service definition
- CYS ETS 300 217-3:1993 - Network Aspects (NA); Connectionless Broadband Data Service (CBDS)  
Part 3: Definition of supplementary services
- CYS ETS 300 217-4:1993 - Network Aspects (NA); Connectionless Broadband Data Service (CBDS)  
Part 4: Address screening supplementary service
- CYS ETS 300 218:1993 - Integrated Services Digital Network (ISDN); Syntax-based Videotex lower layer protocols for ISDN packet mode (CCITT Recommendation X.31 Case A and Case B)

- CYS ETS 300 221:1993 - Terminal Equipment (TE); Syntax-based Videotex lower layer protocols using packet mode access over the Public Switched Telephone Network (PSTN)
- CYS ETS 300 222:1993 - Terminal Equipment (TE); Framework of Videotex terminal protocols
- CYS ETS 300 223:1993 - Terminal Equipment (TE); Syntax-based Videotex  
Common end-to-end protocols
- CYS ETS 300 242:1993 - Terminal Equipment (TE);  
Group 3 facsimile equipment