

Αριθμός 61

**ΟΙ ΠΕΡΙ ΚΥΠΡΙΑΚΩΝ ΠΡΟΤΥΠΩΝ ΚΑΙ ΕΛΕΓΧΟΥ ΠΟΙΟΤΗΤΑΣ
(ΕΠΙΤΡΟΠΕΣ ΓΙΑ ΤΗΝ ΚΑΤΑΡΤΙΣΗ ΚΑΙ ΑΝΑΘΕΩΡΗΣΗ ΠΡΟΤΥΠΩΝ)
ΚΑΝΟΝΙΣΜΟΙ ΤΟΥ 1976**

Γνωστοποίηση βάσει του Κανονισμού 8

Με το παρόν γνωστοποιείται ότι βάσει του Κανονισμού 8 των Κανονισμών του 1976 για τα Κυπριακά Πρότυπα και Έλεγχο Ποιότητας (Επιτροπές για την κατάρτιση και Αναθεώρηση Προτύπων), ο Κυπριακός Οργανισμός Προτύπων και Ελέγχου Ποιότητας αποφάσισε την αλλαγή αρίθμησης των πιο κάτω Κυπριακών Προτύπων:

ΝΕΟΣ ΑΡΙΘΜΟΣ	ΠΑΛΑΙΟΣ ΑΡΙΘΜΟΣ	ΠΡΟΤΥΠΟ
CYS ETS 300 067:1991	CYS 3000 (ETS 300 067)	Radio Equipment and Systems Radiotelex equipment operating in the maritime MF/HF service Technical characteristics and methods of measurement
CYS ETS 300 072:1991	CYS 3001 (ETS 300 072)	Terminal Equipment (TE); Videotex presentation layer protocol. Videotex presentation layer data syntax
CYS ETS 300 073:1991	CYS 3002 (ETS 300 073)	Videotex presentation layer data syntax. Geometric Display (CEPT Recommendation T/TE 06-02, Edingburgh 1988)
CYS ETS 300 074:1991	CYS 3003 (ETS 300 074)	Videotex presentation layer data syntax transparent data (CEPT Recommendation T/TE 06-03, Edingburgh 1988)
CYS ETS 300 075:1991	CYS 3004 (ETS 300 075)	Terminal Equipment (TE); Videotex processable data
CYS ETS 300 076:1991	CYS 3005 (ETS 300 076)	Terminal Equipment (TE); Videotex Terminal Facility Identifier (TFI)
CYS ETS 300 085:1991	CYS 3006 (ETS 300 085)	Integrated Services Digital Network (ISDN); 3,1 kHz telephony teleservices Attachment requirements for handset terminals

CYS ETS 300 086:1991	CYS 3007 (ETS 300 086)	Radio Equipment and Systems Land mobile service. Technical characteristics and test conditions for radio equipment with an internal or external RF connector intended primarily for analogue speech
CYS ETS 300 102-1:1991	CYS 3008-1 (ETS 300 102-1)	Integrated Services Digital Network (ISDN); User-network interface layer 3 Specifications for basic call control Amendment A1:1994 and Amendment A2:1994
CYS ETS 300 102-2:1991	CYS 3008-2 (ETS 300 102-2)	Integrated Services Digital Network (ISDN); User-network interface layer 3 Specifications for basic call control Specification Description Language (SDL) diagrams
CYS ETS 300 103:1991	CYS 3009 (ETS 300 103)	Integrated Services Digital Network (ISDN); Support of CCITT Recommendation X.21, X.21 bis and X.20 bis based Data Terminal Equipments (DTEs) by an ISDN Synchronous and asynchronous terminal adaption functions
CYS ETS 300 104:1991	CYS 3010 (ETS 300 104)	Integrated Services Digital Network (ISDN); Attachment requirements for terminal equipment to connect to an ISDN using ISDN basic access Layer 3 aspects
CYS ETS 300 114:1991	CYS 3011 (ETS 300 114)	Attachments to the Public Switched Telephone Network (PSTN); Basic attachment requirements for modems standardized for use on the PSTN
CYS ETS 300 115:1991	CYS 3012 (ETS 300 115)	Attachments to the Public Switched Telephone Network (PSTN); Category II attachment requirements for 300 bits per second duplex modems standardized for use on the PSTN
CYS ETS 300 116:1991	CYS 3013 (ETS 300 116)	Attachments to the Public Switched Telephone Network (PSTN);

- Category II attachment requirements for 1200 bits per second duplex modems standardized for use on the PSTN
- | | | |
|----------------------|---------------------------|--|
| CYS ETS 300 117:1991 | CYS 3014
(ETS 300 117) | Attachments to the Public Switched Telephone Network (PSTN); Category II attachment requirements for 2400 bits per second duplex modems standardized for use on the PSTN |
| CYS ETS 300 118:1991 | CYS 3015
(ETS 300 118) | Attachments to the Public Switched Telephone Network (PSTN); Category II attachment requirements for 1200 bits per second half duplex and 1200/75 bits per second assymmetrical duplex modems standardized for use on the PSTN |
| CYS ETS 300 123:1991 | CYS 3016
(ETS 300 123) | Attachment requirements for Data Terminal Equipment (DTE) to connect to Packet Switched Public Data Networks (PSPDNs) using CCITT Recommendation X.25 (1984) interface. Requirements applicable to DTEs subscribing to Link Access Procedure Balanced (LAPB) extended (modulo 128) operation |
| CYS ETS 300 124:1991 | CYS 3017
(ETS 300 124) | Attachment requirements for Data Terminal Equipment (DTE) to connect to (PSPDNs) using CCITT Recommendation X.25 (1984) interface. Requirements applicable to Multilink operation |
| CYS ETS 300 125:1991 | CYS 3018
(ETS 300 125) | Integrated Services Digital Network (ISDN); User-network interface data link layer specification. Application of CCITT Recommendation Q.920/I.440 and Q.921/I.441 |
| CYS ETS 300 135:1991 | CYS 3019
(ETS 300 135) | Radio Equipment and Systems Anglomodulated Citizens' Band radio equipment (CEPT PR 27 Radio Equipment) Technical characteristics and methods of measurement. |