

Αριθμός 14

ΟΙ ΠΕΡΙ ΚΥΠΡΙΑΚΩΝ ΠΡΟΤΥΠΩΝ ΚΑΙ ΕΛΕΓΧΟΥ ΠΟΙΟΤΗΤΑΣ
(ΕΠΙΤΡΟΠΕΣ ΓΙΑ ΤΗΝ ΚΑΤΑΡΤΙΣΗ ΚΑΙ ΑΝΑΘΕΩΡΗΣΗ
ΠΡΟΤΥΠΩΝ) ΚΑΝΟΝΙΣΜΟΙ ΤΟΥ 1976

Γνωστοποίηση βάσει του Κανονισμού 8

Με το παρόν γνωστοποιείται ότι βάσει του Κανονισμού 8 των Κανονισμών του 1976 για τα Κυπριακά Πρότυπα και έλεγχο Ποιότητας (Επιτροπές για την Κατάρτιση και Αναθεώρηση Προτύπων), ο Κυπριακός Οργανισμός Προτύπων και Ελέγχου Ποιότητας εξέδωσε τα πιο κάτω Κυπριακά Πρότυπα:

- CYS ETS 300 002:1996 Public Switched Telephone Network (Edition 2)(PSTN); Category 11 specification for 9 600 or 4 800 bits per second duplex modems standardized for use on the PSTN
- CYS ETS 300 009-1:1996 Integrated Services Digital Network (Edition 3)(ISDN); Signalling System No. 7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection; Part 1: Protocol specification (ITU-T Recommendations Q.711 to Q.714 and Q.7)
- CYS ETS 300 009-2:1996 Integrated Services Digital Network (ISDN); Signalling System No. 7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 052-3:1996 Integrated Services Digital Network (ISDN); Multiple Subscriber Number (MSN) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user
- CYS ETS 300 058-3:1996 Integrated Services Digital Network (ISDN); Call Waiting (CW) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

- CYS ETS 300 061-3:1996 Integrated Services Digital Network (ISDN) Subaddressing (SUB) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user
- CYS ETS 300 064-3:1996 Integrated Services Digital Network (ISDN); Direct Dialling In (DDI) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user
- CYS ETS 300 093-3:1996 Integrated Services Digital Network (ISDN); Calling Line Identification Restriction (CLIR) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user
- CYS ETS 300 098-3:1996 Integrated Services Digital Network (ISDN); Connected Line Identification Restriction (COLR) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS& TP) specification for the user
- CYS ETS 300 113:1996 Radio Equipment and Systems (RES); (Edition 2) Land mobile service; Technical characteristics and test conditions for radio equipment intended for the transmission of data (and speech) and having an antenna connector
- CYS ETS 300 114:1996 Public Switched Telephone Network (Edition 2) (PSTN); Basic Category I and Category II specifications for modems standardized for use on the PSTN
- CYS ETS 300 116:1996 Public Switched Telephone Network (Edition 2) (PSTN); Category II specification of 1 200 bits per second duplex modems standardized for use on the PSTN
- CYS ETS 300 117:1996 Public Switched Telephone Network (Edition 2) (PSTN); Category II specification for 2 400 bits per second duplex modems standardized for use on the PSTN

- CYS ETS 300 118:1996 Public Switched Telephone Network (Edition 2) (PSTN); Category II specification for 1 200 bits per second half duplex and 1 200/75 bits per second asymmetrical duplex modems standardized for use on the PSTN
- CYS ETS 300 122-2:1996 Integrated Services Digital Network (ISDN); Generic keypad protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 132-1:1996 Equipment Engineering (EE); Power supply interface at the input to telecommunications equipment; Part 1: Operated by alternating current (ac) derived from direct current (dc) sources
- CYS ETS 300 132-2:1996 Equipment Engineering (EE); Powersupply interface at the input to telecommunications equipment; Part 2: Operated by direct current (dc)
- CYS ETS 300 138-3:1996 Integrated Services Digital Network (ISDN); Closed User Group (CUG) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user.
- CYS ETS 300 141-2:1996 Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 157:1996 Satellite Earth Stations and Systems (Edition 2) (SES); Receive-only Very Small Aperture Terminals (VSATs) operating in the 11/12 GHz frequency bands
- CYS ETS 300 159:1996 Satellite Earth Stations and Systems (Edition 2) (SES); T r a n s m i t - o n l y o r transmit-and-receive Very Small Aperture Terminals (VSATs) used for communications operating in the Fixed Satellite Service (FSS) 11/12/14 GHz frequency bands

- CYS ETS 300 175-1:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 1: Overview
- CYS ETS 300 175-2:1996 Radio Equipment and Systems (RES);(Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 2: Physical Layer (PHL)
- CYS ETS 300 175-3:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 3: Medium Access Control (MAC) layer
- CYS ETS 300 175-4:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 4: Data Link Control (DLC) layer
- CYS ETS 300 175-5:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer
- CYS ETS 300 175-6:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 6: Identities an addressing
- CYS ETS 300 175-7:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 7: Security features
- CYS ETS 300 175-8:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 8: Speech coding and transmission
- CYS ETS 300 175-9:1996 Radio Equipment and Systems (RES); (Edition 2) Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 9: Public Access Profile (PAP)
- CYS ETS 300 182-3:1996 Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

- CYS ETS 300 182-4:1996 Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 4: Abstract Test Suite and partial Protocol Implementation eXtra Information for Testing (PIXIT) specification proforma for the user
- CYS ETS 300 182-5:1996 Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network
- CYS ETS 300 182-6:1996 Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 6: Abstract Test Suite and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network
- CYS ETS 300 188-5:1996 Integrated Services Digital Network (ISDN); Three Parthy (3PTY) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 5: Test Suite Structure and Test Purposes (TSS& TP) specification for the network
- CYS ETS 300 188-6:1996 Integrated Services Digital Network (ISDN); Three Parthy (3PTY) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 6: Abstract Test Suite and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network
- CYS ETS 300 195-2:1996 Integrated Services Digital Network (ISDN); Supplementary service interactions; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

- CYS ETS 300 196-2:1996 Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 207-2:1996 Integrated Services Digital Network (ISDN); Diversion supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 208:1996 Integrated Services Digital Network (ISDN); Free Phone (FPH) supplementary service; Service description
- CYS ETS 300 210-1:1996 Integrated Services Digital Network (ISDN); Free Phone (FPH) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification
- CYS ETS 300 210-2:1996 Integrated Services Digital Network (ISDN); Free Phone (FPH) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS I-ETS 300 245-5:1996 Integrated Services Digital Network (ISDN); Technical characteristics of telephony terminals; Part 5: Wideband (7 kHz) handset telephony
- CYS I-ETS 300 245-6:1996 Integrated Services Digital Network (ISDN); Technical characteristics for telephony terminals; Part 6: Wideband (7 kHz), loudspeaking and hands free telephony
- CYS I-ETS 300 245-8:1996 Integrated Services Digital Network (ISDN); Technical characteristics for telephony terminals; Part 8: Speech transmission characteristics when using low-delay code-excited linear prediction coding at 16 kbit/s

- CYS ETS 300 267-2:1996 Integrated Services Digital Network (ISDN); Telephony 7 kHz and videotelephony teleservices; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 284:1996 Integrated Services Digital Network (ISDN); User-to-User Signalling (UUS) supplementary service; Service description
- CYS ETS 300 286-1:1996 Integrated Services Digital Network (ISDN); User-to-User Signalling (UUS) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification
- CYS ETS 300 286-2:1996 Integrated Services Digital Network (ISDN); User-to-user supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS I-ETS 300 293:1996 Telecommunications Management Network (TMN); Generic managed objects
- CYS I-ETS 300 302-2:1996 Integrated Services Digital Network (ISDN); Videotelephony teleservice; Part 2: Audio aspects - Pulse Code Modulation (PCM) A-law loudspeaking and handsfree
- CYS I-ETS 300 302-3:1996 Integrated Services Digital Network (ISDN); Videotelephony teleservice; Part 3: Audio aspects - wideband handset
- CYS I-ETS 300 302-4:1996 Integrated Services Digital Network (ISDN); Videotelephony teleservice; Part 4: Audio aspects - wideband coding and loudspeaking or handsfree function
- CYS ETS 300 324-9:1996 Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 9: test specification for the physical layer
- CYS ETS 300 336:1996 Integrated Services Digital Network (ISDN); Signalling System No. 7; Message Transfer Part (MTP); Test specification (ITU-T Recommendations Q.781 and Q.782 (1993), modified)

- CYS ETS 300 347-3:1996 Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.2 interface for the support of Access Network (AN); Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (AN side)
- CYS ETS 300 347-5:1996 Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.2 interface for the support of Access Network (AN); Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (LE side)
- CYS ETS 300 347-7:1996 Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.2 interface for the support of Access Network (AN); Part 7: Test Suite Structure and Test Purposes (TSS&TP) specification for the data link layer
- CYS ETS 300 347-9:1996 Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.2 interface for the support of Access Network (AN); Part 9: Test specification for the physical layer
- CYS ETS 300 369-2:1996 Integrated Services Digital Network (ISDN); Explicit Call Transfer (ECT) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 372:1996 Radio Equipment and Systems (RES); Technical characteristics and methods of measurement for maritime float-free satellite Emergency Position Indicating Radio Beacon (EPIRB) operating in the 1,6 GHz band through geostationary satellites
- CYS ETS 300 374-2:1996 Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1); Core Intelligent Network Application Protocol (INAP); Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification for Service Switching Function (SSF) Specialized Resource Function (SRF) and Service Control Function (SCF)

- CYS ETS 300 374-3:1996 Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1); Core Intelligent Network Application Protocol (INAP); Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for Service Switching Function (SSF) and Specialized Resource Function (SRF)
- CYS ETS 300 385:1996 Radio Equipment and Systems (RES); Electro Magnetic Compatibility (EMC) standard for digital fixed radio links and ancillary equipment with data rates at around 2 Mbit/s and above
- CYS ETS 300 392-1:1996 Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Voice plus Data (V+D); Part 1: General Network Design
- CYS ETS 300 392-2:1996 Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Voice plus Data (V+D); Part 2: Air Interface (AI)
- CYS ETS 300 392-10-01:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-1: Call identification
- CYS ETS 300 392-10-02:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-2: Call report
- CYS ETS 300 392-10-03:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-3: Talking party identification
- CYS ETS 300 392-10-04:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-4: Call diversion
- CYS ETS 300 392-10-05:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-5: List search call
- CYS ETS 300 392-10-06:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-6: Call authorized by dispatcher

- CYS ETS 300 392-10-07:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-7: Short number addressing
- CYS ETS 300 392-10-08:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-6: Area selection
- CYS ETS 300 392-10-09:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-9: Access priority
- CYS ETS 300 392-10-10:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-10: Priority Call (PC)
- CYS ETS 300 392-10-11:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-11: Call waiting
- CYS ETS 300 392-10-12:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-12: Call hold
- CYS ETS 300 392-10-13:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-13: Call completion to busy subscriber
- CYS ETS 300 392-10-14:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-14: Late entry
- CYS ETS 300 392-10-15:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-15: Transfer of control
- CYS ETS 300 392-10-16:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-16: Pre-emptive priority call

- CYS ETS 300 392-10-17:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-17: Include call
- CYS ETS 300 392-10-18:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-18: Barring of outgoing calls
- CYS ETS 300 392-10-19:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-19: Barring of incoming calls
- CYS ETS 300 392-10-20:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-20: Discreet listening
- CYS ETS 300 392-10-21:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-20: Ambience listening
- CYS ETS 300 392-10-22:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-22: Dynamic group number assignment
- CYS ETS 300 392-10-23:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-23: Call completion on no reply
- CYS ETS 300 392-10-24:1996 Radio Equipment and Systems (RES); Trans European Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Part 10-24: Call retention
- CYS ETS 300 393-1:1996 Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Packet Data Optimized (PDO); Part 1: General network design
- CYS ETS 300 393-2:1996 Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Packet Data Optimized (PDO); Part 2: Air Interface (AI)

- CYS ETS 300 394-1:1996 Radio Equipment and Systems (RES); TransEuropean Trunked Radio (TETRA); Conformance testing specification; Part 1: Radio
- CYS ETS 300 402-3:1996 Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 3: Frame relay protocol specification
- CYS ETS 300 402-4:1996 Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 4: Protocol Implementation Conformance Statement (PICS) proforma specification for the general protocol
- CYS ETS 300 402-5:1996 Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 5: Protocol Implementation Conformance Statement (PICS) proforma specification for the frame relay protocol
- CYS ETS 300 403-3:1996 Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Signalling network layer for circuit-mode basic call control; Part 3: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 431:1996 Transmssion and Multiplexing (TM); Digital fixed point-to-point radio link equipment operating in the frequency range 24,25 GHz to 29,50 GHz
- CYS ETS 300 434-1:1996 Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT) and Integrated Services Digital Network (ISDN) inerworking for end system configuration; Part 1: Interworking specification
- CYS ETS 300 434-2:1996 Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT) and Integrated Services Digital Network (ISDN) interworking for end-system configuration; Part 2: Access profile

- CYS ETS 300 435:1996 Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT) Data services profile (DSP); Base standard including inter-working to connectionless networks (service types A and B, Class 1)
- CYS ETS 300 437-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Signalling ATM Adaptation Layer (SAAL); Service Specific Co-ordination Function (SSCF) for support of signalling at the User-Network Interface (UNI); Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 441:1996 Radio Equipment and Systems (RES); Technical characteristics and methods of measurement for maritime radiotelephone watch receivers for the distress and calling frequency 2182 kHz
- CYS ETS 300 443-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 1: Protocol specification (ITU-T Recommendation Q.2931 (1995), modified)
- CYS ETS 300 445:1996 Radio Equipment and Systems (RES); ElectroMagnetic Compatibility (EMC) standard for wireless microphones and similar Radio Frequency (RF) audio link equipment
- CYS ETS 300 446:1996 Radio Equipment and Systems (RES); Electro-Magnetic Compatibility (EMC) standard for second generation Cordless Telephone (CT2) apparatus operating in the frequency band 864,1 MHz to 868,1 MHz including public access services
- CYS ETS 300 448:1996 Business TeleCommunications (BTC); Ordinary quality voice bandwidth 2-wire analogue leased line (A20); Connection characteristics and network interface presentation
- CYS ETS 300 449:1996 Business TeleCommunications (BTC); Special quality voice bandwidth 2-wire analogue leased line (A2S); Connection characteristics and network interface presentation

- CYS ETS 300 450:1996 Business TeleCommunications (BTC); Ordinary and Special quality voice bandwidth 2-wire analogue leased line (A20 and A2S); Terminal equipment interface
- CYS ETS 300 451:1996 Business TeleCommunications (BTC); Ordinary quality voice bandwidth 4-wire analogue leased line (A40); Connection characteristics and network interface presentation
- CYS ETS 300 452:1996 Business TeleCommunications (BTC); Special quality voice bandwidth 4-wire analogue leased line (A4S); Connection characteristics and network interface presentation
- CYS ETS 300 453:1996 Business TeleCommunications (BTC); Ordinary and Special quality voice bandwidth 4-wire analogue leased line (A40 and A4S); Terminal equipment interface
- CYS ETS 300 459:1996 Satellite Earth Station and Systems (SES); Network Control Facilities (NCF) for Maritime Mobile Earth Stations (MMESs) operating in the 1,5/1,6 GHz and 11/12/14 GHz bands providing Low Bit Rate Data Communications (LBRDCs) for the Global Maritime Distress and Safety System (GMDSS); Technical characteristics and methods of measurement
- CYS ETS 300 462-2:1996 Transmission and Multiplexing (TM); Generic requirements for synchronization networks; Part 2: Synchronization network architecture
- CYS ETS 300 462-5:1996 Transmission and Multiplexing (TM); Generic requirements for synchronization networks; Part 5: Timing characteristics of slave clocks suitable for operation in Synchronous Digital Hierarchy (SDH) equipment
- CYS ETS 300 463:1996 Transmission and Multiplexing (TM); Requirements of passive Optical Access Networks (OANs) to provide services up to 2 Mbit/s bearer capacity
- CYS ETS 300 464:1996 Broadband Integrated Services Digital Network (B-ISDN); Asynchronous Transfer Mode (ATM); ATM layer cell transfer performance for B-ISDN connection types

- CYS I-ETS 300 465:1996 Broadband Integrated Services
Digital Network (B-ISDN);
Availability and retainability
performance for B-ISDN
semi-permanent connections
- CYS ETS 300 466:1996 Radio Equipment and Systems (RES);
Digital European Cordless
Telecommunications/Global System
for Mobile communication (DECT/GSM)
interworking profile; General
description of service
requirements; Functional
capabilities and information flows
- CYS ETS 300 474-1:1996 Radio Equipment and Systems (RES);
Digital Enhanced Cordless
Telecommunications (DECT); Generic
Access Profile (GAP); Profile
requirement list and profile
specific Implementation Conformance
Statement (ICS) proforma; Part 1:
Portable Radio Termination
- CYS ETS 300 474-2:1996 Radio Equipment and Systems (RES);
Digital Enhanced Cordless
Telecommunications (DECT); Generic
Access Profile (GAP); Profile
requirement list and profile
specific Implementation Conformance
Statement (ICS) proforma; Part 2:
Fixed Radio Termination
- CYS ETS 300 476-1:1996 Radio Equipment and Systems (RES);
Digital Enhanced Cordless
Telecommunications (DECT); Common
Interface (CI); Protocol
Implementation Conformance
Statement (PICS) proforma; Part 1:
Network (NWK) layer - Portable
radio Termination (PT)
- CYS ETS 300 476-2:1996 Radio Equipment and Systems (RES);
Digital Enhanced Cordless
Telecommunications (DECT); Common
Interface (CI); Protocol
Implementation Conformance
Statement (PICS) proforma; Part 2:
Data Link Control (DLC) layer -
Portable radio Termination (PT)
- CYS ETS 300 476-3:1996 Radio Equipment and Systems (RES);
Digital Enhanced Cordless
Telecommunications (DECT); Common
Interface (CI); Protocol
Implementation Conformance
Statement (PICS) proforma; Part 3:
Medium Access Control (MAC) layer -
Portable radio Termination (PT)

- CYS ETS 300 476-4:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 4: Network (NWK) layer - Fixed radio Termination (FT)
- CYS ETS 300 476-5:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 5: Data Link Control (DLC) layer - Fixed radio Termination (FT)
- CYS ETS 300 476-6:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 6: Medium Access Control (MAC) layer - Fixed radio Termination (FT)
- CYS ETS 300 476-7:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma; Part 7: Physical layer
- CYS ETS 300 477:1996 Universal Personal Telecommunication (UPT); UPT Phase 2; Functional specification of the interface of a UPT Integrated; Circuit Card (ICC) and Card Accepting Devices (CADs); UPT card accepting Dual Tone Multiple Frequency (DTMF) device
- CYS I-ETS 300 480:1996 Public Switched Telephone Network (PSTN); Testing application for analogue handset telephony
- CYS ETS 300 481:1996 Terminal Equipment (TE); Integrated Services Digital Network (ISDN); B-Channel aggregation Unit (CAU); Procedures and terminal requirements
- CYS ETS 300 482:1996 Integrated Services Digital Network (ISDN); ISDN-Global System for Mobile Communications (GSM) Public Land Mobile Network (PLMN) signalling interface; Test specification

- CYS ETS 300 483:1996 Terminal Equipment and Systems (TE); Integrated Services Digital Network (ISDN); Multipoint communications for audiovisual services; Main functionalities and basic requirements for Multipoint Control Units (MCUs)
- CYS ETS 300 484:1996 Transmission and Multiplexing (TM); Synchronous Digital Hierarchy (SDH) information model; Connection supervision function (Higher order Connection Supervision/Lower order Connection Supervision (HCS/LCS) for the Network Element (NE) view
- CYS ETS 300 485:1996 Integrated Services Digital Network (ISDN); Definition and usage of cause and location in Digital Subscriber Signalling System No. one (DSS1) and Signalling System No. 7 ISDN User Part (ISUP) (ITU-T Recommendation Q.850 (1993), modified)
- CYS ETS 300 486-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Meta-signalling protocol; Part 1: Protocol specification (ITU-T Recommendation Q.2120 (1995), modified)
- CYS ETS 300 487:1996 Satellite Earth Station and Systems (SES); Receive-Only Mobile Earth Stations (ROMESs) operating in the 1,5 GHz band providing datacommunications Radio Frequency (RF) specifications
- CYS ETS 300 488:1996 Terminal Equipment (TE); Telephony for hearing impaired people; Characteristics of telephone sets that provide additional receiving amplification for the benefit of hearing impaired
- CYS I-ETS 300 490-1:1996 Terminal Equipment (TE); File transfer over the Integrated Services Digital Network (ISDN); Conformance testing specification; Part 1: Profile Implementation Conformance Statement (ICS) proforma for the EUROFILE profile (ETS 300 383)
- CYS I-ETS 300 490-2:1996 Terminal Equipment (TE); File transfer over the Integrated Services Digital Network (ISDN); Conformance testing specification; Part 2: Profile Test Specification Summary (PTS - Summary) for the EUROFILE profile (ETS 300383)

- CYS I-ETS 300 490-3:1996 Terminal Equipment (TE); File transfer over the Integrated Services Digital Network (ISDN); Conformance testing specification; Part 3: Profile Specific Test Specification (PSTS) for the EUROFILE profile (ETS 300 383)
- CYS I-ETS 300 491-1:1996 Terminal Equipment (TE); Conformance testing for file transfer over the Integrated Services Digital Network (ISDN); Part 1: ETS 300 075 Protocol Implementation Conformance Statement (PICS) proforma
- CYS I-ETS 300 491-2:1996 Terminal Equipment (TE); Conformance testing for file transfer over the Integrated Services Digital Network (ISDN); Part 2: ETS 300 075 Test Suite Structure and Test Purposes (TSS&TP)
- CYS I-ETS 300 491-3:1996 Terminal Equipment (TE); Conformance testing for file transfer over the Integrated Services Digital Network (ISDN); Part 1: Conformance testing for ETS 300 075 restricted by ETS 300 383 - Abstract Test Specification (ATS)
- CYS ETS 300 492:1996 Public Switched Telephone Network (PSTN); Category II specification for 14 400, 12 000, 9 600, 7 200 and 4800 bits per second duplex modems standardized for use on the PSTN
- CYS ETS 300 493:1996 Transmission and Multiplexing (TM); Synchronous Digital Hierarchy (SDH) information model of the Sub Network Connection Protection (SNCP) for the Network Element (NE) view
- CYS ETS 300 494-1:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); General Access Profile (GAP); Profile Test Specification (PTS); Part 1: Summary
- CYS ETS 300 494-2:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); General Access Profile (GAP); Profile Test Specification (PTS); Part 2: Profile Specific Test Specification (PSTS) - Portable radio Termination (PT)

- CYS ETS 300-494-3:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); General Access Profile (GAP); Profile Test Specification (PTS); Part 2: Profile Specific Test Specification (PSTS)-Fixed radio Termination (FT)
- CYS ETS 300 497-1:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 1: Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer
- CYS ETS 300 497-2:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 2: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Portable radio Termination (PT)
- CYS ETS 300 497-3:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 3: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Fixed radio Termination (FT)
- CYS ETS 300 497-4:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); CommonInterface (CI) Test Case Library (TCL); Part 4: Test Suite Structure (TSS) and Test Purposes (TP) - Data Link Control (DLC) layer
- CYS ETS 300 497-5:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 5: Abstract Test Suite (ATS) - Data Link Control (DLC) layer
- CYS ETS 300 497-6:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 6: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)

- CYS ETS 300 497-7:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 7: Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)
- CYS ETS 300 497-8:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 8: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Fixed radio Termination (FT)
- CYS ETS 300 497-9:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 9: Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)
- CYS ETS 300 498-1:1996 Open Document Architecture (ODA); ODA communication services; Part 1: Basic services
- CYS ETS 300 499:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications/Global System for Mobile Communications (DECT/GSM) interworking profile; Mobile services Switching Centre (MCS) - Fixed Part (FP) interconnection
- CYS ETS 300 581-7:1996 European digital cellular telecommunications system; Half rate speech; Part 7: ANSI-C code for the GSM half rate speech codec (GSM 06-06)
- CYS ETS 300 581-8:1996 European digital cellular telecommunications system; Half rate speech. Part 8: Test sequences for the GSM half rate speech codec (GSM 06-07)
- CYS ETS 300 604-1:1996 European digital cellular telecommunications system (Phase 2); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1)
- CYS ETS 300 607-1:1996 European digital cellular telecommunications system (Phase 2); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1)

CYS ETS 300 607-2:1996	Digital cellular telecommunicationssystem (Phase 2); Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification (GSM 11.10-2)
CYS ETS 300 607-3:1996	Digital cellular telecommunications system (Phase 2); Mobile Station (MS) conformance specification; Part 3: Layer 3 (L3) Abstract Test Suite (ATS) - (GSM 11.10-3)
CYS I-ETS 300 609-1:1996	Digital Cellular Telecommunications Systems (Phase 2); Base Station System (BSS) equipment specification; Part 1: Radio aspects
CYS ETS 300 612-1:1996	Digital cellular telecommunications system (Phase 2); Network Management (NM); Part 1: Objectives and structure of Network Management (GSM 12.00)
CYS ETS 300 612-2:1996	Digital cellular telecommunications system (Phase 2); Network Management (NM); Part 2: Common aspects of GSM/DCS 1800 Network Management (GSM 12.01)
CYS ETS 300 613:1996	Digital cellular telecommunications system (Phase 2); Subscriber, Mobile Equipment (ME) and services data administration (GSM 12.02)
CYS ETS 300 614:1996	Digital cellular telecommunications system (Phase 2); Security management (GSM 12.03)
CYS ETS 300 615:1996	Digital cellular telecommunications system (Phase 2); Performance data measurements (GSM 12.04)
CYS ETS 300 616:1996	Digital cellular telecommunications system (Phase 2); Subscriber related event and call data (GSM 12.05)
CYS ETS 300 617:1996	Digital cellular telecommunications system (Phase 2); GSM Network configuration management (GSM 12.06)
CYS ETS 300 622:1996	Digital cellular telecommunications system (Phase 2); Base Station System (BSS) Management Information (GSM 12.20)
CYS ETS 300 623:1996	Digital cellular telecommunications system (Phase 2); Network Management (NM) procedures nand messages on the A-bis interface (GSM 12.21)

- CYS ETS 300 624:1996 Digital cellular telecommunications system (Phase 2); Interworking of GSM Network Management (NM) procedures and messages at the Base Station Controller (BSC)(GSM 12.22)
- CYS ETS 300 629:1996 European digital cellular telecommunications system (Phase 2); Subscriber data management. Stage 2 (GSM 03-16)
- CYS I-ETS 300 637:1996 Network Aspects (NA); Functional specification of traffic management on the Network Element/Operations System (NE/OS) interface
- CYS ETS 300 642:1996 Digital cellular telecommunications system (Phase 2); AT command set for GSM Mobile Equipment (ME) (GSM 07.07)
- CYS ETS 300 651:1996 Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Data Services Profile (DSP); Generic data link service; Service type C, class 2
- CYS ETS 300 652:1996 Radio Equipment and Systems (RES); HI Performance Radio Local Area Network (HIPERLAN) Type 1; Functional specification
- CYS I-ETS 300 653:1996 Telecommunications Management Network (TMN); Generic managed object class library for the network level view
- CYS I-ETS 300 654:1996 Integrated Services Digital Network (ISDN); Videotelephony terminals; Interim D-channel signalling aspects
- CYS ETS 300 658:1996 Integrated Services Digital Network (ISDN); Signalling System No.7; Transaction Capabilities (TC) version 2; Test responder specification
- CYS ETS 300 660:1996 Integrated Services Digital Network (ISDN); Synchronization and Co-ordination Function (SCF) for the provision of the OSI Connection-mode Network Service (OSI CONS) in an ISDN environment; Specification of SCF (ITU-T Recommendation Q.923 (1995), modified)

- CYS ETS 300 662-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Multiple Subscriber Number (MSN) supplementary service; Part 1: Protocol specification (ITU-T Recommendation Q. 2951.2 (1995), modified)
- CYS ETS 300 662-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Multiple Subscriber Number (MSN) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 663-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Calling Line Identification Presentation (CLIP) supplementary service; Part 1: Protocol specification (ITU-T Recommendation Q.2951.3 (1995), modified)
- CYS ETS 300 663-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Calling Line Identification Presentation (CLIP) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 664-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two(DSS2) protocol; Calling Line Identification Restriction (CLIR) supplementary service; Part 1: Protocol specification (ITU-T Recommendation Q.2951.4 (1995), modified)
- CYS ETS 300 664-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Calling Line Identification Restriction (CLIR) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

- CYS ETS 300 665-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Connected Line Identification Presentation (COLP) supplementary service; Part 1: Protocol specification (ITU-T Recommendation Q.2951.5 (1995), modified)
- CYS ETS 300 665-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Connected Line Identification Presentation (COLP) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 666-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Connected Line Identification Restriction (COLR) supplementary service; Part 1: Protocol specification (ITU-T Recommendation Q.2951.6 (1995), modified)
- CYS ETS 300 666-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Connected Line Identification Restriction (COLR) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 667-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Subaddressing (SUB) supplementary service; Part 1: Protocol specification (ITU-T Recommendation Q.2951.8 (1995), modified)
- CYS ETS 300 667-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Subaddressing (SUB) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 668-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; User-to-User (UUS) supplementary service; Part 1: Protocol specification (ITU-T Recommendation Q. 2957.1 (1995), modified)

- CYS ETS 300 668-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; User-to-User (UUS) supplementary service; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 669-1:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Supplementary service interactions; Part 1: Protocol specification
- CYS ETS 300 669-2:1996 Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Supplementary service interactions; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification
- CYS ETS 300 672:1996 Transmission and Multiplexing (TM); Relevant generic characteristics of optical amplifier devices and sub-systems
- CYS ETS 300 679:1996 Terminal Equipment (TE); Telephony for the hearing impaired; Electrical coupling of telephone sets to hearing aids
- CYS ETS 300 686:1996 Business TeleCommunications (BTC); 34 Mbit/s and 140 Mbit/s digital leased lines (D34U, D34S, D140U, D140S); Network interface presentation
- CYS ETS 300 687:1996 Business TeleCommunications (BTC); 34 Mbit/s digital leased lines (D34U and D34S); Connection characteristics
- CYS ETS 300 688:1996 Business TeleCommunications (BTC); 140 Mbit/s digital leased lines (D140U and D140S); Connection characteristics
- CYS ETS 300 691:1996 Private Integrated Services Network (PISN); Cordless Terminal Mobility (CTM); Location handling services; Service description
- CYS ETS 300 692:1996 Private Integrated Services Network (PISN); Cordless Terminal Mobility (CTM); Location handling services; Functional capabilities and information flows

CYS ETS 300 693:1996

Private Integrated Services Network (PISN); Inter-exchange signalling protocol; Cordless Terminal Location Registration (CTLR) supplementary service

CYS ETS 300 694:1996

Private Integrated Services Network (PISN); Cordless Terminal Mobility (CTM); Call handling additional network features; Service description

CYS ETS 300 695:1996

Private Integrated Services Network (PISN); Cordless Terminal Mobility (CTM); Call handling additional network features; Functional capabilities and information flows

CYS ETS 300 696:1996

Private Integrated Services Network (PISN); Inter-exchange signalling protocol; Cordless Terminal Incoming Call Additional Network Feature (ANF-CTMI)