

Αριθμός 658

**Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ
ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ ΤΟΥ 2002**

Γνωστοποίηση βάσει του Άρθρου 5(γ) του Νόμου 156(Ι)/2002

Με το παρόν γνωστοποιείται ότι με βάσει το Άρθρο 5(γ) του Νόμου 156(Ι)/2002, περί Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, Ο Κυπριακός Οργανισμός Προώθησης Ποιότητας υιοθέτησε και εξέδωσε ως Κυπριακά Πρότυπα τα πιο κάτω Ευρωπαϊκά Πρότυπα:

| | |
|-----|--|
| 0.1 | GENERALITIES. TERMINOLOGY. STANDARDIZATION. DOCUMENTATION |
|-----|--|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|------------------------------|---|-----------|--|
| CYSENIISO15225:2000- iss1 | Nomenclature — Specification for a nomenclature system for medical devices for the purpose of regulatory data exchange | 01.040.11 | S/S CYS EN ISO 15225:2000 = W/D |

| 0.7 MATHEMATICS.NATURAL SCIENCES | | | |
|----------------------------------|---|-----------|-----------|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSENIISO21572:2004 | Foodstuffs — Methods for the detection of genetically modified organisms and derived products — Protein based methods | 07.100.30 | |

| 11 HEALTH CARE TECHNOLOGY | | | |
|---------------------------|---|-----------|--|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN60601-2-17:2004 | Medical electrical equipment — Part 2-17: Particular requirements for the safety of automatically-controlled brachytherapy afterloading equipment | 11.040.60 | S/S CYS EN 60601-2-17:1996 = W/D |

| | |
|----|--|
| 13 | ENVIRONMENT AND HEALTH PROTECTION. SAFETY |
|----|--|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|----------------------------|--|-----------|--|
| CYSEN14530:2004 | Workplace atmospheres — Determination of diesel particulate matter — General requirements | 13.040.30 | |
| CYSENISO5667-3:2003-iss1 | Water quality — Sampling — Part 3: Guidance on the preservation and handling of water samples | 13.060.45 | S/S CYS EN ISO 5667- 3:2003 = W/D |
| CYSEN60335-1:2002-iss1 | Household and similar electrical appliances — Safety — Part 1: General requirements | 13.12 | S/S CYS EN 60335- 1:2002 = W/D |
| CYSEN60335-2-96:2002-iss2 | Household and similar electrical appliances — Safety — Part 2-96: Particular requirements for flexible sheet heating elements for room heating | 13.12 | S/S CYS EN 60335-2- 96:2002- iss1 = W/D |
| CYSENISO7096:2000-iss1 | Earth-moving machinery — Laboratory evaluation of operator seat vibration | 13.160.00 | S/S CYS EN ISO 7096:2000 = W/D |
| CYSENISO6385:2003-iss1 | Ergonomic principles in the design of work systems | 13.18 | S/S CYS EN ISO 6385:2004 = W/D |
| CYSEN694:2001 | Fire-fighting hoses — Semi-rigid hoses for fixed systems | 13.220.10 | |
| CYSEN175101-809:2004 | Harmonized system of quality assessment for electronic components — Detail specification: Two-part connectors for printed boards having a grid of 2,54 mm, short version in compliance with CECC 75 101-801, with assessed quality | 13.220.10 | S/S CYS EN 175101- 809:2000 = W/D |
| CYSENISO4126-4:2004 | Safety devices for protection against excessive pressure — Part 4: Pilot operated safety valves | 13.24 | |
| CYSENISO4126-5:2004 | Safety devices for protection against excessive pressure — Part 5: Controlled safety pressure relief systems (CSPRS) | 13.24 | |
| CYSENISO4126-7:2004 | Safety devices for protection against excessive pressure — Part 7: Common data | 13.24 | |
| CYSCLC/TS50134-7:2003-iss1 | Alarm systems — Social alarm systems — Part 7: Application guidelines | 13.32 | S/S CYS CLC/TS 50134- 7:2003 = W/D |
| CYSEN471:2003 | High-visibility warning clothing for professional use — Test methods and requirements | 13.340.10 | S/S CYS EN 471:1994 = W/D |

| | | | |
|-----------------|---|-----------|--|
| CYSEN13911:2004 | Protective clothing for firefighters — Requirements and test methods for fire hoods for firefighters | 13.340.10 | |
| CYSEN145:1998 | Respiratory protective devices— Self-contained closed-circuit breathing apparatus compressed oxygen or compressed oxygen-nitrogen type — Requirements, testing, marking | 13.340.30 | |

| 17 METROLOGY AND MEASUREMENT. PHYSICAL PHENOMENA | | | |
|---|---|-----------|--|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSENISO2151:2004- iss1 | Acoustics — Noise test code for compressors and vacuum pumps — Engineering method (Grade 2) | 17.140.20 | S/S CYS EN ISO 2151:2004 = W/D |
| CYSEN60704-2-6:2004 | Household and similar electrical appliances — Test code for the determination of airborne acoustical noise — Part 2-6: Particular requirements for tumble dryers | 17.140.20 | S/S CYS EN 60704-2- 6:1995 = W/D 2006- 12-01 |
| CYSENISO13473- 1:2004 | Characterization of pavement texture by use of surface profiles — Part 1: Determination of Mean Profile Depth | 17.140.30 | |
| CYSEN60375:2003 | Conventions concerning electric and magnetic circuits | 17.220.01 | |
| CYSEN60247:2004 | Insulating liquids — Measurement of relative permittivity, dielectric dissipation factor (tan δ) and d.c. resistivity | 17.220.99 | |

| | |
|----|--|
| 21 | MECHANICAL SYSTEMS AND COMPONENTS FOR GENERAL USE |
|----|--|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|------------------------------|--|-----------|--|
| CYSENISO4026:2003- iss1 | Hexagon socket set screws with flat point | 21.060.10 | S/S CYS EN ISO 4026:2003 = W/D |
| CYSENISO4029:2003- iss1 | Hexagon socket set screws with cup point | 21.060.10 | S/S CYS EN ISO 4029:2003 = W/D |
| CYSENISO23429:2004- iss1 | Gauging of hexagon sockets | 21.060.10 | S/S CYS EN ISO 23429:2004 = W/D |
| CYSENISO9692-1:2003- iss1 | Welding and allied processes — Recommendations for joint preparation — Part 1: Manual metal-arc welding, gasshielded metal-arc welding, gas welding, TIG welding and beam welding of steels | 21.160.40 | S/S CYS EN 9692- 1:2003 = W/D |

| 23 FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE | | | |
|--|---|-----------|--|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN13094:2004 | Tanks for the transport of dangerous goods — Metallic tanks with a working pressure not exceeding 0,5 bar — Design and construction | 23.020.20 | |
| CYSEN14208:2004 | Transportable gas cylinders — Specification for welded pressure drums up to 1 000 litre capacity for the transport of gases — Design and construction | 23.020.30 | |
| CYSEN13445-3:2002-iss3 | Unfired pressure vessels — Part 3: Design | 23.020.30 | S/S CYS EN 13445-3:2002-iss2 = W/D |
| CYSEN13445-5:2002-iss3 | Unfired pressure vessels — Part 5: Inspection and testing | 23.020.30 | S/S CYS EN 13445-5:2002-iss2 = W/D |
| CYSEN1444:2001 | Fibre-cement pipelines - Guide for laying and on-site work practices | 23.040.50 | |
| CYSEN1450:1997 | Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) components — Test methods to prove the design of bolted flange joints | 23.040.60 | |
| CYSEN1277:2003 | Plastics piping systems - Thermoplastics piping systems for buried non-pressure applications - Test methods for leaktightness of elastomeric sealing ring type joints | 23.040.80 | S/S CYS EN 1277:1996 = W/D |
| CYSEN126:2004 | Multifunctional controls for gas burning appliances | 23.060.40 | S/S CYS EN 126:1995 = W/D |
| CYSEN12067-2:2004 | Gas/air ratio controls for gas burners and gas burning appliances — Part 2: Electronic types | 23.060.40 | |

| 25 MANUFACTURING ENGINEERING | | | |
|------------------------------|---|-----------|---------------------------------|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN60873-1:2004 | Electrical and pneumatic analogue chart recorders for use in industrial-process control systems — Part 1: Methods for performance evaluation | 25.040.40 | S/S CYS EN 60873:1993 = W/D |
| CYSEN60745-2-12:2003 | Hand-held motor-operated electric tools — Safety Part 2-12: Particular requirements for concrete vibrators | 25.140.20 | |
| CYSEN60974-8:2004 | Arc welding equipment — Part 8: Gas consoles for welding and plasma cutting systems | 25.16 | |
| CYSENISO15614-5:2004 | Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 5: Arc welding of titanium, zirconium and their alloys | 25.160.10 | |
| CYSEN1712:1997-iss2 | Non-destructive testing of welds — Ultrasonic testing of welded joints — Acceptance levels | 25.160.40 | S/S CYS EN 1712:1997-iss1 = W/D |
| CYSENISO5817:2003-iss1 | Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections | 25.160.40 | S/S CYS EN ISO 5817:2003 = W/D |

| | |
|----|------------------------|
| 29 | ELECTRICAL ENGINEERING |
|----|------------------------|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|------------------------|--|-----------|---|
| CYSEN60851-1:1998-iss1 | Winding wires — Test methods — Part 1: General | 29.060.10 | S/S CYS EN 60851-1:1998 = W/D |
| CYSEN60851-2:1998-iss1 | Winding wires — Test methods — Part 2: Determination of dimensions | 29.060.10 | S/S CYS EN 60851-2:1998 = W/D |
| CYSEN60851-3:1998-iss1 | Winding wires — Test methods — Part 3: Mechanical properties | 29.060.10 | S/S CYS EN 60851-3:1998 = W/D |
| CYSEN50151:2003 | Railway applications — Fixed installations — Electric traction — Special requirements for composite insulators | 29.080.10 | |
| CYSEN50152-3-1:2004 | Railway applications — Fixed installations — Particular requirements for a.c. switchgear — Part 3-1: Measurement, control and protection devices for specific use in a.c. traction systems — Application guide | 29.120.60 | S/S CYS ENV 50152-3-1:1999 = W/D 2006-10-01 |
| CYSEN60929:2004 | A.C. supplied electronic ballasts for tubular fluorescent lamps — Performance requirements | 29.140.30 | S/S CYS EN 60929:1992 = W/D |
| CYSEN60034-8:2002-iss1 | Rotating electrical machines — Part 8: Terminal markings and direction of rotation | 29.160.01 | S/S CYS EN 60034-8:2002 = W/D |
| CYSEN50347:2001-iss1 | General purpose three-phase induction motors having standard dimensions and outputs — Frame numbers 56 to 315 and flange numbers 65 to 740 | 29.160.30 | S/S CYS EN 50347:2001 = W/D |
| CYSEN60652:2004 | Loading tests on overhead line structures | 29.240.20 | |
| CYSEN61954:2000-iss1 | Power electronics for electrical transmission and distribution systems — Testing of thyristor valves for static VAR compensators | 29.240.99 | S/S CYS EN 61954:2000 = W/D |
| CYSEN60079-0:2004 | Electrical apparatus for explosive gas atmospheres — Part 0: General requirements | 29.260.20 | S/S CYS EN 50014:1993 = W/D, S/S CYSEN50014:1998 = Obsolescent, W/D 2007-03-01 |

| | | | |
|--------------------|---|-----------|---|
| CYSEN60079-1:2004 | Electrical apparatus for explosive gas atmospheres — Part 1: Flameproof enclosures 'd' | 29.260.20 | S/S CYS EN 50018:1995 = W/D, CYS EN 50018:2000- iss1 = obsolescent 2007-03-01 |
| CYSEN60079-18:2004 | Electrical apparatus for explosive gas atmospheres — Part 18: Construction, test and marking of type of protection encapsulation "m" electrical apparatus | 29.260.20 | |
| CYSEN50345:2004 | Railway applications — Fixed installations — Electric traction — Insulating synthetic rope assemblies for support of overhead contact lines | 29.28 | |

| 31 ELECTRONICS | | | |
|---------------------------|---|-----------|----------------------------------|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN140401-803:2002-iss1 | Detail Specification: Fixed low power non wire-wound surface mount (SMD) resistors — Cylindrical — Stability classes 0,05; 0,1; 0,25; 0,5; 1; 2 | 31.040.10 | S/S CYS EN 140401-803:2002 = W/D |
| CYSEN60931-1:1998-iss1 | Shunt power capacitors of the non-self-healing type for a.c. systems having a rated voltage up to and including 1 kV — Part 1: General — performance, testing and rating — Safety requirements — Guide for installation and operation | 31.060.70 | S/S CYS EN 60931-1:1998 = W/D |
| CYSEN60191-6-10:2003 | Mechanical standardization of semiconductor devices — Part 6-10: General rules for the preparation of outline drawings of surface mounted semiconductor device packages — Dimensions of P-VSON | 31.080.01 | |
| CYSEN61076-6:2004 | Connectors for electronic equipment — Part 6: Loose part contacts — Sectional specification | 31.220.10 | |
| CYSENISO11551:2003-iss1 | Optics and optical instruments — Lasers and laser-related equipment — Test method for absorptance of optical laser components | 31.26 | S/S CYS EN ISO 11551:2003 = W/D |
| CYSEN61920:2004 | Infrared free air applications | 31.26 | S/S CYS EN 61920:1998 = W/D |

| | |
|----|--|
| 33 | TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING |
|----|--|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|----------------------|--|-----------|---|
| CYSEN50284-1-13:2004 | Communication cables — Specifications for test methods — Part 1-13: Electrical test methods — Coupling attenuation or screening attenuation of patch cords/coaxial cable assemblies/pre-connectorised cables | 33.120.10 | |
| CYSEN61196-4:2004 | Coaxial communication cables — Part 4: Sectional specification for radiating cables | 33.120.10 | |
| CYSEN50289-1-13:2004 | Communication cables — Specifications for test methods — Part 1-13: Electrical test methods — Coupling attenuation or screening attenuation of patch cords/coaxial cable assemblies/pre-connectorised cables | 33.120.10 | |
| CYSEN50289-1-14:2004 | Communication cables — Specifications for test methods — Part 1-14: Electrical test methods — Coupling attenuation or screening attenuation of connecting hardware | 33.120.10 | |
| CYSEN60793-1-45:2003 | Optical fibres — Part 1-45: Measurement methods and test procedures — Mode field diameter | 33.180.10 | Partially S/S CYS EN 188000:199 4, W/D upon publication of full 60793 1 series |
| CYSEN60793-2:2004 | Optical fibres — Part 2: Product specifications — General | 33.180.10 | |
| CYSEN62149-3:2004 | Fibre optic active components and devices — Performance standards — Part 3: 2,5 Gbit/s modulator-integrated laser diode transmitters | 33.180.20 | |
| CYSEN62148-4:2003 | Fibre optic active components and devices — Package and interface standards — Part 4: PN 1x9 plastic optical fibre transceivers | 33.180.30 | |
| CYSEN61970-301:2004 | Energy management system application program interface (EMS-API) — Part 301: Common Information Model (CIM) Base | 33.2 | |

| 35 INFORMATION TECHNOLOGY. OFFICE MACHINES | | | |
|---|---|-----------|-----------|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN50090-4-1:2004 | Home and Building Electronic Systems (HBES) — Part 4-1: Media independent layers — Application layer for HBES Class 1 | 35.100.70 | |

| | | | |
|-----------------|----------------|--------------------------|-----------|
| 43 | | ROAD VEHICLE ENGINEERING | |
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN50374:2004 | Conductor cars | 43.12 | |

| 47 SHIPBUILDING AND MARINE STRUCTURES | | | |
|--|---|--------|---|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEISO7840:2004 | Small craft — Fire-resistant fuel hoses | 47.080 | S/S CYS EN ISO 7840:1995 = W/D |

6554

| | |
|----|---|
| 49 | AIRCRAFT AND SPACE VEHICLE ENGINEERING |
|----|---|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|-----------------------|---|-------------|------------------|
| CYSEN14737-1:2004 | Space engineering — Ground systems and operations — Part 1: Principles and requirements | 49.14 | |
| CYSEN14737-2:2004 | Space engineering — Ground systems and operations — Part 2: Documents requirements definitions (DRDs) | 49.14 | |

| | |
|----|--------------------------------|
| 59 | TEXTILE AND LEATHER TECHNOLOGY |
|----|--------------------------------|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|----------------------|--|-----------|--------------------------------------|
| CYSEN14278-2:2004 | Textiles — Determination of cotton fibre stickiness — Part 2: Method using an automatic thermodetection plate device | 59.060.10 | |
| CYSEN14278-3:2004 | Textiles — Determination of cotton fibre stickiness — Part 3: Method using an automatic thermodetection rotating drum device | 59.060.10 | |
| CYSENISO105-X16:2002 | Textiles — Tests for colour fastness — Part X16: Colour fastness to rubbing — Small areas | 59.080.01 | |
| CYSEN14465:2003-iss1 | Textiles — Upholstery fabrics — Specification and methods of test | 59.080.30 | S/S CYS EN 14465:2003 = W/D |
| CYSEN13254:2001-iss1 | Geotextiles and geotextile-related products — Characteristics required for use in the construction of reservoirs and dams | 59.080.70 | S/S CYS EN 13254:2001 = W/D |
| CYSEN13255:2001-iss1 | Geotextiles and geotextile-related products — Characteristics required for use in the construction of canals | 59.080.70 | S/S CYS EN 13255:2001 = W/D |
| CYSEN13256:2001-iss1 | Geotextiles and geotextile-related products — Characteristics required for use in the construction of tunnels and underground structures | 59.080.70 | S/S CYS EN 13256:2001 = W/D |
| CYSEN13257:2001-iss1 | Geotextiles and geotextile-related products — Characteristics required for use in solid waste disposals | 59.080.70 | S/S CYS EN 13257:2001 = W/D |
| CYSEN13265:2001-iss1 | Geotextiles and geotextile-related products — Characteristics required for use in liquid waste containment projects | 59.080.70 | S/S CYS EN 13265:2001 = W/D |

| 61 CLOTHING INDUSTRY | | | |
|----------------------|--|--------|--------------------------------------|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN12826:2000-iss1 | Footwear — Test methods for lining and insoles — Static friction | 61.06 | S/S CYS EN 12826:2000 = W/D |
| CYSEN12803:2000-iss1 | Footwear — Test methods for outsoles — Tensile strength and elongation | 61.060 | S/S CYS EN 12803:2000 = W/D |

| 65 | AGRICULTURE | | |
|---------------------------|--|-----------|--|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSENI5674:2004 | Tractors and machinery for agriculture and forestry — Guards for power take-off (PTO) drive-shafts — Strength and wear tests and acceptance criteria | 65.060.01 | S/S CYS EN 1152:1995 = W/D |
| CYSENI5011681-2:1998-iss1 | Machinery for forestry — Portable chain-saws — Safety requirements and testing — Part 2: Chain-saws for tree service | 65.060.80 | S/S CYS EN ISO 11681-2:1998 = W/D |
| CYSENI609-1:1999-iss1 | Agricultural and forestry machinery — Safety of log splitters — Part 1: Wedge splitters | 65.060.80 | S/S CYS EN 609-1:1999 = W/D |

6558

| 71 | CHEMICAL TECHNOLOGY | | |
|---------------------|--|-----------|--|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN113:1997-iss2 | Wood preservatives — Test method for determining the protective effectiveness against wood destroying basidiomycetes — Determination of the toxic values | 71.100.50 | S/S CYS EN 113:1997- iss1 = W/D |
| CYSCEN/TR14839:2004 | Wood preservatives — Determination of the preventive efficacy against wood destroying basidiomycetes fungi | 71.100.50 | |

| | |
|----|---------------------|
| 73 | MINING AND MINERALS |
|----|---------------------|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|-----------------|---|-------|-----------|
| CYSEN14146:2004 | Natural stone test methods — Determination of the dynamic modulus of elasticity (by measuring the fundamental resonance frequency) | 73.02 | |
| CYSEN14158:2004 | Natural stone test methods — Determination of rupture energy | 73.02 | |

| | |
|----|---------------------------------------|
| 75 | PETROLEUM AND RELATED TECHNOLOGIES |
|----|---------------------------------------|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|---------------------------|--|-------|--|
| CYSENISO3680:2004 | Determination of flash/no flash — Rapid equilibrium closed cup method | 75.08 | |
| CYSEN14331:2004 | Liquid petroleum products — Separation and characterisation of fatty acid methyl esters (FAME) from middle distillates — Liquid chromatography (LC)/gas chromatography (GC) method | 75.08 | |
| CYSENISO20844:2004 | Petroleum and related products — Determination of the shear stability of polymer-containing oils using a diesel injector nozzle | 75.08 | |
| CYSENISO20846:2004 | Petroleum products — Determination of sulfur content of automotive fuels — Ultraviolet fluorescence method | 75.08 | |
| CYSENISO20847:2004 | Petroleum products — Determination of sulfur content of automotive fuels — Energy-dispersive X-ray fluorescence spectrometry | 75.08 | |
| CYSENISO20884:2004 | Determination of sulfur content of automotive fuels — Wavelength-dispersive X-ray fluorescence spectrometry | 75.08 | |
| CYSENISO20623:2003-iss1 | Determination of the extreme-pressure and anti-wear properties of fluids — Four ball method (European conditions) | 75.1 | S/S CYS EN ISO 20623:2003 = W/D |
| CYSENISO20783-1:2003-iss1 | Petroleum and related products — Determination of emulsion stability of fire-resistant fluids — Part 1: Fluids in category HFAE | 75.12 | S/S CYS EN ISO 20783-1:2003 = W/D |
| CYSENISO20783-2:2003-iss1 | Petroleum and related products — Determination of emulsion stability of fire-resistant fluids — Part 2: Fluids in category HFB | 75.12 | S/S CYS EN ISO 20783-2:2003 = W/D |

| | | | |
|-----------------|-----------------------------------|-------------------------------|-----------|
| 81 | | GLASS AND CERAMICS INDUSTRIES | |
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN14072:2003 | Glass in furniture — Test methods | 81.040.30 | |

| 83 | RUBBER AND PLASTICS INDUSTRIES | | |
|---------------------------|---|-----------|--|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSENISO11403-2:2004 | Plastics — Acquisition and presentation of comparable multipoint data — Part 2: Thermal and processing properties | 83.080.01 | S/S CYS EN ISO 11403-2:2000 = W/D |
| CYSENISO1183-1:2004-iss1 | Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method | 83.080.01 | S/S CYS EN ISO 1183-1:2004 = W/D |
| CYSENISO295:2004-iss1 | Plastics — Compression moulding of test specimens of thermosetting materials | 83.080.10 | S/S CYS EN ISO 295:2004 = W/D |
| CYSENISO3521:2000 | Plastics — Unsaturated polyester and epoxy resins — Determination of overall volume shrinkage | 83.080.10 | |
| CYSENISO10366-2:2003-iss1 | Plastics — Methyl methacrylateacrylonitrilebutadiene-styrene (MABS) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties | 83.080.20 | S/S CYS EN ISO 10366-2:2003 = W/D |
| CYSENISO2580-2:2003-iss1 | Plastics — Acrylonitrile-butadiene-styrene (ABS) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties | 83.080.20 | S/S CYS EN ISO 2580-2:2003 = W/D |
| CYSENISO6402-2:2003-iss1 | Plastics — Acrylonitrile-styreneacrylate (ASA), acrylonitrile-(ethylenepropylene-diene)-styrene (AEPDS) and acrylonitrile-(chlorinated polyethylene)-styrene (ACS) moulding and extrusion materials — Part 2: Preparation of test specimens and | 83.080.20 | S/S CYS EN ISO 6402-2:2003 = W/D |
| CYSENISO9142:2003-iss1 | Adhesives — Guide to the selection of standard laboratory ageing conditions for testing bonded joints | 83.18 | S/S CYS EN ISO 9142:2003 = W/D |

| 87 PAINT AND COLOUR INDUSTRIES | | | |
|--------------------------------|---|-------|-----------|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSENISO4623-2:2004 | Paints and varnishes — Determination of resistance to filiform corrosion — Part 2: Aluminium substrates | 87.04 | |

| 91 | CONSTRUCTION MATERIALS AND BUILDING | | |
|-----------------------|---|-----------|-----------------------------|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN1337-7:2001 | Structural bearings - Part 7: Spherical and cylindrical PTFE bearings | 91.010.30 | |
| CYSEN845-2:2003 | Specification for ancillary components for masonry — Part 2: Lintels | 91.060.10 | S/S CYS EN 845-2:2001 = W/D |
| CYSEN845-3:2003 | Specification for ancillary components for masonry - Part 3: Bed joint reinforcement of steel meshwork | 91.060.10 | S/S CYS EN 845-3:2001 = W/D |
| CYSEN1097-1:1996-iss1 | Tests for mechanical and physical properties of aggregates — Part 1: Determination of the resistance to wear (micro-Deval) | 91.100.20 | S/S CYSEN109 7-1:1996 = W/D |
| CYSEN154:1991 | Ceramic tiles — Determination of resistance to surface abrasion — Glazed tiles | 91.100.25 | |
| CYSEN159:1991 | Dust-pressed ceramic tiles with water absorption E >10% — Group BIII | 91.100.25 | |
| CYSEN163:1991 | Ceramic tiles — Sampling and basis for acceptance | 91.100.25 | |
| CYSEN176:1991 | Dust pressed ceramic tiles with a low water absorption (≤E \$3L 3%) — Group BI | 91.100.25 | |
| CYSEN177:1991 | Dust-pressed ceramic tiles with a water absorption of 3 % \$0L ≤E \$3L 6% (Group BIIa) | 91.100.25 | |
| CYSEN178:1991 | Dust-pressed ceramic tiles with a water absorption of 6 % \$0L ≤E \$3L 10% (Group BIIa) | 91.100.25 | |
| CYSEN188:1991 | Ceramic tiles — Extruded ceramic tiles with a water absorption of E > 10 % (Group AIII) | 91.100.25 | |
| CYSEN186-1:1991 | Ceramic tiles — Extruded ceramic tiles with a water absorption of 3 % \$0L ≤E \$3L 6% (Group AIIa) Part 1 | 91.100.25 | |
| CYSEN186-2:1991 | Ceramic tiles — Extruded ceramic tiles with a water absorption of 3 % \$0L ≤E \$3L 6% (Group AIIa) Part 2 | 91.100.25 | |
| CYSEN187-1:1991 | Ceramic tiles — Extruded ceramic tiles with a water absorption of 6 % \$0L ≤E \$3L 10% (Group AIIb) Part 1 | 91.100.25 | |
| CYSEN187-2:1991 | Ceramic tiles — Extruded ceramic tiles with a water absorption of 6 % \$0L ≤E \$3L 10% (Group AIIb) Part 2 | 91.100.25 | |
| CYSEN1844:2001 | Flexible sheets for waterproofing — Determination of resistance to ozone — Plastic and rubber sheets for roof waterproofing | 91.100.50 | |
| CYSEN461:1999-iss1 | Specification for dedicated liquefied petroleum gas appliances — Flueless non-domestic space heaters not exceeding 10 kW | 91.140.20 | S/S CYS EN 461:1999 = W/D |

| | | | |
|---------------------|---|-----------|--|
| CYSEN12050-4:2001 | Wastewater lifting plants for building and sites — Principles of construction and testing — Part 4: Non-return valves for faecal-free wastewater and wastewater containing faecal matter | 91.140.80 | |
| CYSEN12629-5-1:2003 | Machines for the manufacture of constructional products from concrete and calcium-silicate — Safety — Part 5-1: Pipe making machines manufacturing in the vertical axis | 91.22 | |
| CYSEN12629-5-2:2003 | Machines for the manufacture of constructional products from concrete and calcium-silicate — Safety — Part 5-2: Pipe making machines manufacturing in the horizontal axis | 91.22 | |
| CYSEN12629-5-3:2003 | Machines for the manufacture of constructional products from concrete and calcium-silicate - Safety - Part 5-3: Pipe prestressing machines | 91.22 | |
| CYSEN12629-7:2004 | Machines for the manufacture of constructional products from concrete and calcium-silicate — Safety — Part 7: Stationary and mobile equipment for long line manufacture of prestressed products | 91.22 | |

| 93 CIVIL ENGINEERING | | | |
|---------------------------|--|-----------|--|
| CYSENDocument: | Title | ICS1 | Withdrawn |
| CYSEN1463-1:1998- iss1 | Road marking materials — Retroreflecting road studs — Part 1: Initial performance requirements | 93.080.30 | S/S CYS EN 1463- 1:1998 = W/D |

| | |
|----|--|
| 97 | DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS |
|----|--|

| CYSENDocument: | Title | ICS1 | Withdrawn |
|----------------------------|--|-------|---|
| CYSEN50090-3-2:2004 | Home and Building Electronic Systems (HBES) — Part 3-2: Aspects of application — User process for HBES Class 1 | 97.12 | S/S CYS EN 50090-3- 2:1996 = W/D |
| CYSEN50090-5-2:2004 | Home and Building Electronic Systems (HBES) — Part 5-2: Media and media dependent layers — Network based on HBES Class 1, Twisted Pair | 97.12 | |
| CYSEN50090-7-1:2004 | Home and Building Electronic Systems (HBES) — Part 7-1: System management — Management procedures | 97.12 | |
| CYSEN60730-1:1995- iss1 | Automatic electrical controls for household and similar use — Part 1: General requirements | 97.12 | S/S CYS EN 60730- 1:1995 = W/D |