



**ΕΠΙΣΗΜΗ ΕΦΗΜΕΡΙΔΑ**  
**ΤΗΣ ΚΥΠΡΙΑΚΗΣ ΔΗΜΟΚΡΑΤΙΑΣ**  
**ΠΑΡΑΡΤΗΜΑ ΤΡΙΤΟ**  
**ΜΕΡΟΣ Ι**

**ΚΑΝΟΝΙΣΤΙΚΕΣ ΔΙΟΙΚΗΤΙΚΕΣ ΠΡΑΞΕΙΣ**

|                     |                                |             |
|---------------------|--------------------------------|-------------|
| <b>Αριθμός 4116</b> | <b>Δευτέρα, 3 Ιουλίου 2006</b> | <b>2183</b> |
|---------------------|--------------------------------|-------------|

**Αριθμός 277**

Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ  
ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ (ΝΟΜΟΣ 156(Ι) ΤΟΥ 2002)

Γνωστοποίηση βάσει του άρθρου 5(γ) του Νόμου 156(Ι) του 2002

Με το παρόν γνωστοποιείται ότι με βάση το άρθρο 5(γ) του Νόμου 156(Ι) του 2002, περί Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά Πρότυπα τα πιο κάτω Ευρωπαϊκά Πρότυπα:

|    |   |
|----|---|
| 01 | <b>GENERALITES, TERMINOLOGY, STANDARDIZATION,<br/>DOCUMENTATION</b> |
|----|---|

| <b>CYSEN Document:</b>  | <b>Title</b>  | <b>ICS1</b>                      | <b>Withdrawn</b> |
|-------------------------|---|----------------------------------|------------------|
| CYSCEN/TS<br>15398:2006 | Resilient, textile and laminate floor coverings - Floor covering standard symbols | 01.080.10<br>59.080.60<br>97.150 |                  |

|    |  |
|----|--|
| 03 | <b>SERVICES.COMPANY ORGANIZATION, MANAGEMENT AND<br/>QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY</b> |
|----|--|

| <b>CYSEN Document:</b> | <b>Title</b>   | <b>ICS1</b>                         | <b>Withdrawn</b>                  |
|------------------------|--|-------------------------------------|-----------------------------------|
| CYSEN<br>15038:2006    | Translation services - Service requirements  | 03.080.20                           |                                   |
| CYSEN<br>12353:2006    | Chemical disinfectants and antiseptics - Preservation of test organisms used for the determination of bactericidal, sporicidal and fungicidal activity | 07.100.99<br>11.080.20<br>71.100.35 | S/S CYS EN<br>12353:2000<br>= W/D |

|    |                               |
|----|-------------------------------|
| 11 | <b>HEALTH CARE TECHNOLOGY</b> |
|----|-------------------------------|

| <b>CYSEN Document:</b>  | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                           |
|-------------------------|--|-------------|--|
| CYSEN<br>285:2006       | Sterilization - Steam sterilizers - Large sterilizers  | 11.080.10   | S/S CYS EN<br>285:1997 =<br>W/D            |
| CYSENISO<br>9173-1:2006 | Dentistry - Extraction forceps - Part 1: General requirements and test methods   | 11.060.20   | S/S CYS EN<br>ISO 9173-<br>1:1996 =<br>W/D |
| CYSENISO<br>18472:2006  | Sterilization of health care products - Biological and chemical indicators - Test equipment  | 11.080.01   |  |
| CYSEN<br>13795-3:2006   | Surgical drapes, gowns and clean air suits, used as medical devices for patients, clinical staff and equipment - Part 3: Performance requirements and performance levels | 11.140      |  |
| CYSENISO<br>7197:2006   | Neurosurgical implants - Sterile, single-use hydrocephalus shunts and components   | 11.040.40   |  |
| CYSENISO<br>21649:2006  | Needle-free injectors for medical use - Requirements and test methods  | 11.040.20   |  |

|                          |  |           |  |
|--------------------------|--|-----------|--|
| CYSEN<br>14931:2006      | Pressure vessels for human occupancy (PVHO) - Multi-place pressure chamber systems for hyperbaric therapy - Performance, safety requirements and testing | 11.040.60 |  |
| CYSENISO<br>11979-5:2006 | Ophthalmic implants - Intraocular lenses - Part 5: Biocompatibility  | 11.040.70 | S/S CYS EN<br>13503-<br>5:2001 =<br>W/D        |
| CYSENISO<br>15004-1:2006 | Ophthalmic instruments - Fundamental requirements and test methods - Part 1: General requirements applicable to all ophthalmic instruments               | 11.040.70 | S/S CYS EN<br>ISO<br>15004:1998<br>= W/D       |
| CYSENISO<br>10942:2006   | Ophthalmic instruments - Direct ophthalmoscopes  | 11.040.70 | S/S CYS EN<br>ISO<br>10942:1998-<br>iss1 = W/D |
| CYSENISO<br>10943:2006   | Ophthalmic instruments - Indirect ophthalmoscopes  | 11.040.70 | S/S CYS EN<br>ISO<br>10943:1998<br>= W/D       |
| CYSENISO<br>8871-4:2006  | Elastomeric parts for parenterals and for devices for pharmaceutical use - Part 4: Biological requirements and test methods                              | 11.040.20 | S/S CYS EN<br>ISO<br>8871:1997 =<br>W/D        |
| CYSENISO<br>21969:2006   | High-pressure flexible connections for use with medical gas systems  | 11.040.10 | S/S CYS EN<br>13221:2000<br>= W/D              |
| CYSENISO<br>19054:2006   | Rail systems for supporting medical equipment  | 11.040.99 | S/S CYS EN<br>12218:1999-<br>iss1 = W/D        |

13

## ENVIRONMENT. HEALTH PROTECTION. SAFETY

| CYSEN Document:         | Title  | ICS1      | Withdrawn                              |
|-------------------------|--|-----------|--|
| CYSEN<br>1366-4:2006    | Fire resistance tests for service installations - Part 4: Linear joint seals   | 13.220.50 |  |
| CYSEN<br>15110:2006     | Water quality - Guidance standard for the sampling of zooplankton from standing waters   | 13.060.45 |  |
| CYSEN<br>15058:2006     | Stationary source emissions - Determination of the mass concentration of carbon monoxide (CO) - Reference method: Non-dispersive infrared spectrometry | 13.040.40 |  |
| CYSEN<br>54-3:2001-iss2 | Fire detection and fire alarm systems - Part 3: Fire alarm devices - Sounders  | 13.220.20 | S/S CYS EN<br>54-3:2001-<br>iss1 = W/D |

|                           |  |                        |                                      |
|---------------------------|--|------------------------|--------------------------------------|
| CYSEN<br>54-21:2006       | Fire detection and fire alarm systems -<br>Part 21: Alarm transmission and fault<br>warning routing equipment  | 13.220.20              |                                      |
| CYSEN<br>966:1996-iss2    | Helmets for airborne sports  | 13.340.20<br>97.220.40 | S/S CYS EN<br>966:1996-iss1<br>= W/D |
| CYSEN<br>14034-2:2006     | Determination of explosion<br>characteristics of dust clouds - Part 2:<br>Determination of the maximum rate of<br>explosion pressure rise (dp/dt) <sub>max</sub> of<br>dust clouds | 13.230                 |                                      |
| CYSEN<br>14034-3:2006     | Determination of explosion<br>characteristics of dust clouds - Part 3:<br>Determination of the lower explosion<br>limit LEL of dust clouds   | 13.230                 |                                      |
| CYSCEN/TR<br>15281:2006   | Guidance on Inerting for the Prevention<br>of Explosions   | 13.230                 |                                      |
| CYSCEN/TS<br>15439:2006   | Biomass gasification - Tar and particles<br>in product gases - Sampling and<br>analysis  | 13.040.40<br>75.160.10 |                                      |
| CYSEN<br>143:2000-iss2    | Respiratory protective devices - Particle<br>filters - Requirements, testing, marking  | 13.340.30              | S/S CYS EN<br>143:2000-iss1<br>= W/D |
| CYSENISO<br>14505-3:2006  | Ergonomics of the thermal environment<br>- Evaluation of the thermal environment<br>in vehicles - Part 3: Evaluation of<br>thermal comfort using human subjects                    | 13.180<br>43.02        |                                      |
| CYSEN<br>1317-2:1998-iss1 | Road restraint systems - Part 2:<br>Performance classes, impact test<br>acceptance criteria and test methods<br>for safety   | 13.200<br>93.080.30    | S/S CYS EN<br>1317-2:1998 =<br>W/D   |
| CYSEN<br>14996:2006       | Water quality - Guidance on assuring<br>the quality of biological and ecological<br>assessments in the aquatic<br>environment  | 13.060.70              |                                      |
| CYSEN<br>14383-1:2006     | Prevention of crime - Urban planning<br>and building design - Part 1: Definition<br>of specific terms  | 13.31<br>91.040.20     |                                      |
| CYSEN<br>54-20:2006       | Fire detection and fire alarm systems -<br>Part 20: Aspirating smoke detectors   | 13.220.20              |                                      |

21

**MECHANICAL SYSTEMS AND COMPONENTS FOR GENERAL USE**

| <b>CYSEN Document:</b> | <b>Title</b>   | <b>ICS1</b>            | <b>Withdrawn</b> |
|------------------------|--|------------------------|------------------|
| CYSEN<br>13411-7:2006  | Terminations for steel wire ropes - Safety<br>- Part 7: Symmetric wedge socket | 21.060.70<br>53.020.30 |                  |

|    |   |
|----|---|
| 23 | <b>FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE</b> |
|----|---|

| <b>CYSEN Document:</b>  | <b>Title</b>   | <b>ICS1</b>                         | <b>Withdrawn</b>                 |
|-------------------------|--|-------------------------------------|----------------------------------|
| CYSEN 13445-5:2002-iss6 | Unfired pressure vessels - Part 5: Inspection and testing  | 23.020.30                           | S/S CYS EN 13445-5:2002-iss5=W/D |
| CYSEN 14894:2006        | LPG equipment and accessories - Cylinder and drum marking  | 23.020.30                           |                                  |
| CYSEN 14901:2006        | Ductile iron pipes, fittings and accessories - Epoxy coating (heavy duty) of ductile iron fittings and accessories - Requirements and test methods | 23.040.10<br>23.040.40<br>25.220.60 |                                  |
| CYSEN 12300:1999-iss1   | Cryogenic vessels - Cleanliness for cryogenic service  | 23.020.40                           | S/S CYS EN 12300:1999 = W/D      |
| CYSCEN/TS 15173:2006    | Gas supply systems - Frame of reference regarding Pipeline Integrity Management System (PIMS)  | 23.040.01                           |                                  |
| CYSEN 1442:2006         | LPG equipment and accessories - Transportable refillable welded steel cylinders for LPG - Design and construction                                  | 23.020.30                           | S/S CYS EN 1442:1998-iss2 = W/D  |

|    |                                  |
|----|----------------------------------|
| 25 | <b>MANUFACTURING ENGINEERING</b> |
|----|----------------------------------|

| <b>CYSEN Document:</b> | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>            |
|------------------------|--|-------------|-----------------------------|
| CYSEN 13523-25:2006    | Coil coated metals - Test methods - Part 25: Resistance to humidity  | 25.220.60   |                             |
| CYSEN 13523-26:2006    | Coil coated metals - Test methods - Part 26: Resistance to condensation of water   | 25.220.60   |                             |
| CYSENISO 10218-1:2006  | Robots for industrial environments - Safety requirements - Part 1: Robot   | 25.040.30   | S/S EN 775:1992 = W/D       |
| CYSENISO 18276:2006    | Welding consumables - Tubular cored electrodes for gasshielded and non-gasshielded metal arc welding of highstrength steels - Classification | 25.160.20   | S/S CYS EN 12535:2000 = W/D |
| CYSENISO 9455-17:2006  | Soft soldering fluxes - Test methods - Part 17: Surface insulation resistance comb test and electrochemical migration test of flux residues  | 25.160.50   |                             |

|    |                    |
|----|--------------------|
| 31 | <b>ELECTRONICS</b> |
|----|--------------------|

| <b>CYSEN Document:</b>   | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b> |
|--------------------------|---|-------------|------------------|
| CYSENISO<br>13697:2006   | Optics and photonics - Lasers and laser-related equipment - Test methods for specular reflectance and regular transmittance of optical laser components | 31.260      |                  |
| CYSENISO<br>14880-3:2006 | Optics and photonics - Microlens arrays - Part 3: Test methods for optical properties other than wavefront aberrations                                  | 31.260      |                  |
| CYSENISO<br>14880-4:2006 | Optics and photonics - Microlens arrays - Part 4: Test methods for geometrical properties   | 31.260      |                  |

|    |  |
|----|--|
| 35 | <b>INFORMATION TECHNOLOGY. OFFICE MACHINES</b> |
|----|--|

| <b>CYSEN Document:</b>           | <b>Title</b>   | <b>ICS1</b>            | <b>Withdrawn</b> |
|----------------------------------|--|------------------------|------------------|
| CYSCEN/TS<br>15231:2006          | Open data communication in building automation, controls and building management - Mapping between Lonworks and BACnet   | 35.240.99              |                  |
| CYSCEN<br>ISO/TS<br>18234-1:2006 | Traffic and Travel Information (TTI) - TTI via Transport Protocol Expert Group (TPEG) data-streams - Part 1: Introduction, Numbering and Versions              | 35.240.60<br>03.220.01 |                  |
| CYSCEN<br>ISO/TS<br>18234-2:2006 | Traffic and Traveller Information (TTI) - TTI via Transport Protocol Expert Group (TPEG) data-streams - Part 2: Syntax, Semantics and Framing Structure (SSF)  | 35.240.60<br>03.220.01 |                  |
| CYSCEN<br>ISO/TS<br>18234-3:2006 | Traffic and Travel Information (TTI) - TTI via Transport Protocol Expert Group (TPEG) data-streams - Part 3: Service and Network Information (SNI) application | 35.240.60<br>03.220.01 |                  |
| CYSCEN<br>ISO/TS<br>18234-4:2006 | Traffic and Travel Information (TTI) - TTI via Transport Protocol Expert Group (TPEG) data-streams - Part 4: Road Traffic Message (RTM) application            | 35.240.60<br>03.220.01 |                  |
| CYSCEN<br>ISO/TS<br>18234-5:2006 | Traffic and Travel Information (TTI) - TTI via Transport Protocol Expert Group (TPEG) data-streams - Part 5: Public Transport Information (PTI) application    | 35.240.60<br>03.220.01 |                  |
| CYSCEN<br>ISO/TS<br>18234-6:2006 | Traffic and Travel Information (TTI) - TTI via Transport Protocol Expert Group (TPEG) data-streams - Part 6: Location referencing applications                 | 35.240.60<br>03.220.01 |                  |
| CYSENISO<br>19119:2006           | Geographic information - Services  | 35.240.70              |                  |

|    |                                 |
|----|---------------------------------|
| 43 | <b>ROAD VEHICLE ENGINEERING</b> |
|----|---------------------------------|

| <b>CYSEN Document:</b>           | <b>Title</b>   | <b>ICS1</b>            | <b>Withdrawn</b> |
|----------------------------------|--|------------------------|------------------|
| CYSCEN<br>ISO/TS<br>14822-1:2006 | Traffic and Travel Information - General specifications for medium-range pre-information via dedicated short-range communication - Part 1: Downlink                                    | 43.040.15<br>35.240.60 |                  |
| CYSCEN<br>ISO/TS<br>14907-2:2006 | Road transport and traffic telematics - Electronic fee collection - Test procedures for user and fixed equipment - Part 2: Conformance test for the onboard unit application interface | 43.040.15<br>35.240.60 |                  |

|    |                            |
|----|----------------------------|
| 45 | <b>RAILWAY ENGINEERING</b> |
|----|----------------------------|

| <b>CYSEN Document:</b> | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b> |
|------------------------|---|-------------|------------------|
| CYSEN<br>13231-1:2006  | Railway applications - Track - Acceptance of works - Part 1: Works on ballasted track - Plain line                          | 45.080      |                  |
| CYSEN<br>13231-2:2006  | Railway applications - Track - Acceptance of works - Part 2: Works on ballasted track - Switches and crossings              | 45.080      |                  |
| CYSEN<br>13231-3:2006  | Railway applications - Track - Acceptance of works - Part 3: Acceptance of rail grinding, milling and planing work in track | 45.080      |                  |
| CYSEN<br>14750-1:2006  | Railway applications - Air conditioning for urban and suburban rolling stock - Part 1: Comfort parameters                   | 45.060.01   |                  |
| CYSEN<br>14750-2:2006  | Railway applications - Air conditioning for urban and suburban rolling stock - Part 2: Type tests                           | 45.060.01   |                  |

|    |   |
|----|---|
| 47 | <b>SHIPBUILDING AND MARINE STRUCTURES</b> |
|----|---|

| <b>CYSEN Document:</b> | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b>                              |
|------------------------|---|-------------|---|
| CYSENISO<br>8665:2006  | Small craft - Marine propulsion reciprocating internal combustion engines - Power measurements and declarations | 47.080      | S/S CYS EN<br>ISO<br>8665:1996 -<br>iss1= W/D |

| CYSEN Document:     | Title   | ICS1      | Withdrawn                  |
|---------------------|---|-----------|----------------------------|
| CYSEN 2680:2006     | Aerospace series - Nuts, anchor, self-locking, floating, selfaligning, two lug, in alloy steel, cadmium plated, MoS2 lubricated - Classification: 900 MPa (at ambient temperature) / 235 °C             | 49.030.30 |                            |
| CYSEN 3708-001:2006 | Aerospace series - Modular interconnection systems - Terminal junction systems - Part 001: Technical specification  | 49.06     |                            |
| CYSEN 3716-001:2006 | Aerospace series - Connector, single-way, with triaxial interface, for transmission of digital data - Part 001: Technical specification   | 49.06     |                            |
| CYSEN 2327:2006     | Aerospace series - Washers, lock, with radial serrations in alloy steel, cadmium plated for flight control rods - Dimensions  | 49.030.50 | S/S CYS EN 2327:1989 = W/D |
| CYSEN 2328:2006     | Aerospace series - Washers, tab in corrosion resisting steel, cadmium plated for flight control rods - Dimensions   | 49.030.50 | S/S CYS EN 2328:1990 = W/D |
| CYSEN 2596:2006     | Aerospace series - Washers, lock, with radial serrations in corrosion resisting steel, cadmium plated for flight control rods - Dimensions  | 49.060    | S/S CYS EN 2596:1990 = W/D |
| CYSEN 2546:2006     | Aerospace series - Washers, lock with radial serrations in corrosion resisting steel passivated for flight control rods - Dimensions  | 49.030.50 | S/S CYS EN 2546:1990 = W/D |
| CYSEN 3155-045:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 045: Contacts, electrical, female, type A, double crimping, class T - Product standard                                     | 49.060    |                            |
| CYSEN 3155-028:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 028: Contacts, electrical, coaxial, shielded, size 16, male, type D, crimp, class R - Product standard                     | 49.060    |                            |
| CYSEN 2337:2006     | Aerospace series - Spherical plain bearings - Technical specification   | 49.035    | S/S CYS EN 2337:1996 = W/D |
| CYSEN 2549:2006     | Aerospace series - Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated - Classification: 1 100 MPa (at ambient temperature) / 315 °C | 49.030.20 | S/S CYS EN 2549:1995 = W/D |
| CYSEN 2588:2006     | Aerospace series - Bearings, spherical plain in corrosion resisting steel with assembly slots - Dimensions and loads  | 49.035    | S/S CYS EN 2588:1992 = W/D |



|                        |  |           |                                       |
|------------------------|--|-----------|---------------------------------------|
| CYSEN<br>3475-302:2006 | Aerospace series - Cable, electrical, aircraft use - Test methods - Part 302: Voltage proof test   | 49.060    | S/S CYS EN<br>3475-302:<br>2002 = W/D |
| CYSEN<br>4402:2006     | Aerospace series - Lockbolts, 100° countersunk normal head, sheartype, close tolerance, in titanium alloy Ti-P64001, with aluminium pigmented coating, metric series - Classification: 1 100 MPa (at ambient temperature) / 315 °C | 49.030.20 |                                       |
| CYSEN<br>2884:2006     | Aerospace series - Nuts, anchor, self-locking, fuel resistant, sealing, floating, two lug, with counterbore, in corrosion resisting steel, passivated, MoS2 lubricated - Classification: 900 MPa (at ambient temperature) / 120 C  | 49.030.30 |                                       |
| CYSEN<br>4111:2006     | Aerospace series - Wrenches, splined, socket for pipe fittings - Technical specification   | 49.030.99 |                                       |
| CYSEN<br>4199-001:2006 | Aerospace series - Bonding straps for aircraft - Part 001: Technical specification   | 49.060    |                                       |
| CYSEN<br>4199-002:2006 | Aerospace series - Bonding straps for aircraft - Part 002: Index of product standard   | 49.060    |                                       |
| CYSEN<br>4199-006:2006 | Aerospace series - Bonding straps for aircraft - Part 006: Round braid copper conductors for bonding straps, tin plated up to 150 °C or nickel plated up to 260 °C - Product standard  | 49.060    |                                       |
| CYSEN<br>4617:2006     | Aerospace series - Recommended practices for standardising company standards   | 49.020    |                                       |
| CYSEN<br>3716-002:2006 | Aerospace series - Connectors, single-way with triaxial interface, for transmission of digital data - Part 002: Conditions of use and list of product standards  | 49.060    |                                       |
| CYSEN<br>3716-003:2006 | Aerospace series - Connectors, single-way with triaxial interface, for transmission of digital data - Part 003: Solder receptacle - Product standard   | 49.060    |                                       |
| CYSEN<br>3716-004:2006 | Aerospace series - Connectors, single-way with triaxial interface, for transmission of digital data - Part 004: Solder plug - Product standard   | 49.060    |                                       |
| CYSEN<br>4036:2006     | Aerospace series - Rod ends, adjustable with self-aligning double row ball bearing and threaded shank in corrosion resisting steel, reduced internal radial clearance - Dimensions and loads                                       | 49.035    |                                       |
| CYSEN<br>4529-001:2006 | Aerospace series - Elements of electrical and optical connection - Sealing plugs - Part 001: Technical specification   | 49.060    |                                       |
| CYSEN<br>4529-002:2006 | Aerospace series - Elements of electrical and optical connection - Sealing plugs - Part 002: Index of product standards  | 49.060    |                                       |

|                        |   |           |  |
|------------------------|---|-----------|--|
| CYSEN<br>4529-003:2006 | Aerospace series - Elements of electrical and optical connection - Sealing plugs - Part 003: Class T - Product standard   | 49.060    |  |
| CYSEN<br>4530-001:2006 | Aerospace series - Sealing sleeves used in elements of connection - Part 001: Technical specification   | 49.060    |  |
| CYSEN<br>4530-002:2006 | Aerospace series - Sealing sleeves used in elements of connection - Part 002: List and utilization of sealing sleeves   | 49.060    |  |
| CYSEN<br>4008-014:2006 | Aerospace series - Elements of electrical and optical connection - Crimping tools and associated accessories - Part 014: Turret for crimping tool M22520/31-01 - Product standard                                     | 49.060    |  |
| CYSEN<br>3708-002:2006 | Aerospace series - Modular interconnection systems - Terminal junction systems - Part 002: Performance specification  | 49.060    |  |
| CYSEN<br>3708-003:2006 | Aerospace series - Modular interconnection systems - Terminal junction systems - Part 003: Removable feedback modules version, sealed - Product standard  | 49.060    |  |
| CYSEN<br>3708-004:2006 | Aerospace series - Modular interconnection systems - Terminal junction systems - Part 004: Removable feedback modules version, unsealed - Product standard  | 49.060    |  |
| CYSEN<br>3708-005:2006 | Aerospace series - Modular interconnection systems - Terminal junction systems - Part 004: Removable feedback modules version, unsealed - Product standard  | 49.060    |  |
| CYSEN<br>2235:2006     | Aerospace series - Single and multicore electrical cables, screened and jacketed  | 49.060    |  |
| CYSEN<br>2856:2006     | Aerospace series - Nuts, anchor, self-locking, fixed, closed corner, reduced series, with counterbore - Classification: 1 100 MPa/235 °C  | 49.030.30 |  |
| CYSEN<br>3425:2006     | Aerospace series - Groove dimensions for axial mouting external type retaining rings  | 49.030.99 |  |
| CYSEN<br>3426:2006     | Aerospace series - Groove dimensions for axial mouting external type retaining rings  | 49.030.99 |  |
| CYSEN<br>3427:2006     | Aerospace series - Groove dimensions for radial mounting retaining rings  | 49.030.99 |  |
| CYSEN<br>3727:2006     | Aerospace series - Bearings, airframe rolling rigid with flanged alignment housing - Technical specification  | 49.035    |  |
| CYSEN<br>4608-001:2006 | Aerospace series - Cable, electrical, fire resistant - Single and twisted multicore assembly, screened (braided) and jacketed - Operating temperatures between - 65 °C and 260 °C - Part 001: Technical specification | 49.060    |  |

|                        |   |           |  |
|------------------------|---|-----------|--|
| CYSEN<br>4608-002:2006 | Aerospace series - Cable, electrical, fire resistant - Single and twisted multicore assembly, screened (braided) and jacketed - Operating temperatures between - 65 °C and 260 °C - Part 002: General   | 49.060    |  |
| CYSEN<br>2267-005:2006 | Aerospace series - Cables, electrical, for general purpose - Operating temperatures between - 55 C and 260 C - Part 005: UV laser printable - Product standard  | 49.060    |  |
| CYSEN<br>4495:2006     | Aerospace series - Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating, metric series - Classification: 1 100 MPa (at ambient temperature) / 315 °C       | 49.030.20 |  |
| CYSEN<br>4501:2006     | Aerospace series - Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating, metric series - Classification: 1 100 MPa (at ambient temperature) / 315 °C       | 49.030.20 |  |
| CYSEN<br>4509:2006     | Aerospace series - Screws, 100 countersunk normal head, offset cruciform recess, threaded to head, in titanium alloy, anodized, with aluminium pigmented coating, metric series - Classification: 1 100 MPa (at ambient temperature) / 315 °C | 49.030.20 |  |
| CYSEN<br>2346-002:2006 | Aerospace series - Cable, electrical, fire resistant - Operating temperatures between - 65 °C and 260 °C - Part 002: General  | 49.060    |  |
| CYSEN<br>2346-003:2006 | Aerospace series - Cable, electrical, fire resistant - Operating temperatures between - 65 °C and 260 °C - Part 003: DL family, single core - Product standard  | 49.060    |  |
| CYSEN<br>2346-004:2006 | Aerospace series - Cable, electrical, fire resistant - Operating temperatures between - 65 °C and 260 °C - Part 004: DN family, single UV laser printable and multicore assembly - Light weight - Product standard                            | 49.060    |  |
| CYSEN<br>4311:2006     | Aerospace series - Studs, coarse tolerance reduced shank, medium length threads, in heat and corrosion resisting steel, MoS2 lubricated - Classification : 1 100 MPa (at ambient temperature) / 315 °C  | 49.030.20 |  |
| CYSEN<br>4312:2006     | Aerospace series - Studs, coarse tolerance reduced shank, medium length thread, in heat and corrosion resisting steel, with aluminium pigmented coating - Classification: 1 100 MPa (at ambient temperature) / 315 °C                         | 49.030.20 |  |
| CYSEN<br>4494:2006     | Aerospace series - Rings, split, in stainless steel   | 49.030.50 |  |

|                        |   |           |                                       |
|------------------------|---|-----------|---------------------------------------|
| CYSEN<br>3155-024:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 024: Contacts, electrical, triaxial, size 8, male, type D, crimp, class S - Product standard               | 49.060    |                                       |
| CYSEN<br>3155-025:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 025: Contacts, electrical, triaxial, size 8, female, type D, crimp, class S - Product standard             | 49.060    |                                       |
| CYSEN<br>3475-501:2006 | Aerospace series - Cables, electrical, aircraft use - Test methods - Part 501: Dynamic cut-through  | 49.060    | S/S CYS EN<br>3475-501:<br>2002 = W/D |
| CYSEN<br>4041:2006     | Aerospace series - Bearings, airframe rolling - Rigid single row ball bearings in corrosion resisting steel, with extended inner ring and flanged alignment bush - Dimensions and loads | 49.035    |                                       |
| CYSEN<br>4198:2006     | Aerospace series - Rod-ends, adjustable self-aligning plain bearing with self-lubricating liner and threaded shank in corrosion resisting steel - Dimensions and loads                  | 49.035    |                                       |
| CYSEN<br>4424:2006     | Aerospace series - Rod-ends, adjustable, single fork and threaded shank with engagement: 1,5 × thread diameter in titanium alloys - Dimensions and loads                                | 49.035    |                                       |
| CYSEN<br>4425:2006     | Aerospace series - Washers, tab in corrosion resisting steel for flight control rods - Dimensions   | 49.030.50 |                                       |
| CYSEN<br>2435-001:2006 | Aerospace series - Paints and varnishes - Corrosion resistant chromated two component cold curing primer - Part 001: Minimum requirements   | 49.040    |                                       |
| CYSEN<br>2436-001:2006 | Aerospace series - Paints and varnishes - Corrosion resistant chromate-free two component cold curing primer - Part 001: Basic requirements   | 49.040    |                                       |
| CYSEN<br>2434-005:2006 | Aerospace series - Paints and varnishes - Two component cold curing polyurethane finish - Part 005: High flexibility and chemical agent resistance for military application             | 49.040    |                                       |
| CYSEN<br>2647:2006     | Aerospace series - Nuts, hexagonal, self-locking, ball seat, in alloy steel, cadmium plated, MoS <sub>2</sub> lubricated - Classification: 900 MPa (at ambient temperature)/235 °C      | 49.030.30 | S/S CYS EN<br>2647:1995 =<br>W/D      |
| CYSEN<br>2435-002:2006 | Aerospace series - Paints and varnishes - Corrosion resistant chromated two component cold curing primer - Part 002: High corrosion resistance  | 49.040    |                                       |
| CYSEN<br>2434-003:2006 | Aerospace series - Paints and varnishes - Corrosion resistant chromated two component cold curing primer - Part 003: High corrosion and fluid resistance                                | 49.040    |                                       |

|                        |   |        |  |
|------------------------|---|--------|--|
| CYSEN<br>2435-004:2006 | Aerospace series - Paints and varnishes - Corrosion resistant chromated two component cold curing primer - Part 004: High corrosion and fluid resistance with surface preparation tolerance | 49.040 |  |
| CYSEN<br>2435-005:2006 | Aerospace series - Paints and varnishes - Corrosion resistant chromated two component cold curing primer - Part 005: High corrosion resistance for military application                     | 49.040 |  |
| CYSEN<br>2436-003:2006 | Aerospace series - Paints and varnishes - Corrosion resistant chromate-free two component cold curing primer - Part 003: High corrosion and fluid resistance                                | 49.040 |  |

53

**MATERIALS HANDLING EQUIPMENT**

| CYSEN Document:        | Title  | ICS1      | Withdrawn |
|------------------------|--|-----------|-----------|
| CYSENISO<br>17228:2006 | Leather - Tests for colour fastness - Change in colour with accelerated ageing | 59.140.30 |           |

55

**PACKAGING AND DISTRIBUTION OF GOODS**

| CYSEN Document:     | Title   | ICS1   | Withdrawn                         |
|---------------------|---|--------|-----------------------------------|
| CYSEN<br>12710:2006 | Fibreboard drums - Removable head (open head) drums with closing rings with a nominal capacity of 15 l to 250 l | 55.140 | S/S CYS EN<br>12710:2000<br>= W/D |
| CYSEN<br>415-5:2006 | Safety of packaging machines - Wrapping machines  | 55.200 |                                   |

59

**TEXTILE AND LEATHER TECHNOLOGY**

| CYSEN Document:              | Title  | ICS1                | Withdrawn                               |
|------------------------------|--|---------------------|---|
| CYSCEN/TS<br>14689:2006      | Leather - Physical and mechanical tests - Determination of bagginess, creep and relaxation | 59.140.30           |   |
| CYSEN<br>14150:2006          | Geosynthetic barriers - Determination of permeability to liquids                           | 59.080.70           |   |
| CYSEN<br>14465:2003-<br>iss2 | Textiles - Upholstery fabrics - Specification and methods of test                          | 59.080.30<br>97.140 | S/S CYS EN<br>14465:2003-<br>iss1 = W/D |

|    |                          |
|----|--------------------------|
| 61 | <b>CLOTHING INDUSTRY</b> |
|----|--------------------------|

| <b>CYSEN Document:</b> | <b>Title</b>  | <b>ICS1</b>      | <b>Withdrawn</b>           |
|------------------------|---|------------------|----------------------------|
| CYSEN 1392:2006        | Adhesives for leather and footwear materials - Solvent-based and dispersion adhesives - Testing of bond strength under specified conditions | 61.060<br>83.180 | S/S CYS EN 1392:1998 = W/D |

|    |                    |
|----|--------------------|
| 65 | <b>AGRICULTURE</b> |
|----|--------------------|

| <b>CYSEN Document:</b> | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>            |
|------------------------|--|-------------|-----------------------------|
| CYSEN 15055:2006       | Non fatty foods - Determination of chlormequat and mepiquat - LC-MS/MS method  | 65.060      |                             |
| CYSEN 14185-2:2006     | Non fatty foods - Determination of N-methylcarbamate residues - Part 2: HPLC method with clean-up on a diatomaceous earth column                           | 65.060      |                             |
| CYSENISO 17375:2006    | Animal feeding stuffs - Determination of aflatoxin B1  | 65.120      |                             |
| CYSEN 13041:2000-iss1  | Soil improvers and growing media - Determination of physical properties - Dry bulk density, air volume, water volume, shrinkage value and total pore space | 65.080      | S/S CYS EN 13041:2000 = W/D |

|    |                        |
|----|------------------------|
| 67 | <b>FOOD TECHNOLOGY</b> |
|----|------------------------|

| <b>CYSEN Document:</b> | <b>Title</b>   | <b>ICS1</b>         | <b>Withdrawn</b> |
|------------------------|--|---------------------|------------------|
| CYSEN 15054:2006       | Non fatty foods - Determination of chlormequat and mepiquat - LC-MS method   | 67.060<br>67.080.01 |                  |
| CYSCEN/TR 15298:2006   | Foodstuffs - Sample comminution for mycotoxins analysis - Comparison between dry milling and slurry mixing   | 67.050              |                  |
| CYSEN 14538:2006       | Fat and oil derivatives - Fatty acid methyl ester (FAME) - Determination of Ca, K, Mg and Na content by optical emission spectral analysis with inductively coupled plasma | 67.200.10           |                  |

|                     |  |        |  |
|---------------------|--|--------|--|
| CYSEN<br>14958:2006 | Food processing machinery - Machinery for grinding and processing flour and semolina - Safety and hygiene requirements | 67.260 |  |
|---------------------|--|--------|--|

|    |                            |
|----|----------------------------|
| 71 | <b>CHEMICAL TECHNOLOGY</b> |
|----|----------------------------|

| CYSEN Document:         | Title   | ICS1      | Withdrawn                         |
|-------------------------|---|-----------|-----------------------------------|
| CYSEN<br>15031:2006     | Chemicals used for treatment of swimming pool water - Aluminium based coagulants  | 71.100.80 |                                   |
| CYSEN<br>15074:2006     | Chemicals used for treatment of swimming pool water - Ozone   | 71.100.80 |                                   |
| CYSEN<br>15078:2006     | Chemicals used for treatment of swimming pool water - Sulfuric acid   | 71.100.80 |                                   |
| CYSEN<br>14175-6:2006   | Fume cupboards - Part 6: Variable air volume fume cupboards   | 71.040.10 |                                   |
| CYSCEN/TS<br>15397:2006 | Wood preservatives - Method for natural preconditioning out of ground contact of treated wood specimens prior to biological laboratory test | 71.100.50 |                                   |
| CYSEN<br>12911:2006     | Products used for treatment of water intended for human consumption - Manganese greensand   | 71.100.80 | S/S CYS EN<br>12911:1999<br>= W/D |
| CYSEN<br>1890:2006      | Surface active agents - Determination of cloud point of non-ionic surface active agents obtained by condensation of ethylene oxide          | 71.100.40 | S/S CYS EN<br>1890:1999 =<br>W/D  |

|    |   |
|----|---|
| 75 | <b>PETROLEUM AND RELATED TECHNOLOGIES</b> |
|----|---|

| CYSEN Document:          | Title  | ICS1      | Withdrawn                         |
|--------------------------|--|-----------|-----------------------------------|
| CYSENISO<br>13628-6:2006 | Petroleum and natural gas industries - Design and operation of subsea production systems - Part 6: Subsea production control systems                                   | 75.180.10 |                                   |
| CYSEN<br>12916:2006      | Petroleum products - Determination of aromatic hydrocarbon types in middle distillates - High performance liquid chromatography method with refractive index detection | 75.080    | S/S CYS EN<br>12916:2000<br>= W/D |

|                          |  |           |  |
|--------------------------|--|-----------|--|
| CYSCEN/TS<br>15359:2006  | Solid recovered fuels - Specifications and classes   | 75.160.10 |  |
| CYSENISO<br>15136-2:2006 | Petroleum and natural gas industries - Progressing cavity pump systems for artificial lift - Part 2: Surface-drive systems | 75.180.10 |  |

|    |                   |
|----|-------------------|
| 77 | <b>METALLURGY</b> |
|----|-------------------|

| <b>CYSEN Document:</b>       | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                               |
|------------------------------|--|-------------|--|
| CYSEN<br>10341:2006          | Cold rolled electrical non-alloy and alloy steel sheet and strip delivered in the semi-processed state | 77.140.50   | S/S CYS EN 10126:1996, CYS EN 10165:1996 = W/D |
| CYSEN<br>1562:<br>1997-iss1  | Founding - Malleable cast irons  | 77.080.10   | S/S CYS EN 1562:1997 = W/D                     |
| CYSEN<br>13835:2002-<br>iss1 | Founding - Austenitic cast irons   | 77.080.10   | S/S CYS EN 13835:2002 = W/D                    |
| CYSEN<br>14935:2006          | Copper and copper alloys - Determination of impurities in pure copper - ET AAS method                  | 77.120.30   |  |
| CYSEN<br>14936-1:2006        | Copper and copper alloys - Determination of aluminium content - Part 1: Titrimetric method             | 77.120.30   |  |
| CYSEN<br>14936-2:2006        | Copper and copper alloys - Determination of aluminium content - Part 2: FAAS method                    | 77.120.30   |  |
| CYSEN<br>14937-1:2006        | Copper and copper alloys - Determination of antimony content - Part 1: Spectrophotometric method       | 77.120.30   |  |
| CYSEN<br>14937-2:2006        | Copper and copper alloys - Determination of antimony content - Part 2: FAAS method                     | 77.120.30   |  |
| CYSEN<br>14939:2006          | Copper and copper alloys - Determination of beryllium content - FAAS method                            | 77.120.30   |  |
| CYSEN<br>14940-2:2006        | Copper and copper alloys - Determination of chromium content - Part 2: FAAS method                     | 77.120.30   |  |
| CYSEN<br>14941:2006          | Copper and copper alloys - Determination of cobalt content - FAAS method                               | 77.120.30   |  |
| CYSEN<br>14942-2:2006        | Copper and copper alloys - Determination of arsenic content - Part 2: FAAS method                      | 77.120.30   |  |
| CYSEN<br>14977:2006          | Copper and copper alloys - Detection of tensile stress - 5 % ammonia test                              | 77.150.30   |  |



|    |                                      |
|----|--------------------------------------|
| 81 | <b>GLASS AND CERAMICS INDUSTRIES</b> |
|----|--------------------------------------|

| <b>CYSEN Document:</b>  | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                   |
|-------------------------|--|-------------|------------------------------------|
| CYSCEN/TS<br>15418:2006 | Methods of test for dense refractory products - Guidelines for testing the corrosion of refractories caused by liquids | 81.080      |                                    |
| CYSENISO<br>8895:2006   | Shaped insulating refractory products - Determination of cold crushing strength  | 81.080      | S/S CYS EN<br>1094-5:1995<br>= W/D |

|    |                                      |
|----|--------------------------------------|
| 83 | <b>RUBBER AND PLASTIC INDUSTRIES</b> |
|----|--------------------------------------|

| <b>CYSEN Document:</b>  | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                |
|-------------------------|--|-------------|---------------------------------|
| CYSCEN/TS<br>15354:2006 | Plastics - Extruded and/or calendered, non-reinforced film and sheeting made of plasticized poly(vinyl chloride) (PVC-P) - Guidance for characterisation and designation | 83.140.10   |                                 |
| CYSEN<br>14257:2006     | Adhesives - Wood adhesives - Determination of tensile strength of lap joints at elevated temperature (WATT '91)  | 83.180      |                                 |
| CYSEN<br>301:2006       | Adhesives, phenolic and aminoplastic, for load-bearing timber structures - Classification and performance requirements   | 83.180      | S/S CYS EN<br>301:1992 =<br>W/D |
| CYSENISO<br>13445:2006  | Adhesives - Determination of shear strength of adhesive bonds between rigid substrates by the block-shear method   | 83.180      |                                 |

|    |                                     |
|----|-------------------------------------|
| 87 | <b>PAINTS AND COLOUR INDUSTRIES</b> |
|----|-------------------------------------|

| <b>CYSEN Document:</b>   | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b> |
|--------------------------|--|-------------|------------------|
| CYSENISO<br>12137-1:2006 | Paints and varnishes - Determination of mar resistance - Part 1: Method using a curved stylus  | 87.040      |                  |
| CYSENISO<br>12137-2:2006 | Paints and varnishes - Determination of mar resistance - Part 2: Method using a pointed stylus | 87.040      |                  |

|                         |   |        |  |
|-------------------------|---|--------|--|
| CYSENISO<br>15710:2006  | Paints and varnishes - Corrosion testing by alternate immersion in and removal from a buffered sodium chloride solution                         | 87.040 |  |
| CYSENISO<br>2884-1:2006 | Paints and varnishes - Determination of viscosity using rotary viscometers - Part 1: Cone-and-plate viscometer operated at a high rate of shear | 87.040 |  |
| CYSENISO<br>2884-2:2006 | Paints and varnishes - Determination of viscosity using rotary viscometers - Part 2: Disc or ball viscometer operated at a specified speed      | 87.040 |  |

91

## CONSTRUCTION MATERIALS AND BUILDING

| CYSEN Document:               | Title   | ICS1      | Withdrawn                              |
|-------------------------------|---|-----------|--|
| CYSEN<br>14527:2006           | Shower trays for domestic purposes  | 91.140.70 |  |
| CYSEN<br>1856-1:2003-<br>iss2 | Chimneys - Requirements for metal chimneys - Part 1: System chimney products  | 91.060.40 | S/S CYS EN<br>1856-1:2003<br>-iss1=W/D |
| CYSCEN/TS<br>12390-9:2006     | Testing hardened concrete - Part 9: Freeze-thaw resistance - Scaling  | 91.100.30 |  |
| CYSEN<br>1991-4:2006          | Eurocode 1 - Actions on structures - Part 4: Silos and tanks  | 91.010.30 | S/S CYS<br>ENV 1991-<br>4:1996<br>=W/D |
| CYSEN<br>14967:2006           | Flexible sheets for waterproofing - Bitumen damp proof courses - Definitions and characteristics                        | 91.100.50 |  |
| CYSENISO<br>18233:2006        | Acoustics - Application of new measurement methods in building and room acoustics                                       | 91.120.20 |  |
| CYSEN<br>14898:2006           | Water conditioning equipment inside buildings - Active media filters - Requirements for performance, safety and testing | 91.140.60 |  |
| CYSEN<br>14488-6:2006         | Testing sprayed concrete - Part 6: Thickness of concrete on a substrate   | 91.100.30 |  |
| CYSEN<br>14488-2:2006         | Testing sprayed concrete - Part 2: Compressive strength of young sprayed concrete                                       | 91.100.30 |  |
| CYSEN<br>534:2006             | Corrugated bitumen sheets - Product specification and test methods  | 91.100.50 | S/S CYS EN<br>534:1998 =<br>W/D        |
| CYSEN<br>14246:2006           | Gypsum elements for suspended ceilings - Definitions, requirements and test methods                                     | 91.100.10 |  |

|                          |   |                        |                             |
|--------------------------|---|------------------------|-----------------------------|
| CYSCEN/TS<br>772-22:2006 | Methods of test for masonry units - Part 22: Determination of freeze/thaw resistance of clay masonry units  | 91.100.15              |                             |
| CYSEN<br>14897:2006      | Water conditioning equipment inside buildings - Devices using mercury low-pressure ultraviolet radiators - Requirements for performance, safety and testing | 91.140.60              |                             |
| CYSEN<br>539-2:2006      | Clay roofing tiles for discontinuous laying - Determination of physical characteristics - Part 2: Test for frost resistance                                 | 91.100.25              | S/S CYS EN 539-2:1998 = W/D |
| CYSEN<br>490:2004-iss1   | Concrete roofing tiles and fittings for roof covering and wall cladding - Product specifications  | 91.100.30              | S/S CYS EN 490:2004 = W/D   |
| CYSEN<br>1859:2000-iss1  | Chimneys - Metal chimneys - Test methods  | 91.060.40              | S/S CYS EN 1859:2000 = W/D  |
| CYSEN<br>1992-3:2006     | Eurocode 2 - Design of concrete structures - Part 3: Liquid retaining and containment structures  | 91.010.30<br>91.080.40 | S/S CYS ENV 1992-4:2000=W/D |

93

## CIVIL ENGINEERING

| CYSEN Document:        | Title  | ICS1      | Withdrawn |
|------------------------|--|-----------|-----------|
| CYSEN<br>14227-11:2006 | Hydraulically bound mixtures - Specifications - Part 11: Soil treated by lime                                | 93.080.20 |           |
| CYSEN<br>14227-14:2006 | Hydraulically bound mixtures - Specifications - Part 14: Soil treated by fly ash                             | 93.080.20 |           |
| CYSEN<br>14227-12:2006 | Hydraulically bound mixtures - Specifications - Part 12: Soil treated by slag                                | 93.080.20 |           |
| CYSEN<br>14227-13:2006 | Hydraulically bound mixtures - Specifications - Part 13: Soil treated by hydraulic road binder               | 93.080.20 |           |
| CYSEN<br>14227-10:2006 | Hydraulically bound mixtures - Specifications - Part 10: Soil treated by cement                              | 93.080.20 |           |
| CYSEN<br>13848-2:2006  | Railway applications - Track - Track geometry quality - Part 2: Measuring systems - Track recording vehicles | 93.100    |           |

**DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT.  
SPORTS**

| <b>CYSEN Document:</b> | <b>Title</b>  | <b>ICS1</b>         | <b>Withdrawn</b>  |
|------------------------|---|---------------------|---|
| CYSEN 14837:2006       | Surfaces for sports areas - Determination of slip resistance  | 97.150<br>97.220.10 |   |
| CYSEN 416-2:2006       | Single burner gas-fired overhead radiant tube heaters for nondomestic use - Part 2: Rational use of energy                  | 97.100.20           | S/S CYS ENV 1259-1:1994, CYS ENV 1259-2:1997, CYS ENV 1259-3:1997 = W/D |
| CYSEN 419-2:2006       | Non-domestic gas-fired overhead luminous radiant heaters - Part 2: Rational use of energy                                   | 97.100.20           | S/S CYS ENV 1259-1:1994, CYS ENV 1259-2:1997, CYS ENV 1259-3:1997 = W/D |
| CYSEN 14785:2006       | Residential space heating appliances fired by wood pellets - Requirements and test methods                                  | 97.100.30           |   |
| CYSCEN/TR 15371:2006   | Safety of toys - Replies to requests for interpretation of EN 71-1, EN 71-2, and EN 71-8                                    | 97.200.50           |   |
| CYSEN 957-4:2006       | Stationary training equipment - Part 4: Strength training benches, additional specific safety requirements and test methods | 97.220.30           | S/S CYS EN 957-4:1997 = W/D   |

**Standards from European Telecommunications  
Standards Institute (ETSI)**

| A/A | Standard number                              | Title   |
|-----|--|---|
| 1   | CYS ETSI EN 300 162-1<br>V1.4.1 (2006-05)    | Electromagnetic compatibility and Radio spectrum Matters (ERM);Radiotelephone transmitters and receivers for the maritime mobile service operating in VHF bands; Part 1: Technical characteristics and methods of measurement   |
| 2   | CYS ETSI EN 300 220-1<br>V2.1.1 (2006-04)    | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices (SRD);Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods   |
| 3   | CYS ETSI EN 300 220-2<br>V2.1.1 (2006-04)    | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices (SRD);Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive |
| 4   | CYS ETSI EN 300 330-1<br>V1.5.1 (2006-04)    | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices (SRD);Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods                                 |
| 5   | CYS ETSI EN 300 330-2<br>V1.3.1 (2006-04)    | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices (SRD);Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive                     |
| 6   | CYS ETSI EN 300 392-12-3<br>V1.3.1 (2006-04) | Terrestrial Trunked Radio (TETRA);Voice plus Data (V+D); Part 12: Supplementary services stage 3; Sub-part 3: Talking Party Identification (TPI)  |
| 7   | CYS ETSI EN 300 392-12-6<br>V1.3.1 (2006-02) | Terrestrial Trunked Radio (TETRA);Voice plus Data (V+D); Part 12: Supplementary services stage 3; Sub-part 6: Call Authorized by Dispatcher (CAD)   |
| 8   | CYS ETSI EN 300 394-1<br>V2.4.1 (2006-02)    | Terrestrial Trunked Radio (TETRA);Conformance testing specification;<br>Part 1: Radio   |

|    |  |   |
|----|--|---|
| 9  | CYS ETSI EN 300 396-4<br>V1.3.1 (2006-05)  | Terrestrial Trunked Radio (TETRA); Technical requirements for Direct Mode Operation (DMO); Part 4: Type 1 repeater air interface  |
| 10 | CYS ETSI EN 300 396-5<br>V1.2.1 (2006-05)  | Terrestrial Trunked Radio (TETRA); Technical requirements for Direct Mode Operation (DMO); Part 5: Gateway air interface  |
| 11 | CYS ETSI EN 300 468<br>V1.7.1 (2006-05)    | Digital Video Broadcasting (DVB); Specification for Service Information (SI) in DVB systems   |
| 12 | CYS ETSI EN 301 040<br>V2.1.1 (2006-03)    | Terrestrial Trunked Radio (TETRA); Security; Lawful Interception (LI) interface   |
| 13 | CYS ETSI EN 301 360<br>V1.2.1 (2006-02)    | Satellite Earth Stations and Systems (SES); Harmonized EN for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards geostationary satellites in the 27,5 GHz to 29,5 GHz frequency bands covering essential requirements under article 3.2 of the R&TTE Directive |
| 14 | CYS ETSI EN 301 428<br>V1.3.1 (2006-02)    | Satellite Earth Stations and Systems (SES); Harmonized EN for Very Small Aperture Terminal (VSAT); Transmit-only, transmit/receive or receive-only satellite earth stations operating in the 11/12/14 GHz frequency bands covering essential requirements under article 3.2 of the R&TTE directive        |
| 15 | CYS ETSI EN 301 443<br>V1.3.1 (2006-02)    | Satellite Earth Stations and Systems (SES); Harmonized EN for Very Small Aperture Terminal (VSAT); Transmit-only, transmit-and-receive, receive-only satellite earth stations operating in the 4 GHz and 6 GHz frequency bands covering essential requirements under article 3.2 of the R&TTE Directive   |
| 16 | CYS ETSI EN 301 489-11<br>V1.3.1 (2006-05) | Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 11: Specific conditions for terrestrial sound broadcasting service transmitters   |
| 17 | CYS ETSI EN 301 843-6<br>V1.1.1 (2006-01)  | Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 6: Specific conditions for Earth Stations on board Vessels operating in frequency bands above 3 GHz  |
| 18 | CYS ETSI EN 302 018-1<br>V1.2.1 (2006-03)  | Electromagnetic compatibility and Radio spectrum Matters (ERM); Transmitting equipment for the Frequency Modulated (FM) sound broadcasting service; Part 1: Technical characteristics and test methods  |

|    |   |   |
|----|---|---|
| 19 | CYS ETSI EN 302 018-2<br>V1.2.1 (2006-03) | Electromagnetic compatibility and Radio spectrum Matters (ERM);Transmitting equipment for the Frequency Modulated (FM) sound broadcasting service; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive   |
| 20 | CYS ETSI EN 302 288-1<br>V1.2.1 (2006-05) | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices; Road Transport and Traffic Telematics (RTTT); Short range radar equipment operating in the 24 GHz range; Part 1: Technical requirements and methods of measurement  |
| 21 | CYS ETSI EN 302 288-2<br>V1.2.1 (2006-05) | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices; Road Transport and Traffic Telematics (RTTT); Short range radar equipment operating in the 24 GHz range; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive   |
| 22 | CYS ETSI EN 302 326-2<br>V1.1.2 (2006-03) | Fixed Radio Systems; Multipoint Equipment and Antennas; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive for Digital Multipoint Radio Equipment  |
| 23 | CYS ETSI EN 302 326-3<br>V1.1.2 (2006-03) | Fixed Radio Systems; Multipoint Equipment and Antennas; Part 3: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive for Multipoint Radio Antennas   |
| 24 | CYS ETSI EN 302 340<br>V1.1.1 (2006-04)   | Satellite Earth Stations and Systems (SES);Harmonized EN for satellite Earth Stations on board Vessels (ESVs) operating in the 11/12/14 GHz frequency bands allocated to the Fixed Satellite Service (FSS) covering essential requirements under article 3.2 of the R&TTE directive                         |
| 25 | CYS ETSI EN 302 372-1<br>V1.1.1 (2006-04) | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices (SRD);Equipment for Detection and Movement; Tanks Level Probing Radar (TLPR) operating in the frequency bands 5,8 GHz, 10 GHz, 25 GHz, 61 GHz and 77 GHz; Part 1: Technical characteristics and test methods             |
| 26 | CYS ETSI EN 302 372-2<br>V1.1.1 (2006-04) | Electromagnetic compatibility and Radio spectrum Matters (ERM);Short Range Devices (SRD);Equipment for Detection and Movement; Tanks Level Probing Radar (TLPR) operating in the frequency bands 5,8 GHz, 10 GHz, 25 GHz, 61 GHz and 77 GHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive |

Τυπώθηκε στο Τυπογραφείο της Κυπριακής Δημοκρατίας

Μιχαλάκη Καραολή, 1445 Λευκωσία, Τηλ. 22405824, Φαξ 22303175 – [www.mof.gov.cy/gpo](http://www.mof.gov.cy/gpo)  
Αντίτυπα της Επίσημης Εφημερίδας πωλούνται προς £1,00 το καθένα – Ετήσια συνδρομή: £40,00