

Αριθμός 414

Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ  
ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ (ΝΟΜΟΣ 156(Ι) ΤΟΥ 2002)

Γνωστοποίηση βάσει του άρθρου 5(γ) του Νόμου 156(Ι) του 2002

Με το παρόν γνωστοποιείται ότι με βάση το άρθρο 5(γ) του Νόμου 156(Ι) του 2002, που ρυθμίζει τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά Πρότυπα τα πιο κάτω Ευρωπαϊκά Πρότυπα:

STANDARDS FROM EUROPEAN COMMITTEE FOR  
STANDARDIZATION (CEN)

|    |  |
|----|--|
| 01 | GENERALITIES. TERMINOLOGY. STANDARDIZATION.<br>DOCUMENTATION |
|----|--|

| CYSEN Document:              | Title  | ICS1      | Withdrawn                   |
|------------------------------|--|-----------|-----------------------------|
| CYS EN 13859-1:2005 +A1:2008 | Flexible sheets for waterproofing - Definitions and characteristics of underlays - Part 1: Underlays for discontinuous roofing | 01.040.91 | S/S CYS EN 13859-1:2005=W/D |
| CYS EN 13859-2:2004 +A1:2008 | Flexible sheets for waterproofing - Definitions and characteristics of underlays - Part 2: Underlays for walls                 | 01.040.91 | S/S CYS EN 13859-2:2004=W/D |
| CYS EN 1005-1:2001 +A1:2008  | Safety of machinery - Human physical performance - Part 1: Terms and definitions   | 01.040.13 | S/S CYS EN 1005-1:2001=W/D  |
| CYS EN ISO 13349:2008        | Industrial fans - Vocabulary and definitions of categories   | 01.040.23 |                             |

|    |  |
|----|--|
| 03 | SERVICES. COMPANY ORGANIZATION, MANAGEMENT AND QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY |
|----|--|

| CYSEN Document:       | Title  | ICS1      | Withdrawn |
|-----------------------|--|-----------|-----------|
| CYS CEN/TR 15735:2008 | Postal services - Quality of service - Distance to access points   | 03.240    |           |
| CYS CEN/TS 99001:2008 | Business support - Support services provided to small enterprises - Terminology, quality and performance | 03.080.20 |           |

|           |                               |
|-----------|-------------------------------|
| <b>11</b> | <b>HEALTH CARE TECHNOLOGY</b> |
|-----------|-------------------------------|

| <b>CYSEN Document:</b>  | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b>                |
|-------------------------|---|-------------|---------------------------------|
| CYS EN ISO 10993-7:2008 | Biological evaluation of medical devices - Part 7: Ethylene oxidesterilization residuals  | 11.100.20   | S/S CYS EN ISO 10993-7:1996=W/D |
| CYS EN ISO 25539-1:2008 | Cardiovascular implants - Endovascular devices - Part 1: Endovascular prostheses  | 11.040.40   | S/S CYS EN 14299:2004=W/D       |
| CYS EN 81-40:2008       | Safety rules for the construction and installation of lifts - Speciallifts for the transport of persons and goods - Part 40: Stair lifts and inclined lifting platforms intended for persons with impaired mobility | 11.180.10   |                                 |

|           |   |
|-----------|---|
| <b>13</b> | <b>ENVIRONMENT. HEALTH PROTECTION. SAFETY</b> |
|-----------|---|

| <b>CYSEN Document:</b>      | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>           |
|-----------------------------|--|-------------|----------------------------|
| CYS EN 894-3:2000 +A1:2008  | Safety of machinery - Ergonomics requirements for the design of displays and control actuators - Part 3: Control actuators   | 13.100      | S/S CYS EN 894-3:2000 =W/D |
| CYS EN 894-1:1997 +A1:2008  | Safety of machinery - Ergonomics requirements for the design of displays and control actuators - Part 1: General principles for human interactions with displays and control actuators             | 13.110      | S/S CYS EN 894-1:1997=W/D  |
| CYS EN 1005-3:2002 +A1:2008 | Safety of machinery - Human physical performance - Part 3: Recommended force limits for machinery operation  | 13.110      | S/S CYS EN 1005-3:2002=W/D |
| CYS EN 1005-2:2003 +A1:2008 | Safety of machinery - Human physical performance - Part 2: Manual handling of machinery and component parts of machinery   | 13.110      | S/S CYS EN 1005-2:2003=W/D |
| CYS EN 1005-4:2005 +A1:2008 | Safety of machinery - Human physical performance - Part 4: Evaluation of working postures and movements in relation to machinery   | 13.110      | S/S CYS EN 1005-4:2005=W/D |
| CYS EN 1634-1:2008          | Fire resistance and smoke control tests for door, shutter and openable window assemblies and elements of building hardware- Part 1: Fire resistance tests for doors, shutters and openable windows | 13.220.50   | S/S CYS EN 1634-1:2000=W/D |

|                                  |  |           |                                  |
|----------------------------------|--|-----------|----------------------------------|
| CYS EN<br>15613:2008             | Knee and elbow protectors for indoor sports – Safety requirements and test methods   | 13.340.40 |                                  |
| CYS EN<br>15327-1:2008           | Railway applications - Passenger alarm subsystem - Part 1: General requirements and passenger interface for the passenger emergency brake system | 13.320    |                                  |
| CYS EN<br>894-2:1997<br>+A1:2008 | Safety of machinery - Ergonomics requirements for the design of displays and control actuators - Part 2: Displays                                | 13.110    | S/S CYS EN<br>894-2:1997<br>=W/D |

|    |  |
|----|--|
| 17 | <b>METROLOGY AND MEASUREMENT. PHYSICAL PHENOMENA</b> |
|----|--|

| <b>CYSEN Document:</b>     | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b>                  |
|----------------------------|---|-------------|-----------------------------------|
| CYS EN ISO<br>14509-1:2008 | Small craft - Airborne sound emitted by powered recreational craft - Part 1: Pass-by measurement procedures | 17.140.30   |                                   |
| CYS EN<br>1434-3:2008      | Heat Meters - Part 3: Data exchange and interfaces  | 17.200.10   | S/S CYS<br>EN 1434-<br>3:1997=W/D |
| CYS EN ISO<br>4373:2008    | Hydrometry - Water level measuring devices  | 17.120.20   |                                   |
| CYS EN ISO<br>648:2008     | Laboratory glassware - Single-volume pipettes   | 17.060      |                                   |

|    |  |
|----|--|
| 21 | <b>MECHANICAL SYSTEMS AND COMPONENTS FOR GENERAL USE</b> |
|----|--|

| <b>CYSEN Document:</b>             | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                   |
|------------------------------------|--|-------------|------------------------------------|
| CYS EN<br>13411-1:2002<br>+A1:2008 | Terminations for steel wire ropes - Safety - Part 1: Thimbles for steel wire rope slings   | 21.060.70   | S/S CYS<br>EN 13411-<br>1:2002=W/D |
| CYS EN<br>13411-2:2001<br>+A1:2008 | Terminations for steel wire ropes - Safety - Part 2: Splicing of eyes for wire rope slings | 21.060.70   | S/S CYS<br>EN 13411-<br>2:2001=W/D |

|                                    |   |           |  |
|------------------------------------|---|-----------|--|
| CYS EN<br>13411-3:2004<br>+A1:2008 | Terminations for steel wire ropes - Safety<br>- Part 3: Ferrules and ferrule-securing | 21.060.70 | S/S CYS<br>EN 13411-<br>3:2004=W/D     |
| CYS EN<br>13411-5:2003<br>+A1:2008 | Terminations for steel wire ropes - Safety<br>- Part 5: U-bolt wire rope grips        | 21.060.70 | S/S CYS<br>EN 13411-<br>5:2003=W/D     |
| CYS EN<br>13411-6:2004<br>+A1:2008 | Terminations for steel wire ropes - Safety<br>- Part 6: Asymmetric wedge socket       | 21.060.70 | S/S CYS<br>EN 13411-<br>6:2004<br>=W/D |
| CYS EN<br>13411-7:2006<br>+A1:2008 | Terminations for steel wire ropes - Safety<br>- Part 7: Symmetric wedge socket        | 21.060.70 | S/S CYS<br>EN 13411-<br>7:2006<br>=W/D |
| CYS EN<br>15427:2008               | Railway applications - Wheel/rail friction<br>management – Flange lubrication         | 21.260    |  |

|    |   |
|----|---|
| 23 | <b>FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE</b> |
|----|---|

| CYSEN<br>Document:  | Title   | ICS1      | Withdrawn                                   |
|---|---|-----------|---|
| CYS EN<br>13445-5:2002-<br>iss9<br>(Inducind<br>A10:2008) | Unfired pressure vessels - Part 5:<br>Inspection and testing  | 23.020.30 | S/S CYS EN<br>13445-<br>5:2002-<br>iss8=W/D |
| CYS EN<br>1124-3:2008                                     | Pipes and fittings of longitudinally welded<br>stainless steel pipes with spigot and<br>socket for waste water systems - Part 3:<br>System X - Dimensions | 23.040.10 | S/S CYS EN<br>1124-3:1999<br>=W/D           |
| CYS EN<br>13951:2003<br>+A1:2008                          | Liquid pumps - Safety requirements -<br>Agrifoodstuffs equipment - Design rules to<br>ensure hygiene in use   | 23.080    | S/S CYS EN<br>13951:2003<br>=W/D            |
| CYS EN ISO<br>13968:2008                                  | Plastics piping and ducting systems -<br>Thermoplastics pipes -Determination of<br>ring flexibility   | 23.040.20 | S/S CYS EN<br>1446:1996<br>=W/D             |
| CYS EN ISO<br>5801:2008                                   | Industrial fans - Performance testing using<br>standardized airways   | 23.120    |   |
| CYS EN ISO<br>12499:2008                                  | Industrial fans - Mechanical safety of fans<br>- Guarding   | 23.120    |   |
| CYS EN ISO<br>5802:2008                                   | Industrial fans - Performance testing in<br>situ  | 23.120    |   |
| CYS EN ISO<br>13350:2008                                  | Industrial fans - Performance testing of jet<br>fans  | 23.120    |   |

|                          |                              |        |  |
|--------------------------|------------------------------|--------|--|
| CYS EN ISO<br>13351:2008 | Industrial fans - Dimensions | 23.120 |  |
|--------------------------|------------------------------|--------|--|

|    |                           |  |  |
|----|---------------------------|--|--|
| 25 | MANUFACTURING ENGINEERING |  |  |
|----|---------------------------|--|--|

| CYSEN Document:          | Title  | ICS1      | Withdrawn                          |
|--------------------------|--|-----------|------------------------------------|
| CYS EN ISO<br>14172:2008 | Welding consumables - Covered electrodes for manual metal arc welding of nickel and nickel alloys - Classification | 25.160.20 | S/S CYS EN ISO 14172:2003-iss2=W/D |

|    |   |  |  |
|----|---|--|--|
| 33 | TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING |  |  |
|----|---|--|--|

| CYSEN Document:        | Title   | ICS1   | Withdrawn |
|------------------------|---|--------|-----------|
| CYS EN<br>13757-6:2008 | Communication systems for meters and remote reading of meters - Part 6: Local Bus         | 33.200 |           |
| CYS EN<br>13757-5:2008 | Communication systems for meters and remote reading of meters - Part 5: Wireless relaying | 33.200 |           |

|    |                     |  |  |
|----|---------------------|--|--|
| 45 | RAILWAY ENGINEERING |  |  |
|----|---------------------|--|--|

| CYSEN Document:        | Title   | ICS1      | Withdrawn |
|------------------------|---|-----------|-----------|
| CYS EN<br>15355:2008   | Railway applications - Braking - Distributor valves and distributor-isolating devices     | 45.060.01 |           |
| CYS EN<br>15220-1:2008 | Railway applications - Brake indicators - Part 1: Pneumatically operated brake indicators | 45.060.01 |           |
| CYS EN<br>15624:2008   | Railway applications - Braking - Empty-loaded change over devices                         | 45.060.01 |           |
| CYS EN<br>15625:2008   | Railway applications - Braking - Automatic variable load sensing devices                  | 45.060.01 |           |

|    |                                     |
|----|-------------------------------------|
| 53 | <b>MATERIALS HANDLING EQUIPMENT</b> |
|----|-------------------------------------|

| <b>CYSEN Document:</b>       | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                |
|------------------------------|--|-------------|---------------------------------|
| CYS EN 13531:2001 +A1:2008   | Earth-moving machinery - Tip-over protection structure (TOPS) for compact excavators - Laboratory tests and performance requirements | 53.100      | S/S CYSEN 13531:2001 =W/D       |
| CYS EN 474-2:2006 +A1:2008   | Earth-moving machinery - Safety - Part 2: Requirements for tractor-dozers  | 53.100      | S/S CYSEN 474-2:2006 =W/D       |
| CYS EN 474-11:2006 +A1:2008  | Earth-moving machinery - Safety - Part 11: Requirements for earth and landfill compactors  | 53.100      | S/S CYSEN 474-11:2006 =W/D      |
| CYS EN 474-12:2006 +A1:2008  | Earth-moving machinery - Safety - Part 12: Requirements for cable excavators   | 53.100      | S/S CYSEN 474-12:2006 =W/D      |
| CYS EN 12882:2008            | Conveyor belts for general purpose use - Electrical and flammability safety requirements   | 53.040.20   | S/S CYSEN 12882:2002 =W/D       |
| CYS EN 528:2008              | Rail dependent storage and retrieval equipment – Safety requirements   | 53.080      | S/S CYSEN 528:1997 =W/D         |
| CYS EN 13411-4:2002 +A1:2008 | Terminations for steel wire ropes - Safety - Part 4: Metal and resin socketing   | 53.020.30   | S/S CYSEN 13411-4:2002 =W/D     |
| CYS EN 15620:2008            | Steel static storage systems - Adjustable pallet racking -Tolerances, deformations and clearances                                    | 53.080      |                                 |
| CYS EN 13414-1:2003 +A2:2008 | Steel wire rope slings - Safety - Part 1: Slings for general lifting service   | 53.020.30   | S/S CYSEN 13414-1:2003-iss1=W/D |
| CYS EN 13414-2:2003 +A2:2008 | Steel wire rope slings - Safety - Part 2: Specification for information for use and maintenance to be provided by the manufacturer   | 53.020.30   | S/S CYSEN 13414-2:2003-iss1=W/D |

|    |                                       |
|----|---------------------------------------|
| 59 | <b>TEXTILE AND LEATHER TECHNOLOGY</b> |
|----|---------------------------------------|

| <b>CYSEN Document:</b>  | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b> |
|-------------------------|---|-------------|------------------|
| CYS EN ISO 9073-5:2008  | Textiles - Test methods for nonwovens - Part 5: Determination of resistance to mechanical penetration (ball burst procedure)                          | 59.080.30   |                  |
| CYS EN 15619:2008       | Rubber or plastic coated fabrics - Safety of temporary structures(tents) - Specification for coated fabrics intended for tents and related structures | 59.080.40   |                  |
| CYS EN ISO 9073-16:2008 | Textiles - Test methods for nonwovens - Part 16: Determination of resistance to penetration by water (hydrostatic pressure)                           | 59.080.30   |                  |

|    |                    |
|----|--------------------|
| 65 | <b>AGRICULTURE</b> |
|----|--------------------|

| <b>CYSEN Document:</b>     | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b>              |
|----------------------------|---|-------------|-------------------------------|
| CYS EN 14017:2005 +A1:2008 | Agricultural and forestry machinery - Solid fertilizer distributors - Safety  | 65.060.25   | S/S CY EN 14017:2005 =W/D     |
| CYS EN ISO 11806:2008      | Agricultural and forestry machinery - Portable hand-held combustion engine driven brush cutters and grass trimmers - Safety | 65.060.80   | S/S CY EN ISO 11806:1997 =W/D |

|    |                        |
|----|------------------------|
| 67 | <b>FOOD TECHNOLOGY</b> |
|----|------------------------|

| <b>CYSEN Document:</b> | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b>             |
|------------------------|---|-------------|------------------------------|
| CYS EN ISO 1736:2008   | Dried milk and dried milk products - Determination of fat content- Gravimetric method (Reference method)            | 67.100.10   | S/S CY EN ISO 1736:2000 =W/D |
| CYS EN ISO 1737:2008   | Evaporated milk and sweetened condensed milk – Determination of fat content - Gravimetric method (Reference method) | 67.100.10   | S/S CY EN ISO 1737:2000 =W/D |
| CYS EN ISO 1854:2008   | Whey cheese - Determination of fat content – Gravimetric method (Reference method)                                  | 67.100.30   | S/S CY EN ISO 1854:2000 =W/D |

|                      |   |           |                               |
|----------------------|---|-----------|-------------------------------|
| CYS EN ISO 2450:2008 | Cream - Determination of fat content - Gravimetric method(Reference method)                                 | 67.100.10 | S/S CYS EN ISO 2450:1999 =W/D |
| CYS EN ISO 7208:2008 | Skimmed milk, whey and buttermilk - Determination of fat content - Gravimetric method (Reference method)    | 67.100.10 | S/S CYS EN ISO 7208:2000 =W/D |
| CYS EN ISO 7328:2008 | Milk-based edible ices and ice mixes - Determination of fat content - Gravimetric method (Reference method) | 67.100.40 | S/S CYS EN ISO 7328:2000 =W/D |
| CYS EN ISO 8381:2008 | Milk-based infant foods - Determination of fat content -Gravimetric method (Reference method)               | 67.230    | S/S CYS EN ISO 8381:2000 =W/D |

|    |   |
|----|---|
| 75 | <b>PETROLEUM AND RELATED TECHNOLOGIES</b> |
|----|---|

| CYSEN Document:         | Title   | ICS1      | Withdrawn                  |
|-------------------------|---|-----------|----------------------------|
| CYS EN ISO 22854:2008   | Liquid petroleum products - Determination of hydrocarbon types and oxygenates in automotive-motor gasoline - Multidimensional gas chromatography method | 75.080    | S/S CYS EN 14517:2004 =W/D |
| CYS EN ISO 10407-2:2008 | Petroleum and natural gas industries - Rotary drilling equipment- Part 2: Inspection and classification of used drill stem elements                     | 75.180.10 |                            |
| CYS CEN/TS 15747:2008   | Solid recovered fuels - 14C-based methods for the determination of the biomass content  | 75.160.10 |                            |

|    |                   |
|----|-------------------|
| 77 | <b>METALLURGY</b> |
|----|-------------------|

| CYSEN Document:   | Title   | ICS1   | Withdrawn |
|-------------------|---|--------|-----------|
| CYS EN 15093:2008 | Safety of Machinery - Safety requirements for hot flat rolling mills  | 77.180 |           |
| CYS EN 15094:2008 | Safety of Machinery - Safety requirements for cold flat rolling mills | 77.180 |           |



|                                    |  |           |                                |
|------------------------------------|--|-----------|--------------------------------|
| CYS EN ISO<br>13680:2008           | Petroleum and natural gas industries - Corrosion-resistant alloy seamless tubes for use as casing, tubing and coupling stock -Technical delivery conditions    | 77.140.75 | S/S CYS EN ISO 13680:2002 =W/D |
| CYS EN<br>13957:2008               | Aluminium and aluminium alloys - Extruded round, coiled tube for general applications - Specification  | 77.150.10 | S/S CYS EN 13957:2003 =W/D     |
| CYS EN<br>13958:2008               | Aluminium and aluminium alloys - Cold drawn, round, coiled tube for general applications - Specification   | 77.150.10 | S/S CYS EN 13958:2003 =W/D     |
| CYS EN<br>12385-1:2002<br>+A1:2008 | Steel wire ropes - Safety - Part 1: General requirements   | 77.140.65 | S/S CYS EN 12385-1:2002=W/D    |
| CYS EN ISO<br>12004-1:2008         | Metallic materials - Sheet and strip - Determination of forming-limit curves - Part 1: Measurement and application of forming-limit diagrams in the press shop | 77.040.10 |                                |
| CYS EN ISO<br>12004-2:2008         | Metallic materials - Sheet and strip - Determination of forming-limit curves - Part 2: Determination of forming-limit curves in the laboratory                 | 77.040.10 |                                |
| CYS EN<br>485-2:2008               | Aluminium and aluminium alloys - Sheet, strip and plate - Part 2:Mechanical properties   | 77.150.10 | S/S CYS EN 485-2:2007=W/D      |

|    |                                      |
|----|--------------------------------------|
| 81 | <b>GLASS AND CERAMICS INDUSTRIES</b> |
|----|--------------------------------------|

| CYSEN Document:                  | Title   | ICS1   | Withdrawn                  |
|----------------------------------|---|--------|----------------------------|
| CYS EN<br>13367:2005<br>+A1:2008 | Ceramic machines - Safety - Transfer platforms and cars | 81.100 | S/S CYS EN 13367:2005 =W/D |

|    |                                      |
|----|--------------------------------------|
| 83 | <b>RUBBER AND PLASTIC INDUSTRIES</b> |
|----|--------------------------------------|

| CYSEN Document:                   | Title  | ICS1   | Withdrawn                  |
|-----------------------------------|--|--------|----------------------------|
| CYS EN<br>1114-3:2001<br>+A1:2008 | Plastics and rubber machines - Extruders and extrusion lines - Part 3: Safety requirements for haul-offs | 83.200 | S/S CYS EN 1114-3:2001=W/D |
| CYS EN<br>13418:2004<br>+A1:2008  | Plastics and rubber machines - Winding machines for film or sheet - Safety requirements                  | 83.200 | S/S CYS EN 13418:2004 =W/D |

|                       |   |           |                             |
|-----------------------|---|-----------|-----------------------------|
| CYS EN ISO 14113:2008 | Gas welding equipment - Rubber and plastics hose and hose assemblies for use with industrial gases up to 450 bar (45 MPa) | 83.140.40 | S/S CYS EN 14113:1997 =W/D  |
| CYS EN 12409:2008     | Plastics and rubber machines - Thermoforming machines - Safety requirements   | 83.200    | S/S CYS EN 12409:1999 =W/D  |
| CYS EN ISO 4611:2008  | Plastics - Determination of the effects of exposure to damp heat, water spray and salt mist                               | 83.080.01 | S/S EN ISO 4611:1999=W/D    |
| CYS EN 12808-1:2008   | Grouts for tiles - Part 1: Determination of chemical resistance of reaction resin mortars                                 | 83.180    | S/S CYS EN 12808-1:1999=W/D |
| CYS EN 12808-3:2008   | Grouts for tiles - Part 3: Determination of flexural and compressive strength   | 83.180    | S/S CYS EN 12808-3:2002=W/D |

|    |                         |
|----|-------------------------|
| 85 | <b>PAPER TECHNOLOGY</b> |
|----|-------------------------|

| CYSEN Document:     | Title   | ICS1   | Withdrawn                  |
|---------------------|---|--------|----------------------------|
| CYS EN ISO 638:2008 | Paper, board and pulps - Determination of dry matter content - Oven-drying method | 85.040 | S/S CYS EN 20638:1993 =W/D |

|    |  |
|----|--|
| 91 | <b>CONSTRUCTION MATERIALS AND BUILDING</b> |
|----|--|

| CYSEN Document:            | Title  | ICS1      | Withdrawn                   |
|----------------------------|--|-----------|-----------------------------|
| CYS EN 13126-4:2008        | Building hardware - Requirements and test methods for windows and doors height windows - Part 4: Espagnolettes | 91.190    | S/S CEN/TS 13126-4:2004=W/D |
| CYS EN 13561:2004 +A1:2008 | External blinds - Performance requirements including safety  | 91.060.50 | S/S CYS EN 13561:2004 =W/D  |
| CYS EN 13659:2004 +A1:2008 | Shutters - Performance requirements including safety   | 91.060.50 | S/S CYS EN 13659:2004 =W/D  |
| CYS EN 14545:2008          | Timber structures - Connectors - Requirements  | 91.080.20 |                             |

|                                  |   |           |                                    |
|----------------------------------|---|-----------|------------------------------------|
| CYS EN<br>14592:2008             | Timber structures - Dowel-type fasteners - Requirements   | 91.080.20 |                                    |
| CYS EN<br>14844:2006<br>+A1:2008 | Precast concrete products - Box culverts  | 91.100.30 | S/S CYS EN<br>14844:2006<br>=W/D   |
| CYS EN<br>12336:2005<br>+A1:2008 | Tunnelling machines -Shield machines, thrust boring machines, auger boring machines, lining erection equipment - Safety requirements  | 91.220    | S/S CYS EN<br>12336:2005<br>=W/D   |
| CYS EN<br>15258:2008             | Precast concrete products - Retaining wall elements   | 91.100.30 |                                    |
| CYS EN<br>12002:2008             | Adhesives for tiles - Determination of transverse deformation for cementitious adhesives and grouts   | 91.100.10 | S/S CYS EN<br>12002:2002<br>=W/D   |
| CYS EN<br>12003:2008             | Adhesive for tiles - Determination of shear adhesion strength of reaction resin adhesives   | 91.100.10 | S/S CYS EN<br>12003:1998<br>=W/D   |
| CYS EN<br>12808-2:2008           | Grouts for tiles - Part 2: Determination of resistance to abrasion  | 91.100.10 | S/S CYS EN<br>12808-<br>2:2002=W/D |
| CYS EN<br>12808-5:2008           | Grouts for tiles - Part 5: Determination of water absorption  | 91.100.10 | S/S CYS EN<br>12808-<br>5:2002=W/D |
| CYS EN<br>1264-2:2008            | Water based surface embedded heating and cooling systems -Part 2: Floor heating: Prove methods for the determination of the thermal output using calculation and test methods | 91.140.10 | S/S CYS EN<br>1264-<br>2:1998=W/D  |
| CYS EN<br>1264-5:2008            | Water based surface embedded heating and cooling systems -Part 5: Heating and cooling surfaces embedded in floors, ceilings and walls - Determination of the thermal output   | 91.140.10 |                                    |
| CYS EN<br>15564:2008             | Precast concrete products - Resin bound concrete -Requirements and test methods   | 91.100.30 |                                    |
| CYS EN<br>1170-8:2008            | Test method for glass-fibre reinforced cement - Part 8: Cyclic weathering type test   | 91.100.40 | S/S CYS<br>ENV 1170-<br>8:1997=W/D |
| CYS EN<br>13747:2005<br>+A1:2008 | Precast concrete products - Floor plates for floor systems  | 91.100.30 | S/S CYS EN<br>13747:2005<br>=W/D   |

|    |                          |
|----|--------------------------|
| 93 | <b>CIVIL ENGINEERING</b> |
|----|--------------------------|

| <b>CYSEN Document:</b>     | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>          |
|----------------------------|--|-------------|---------------------------|
| CYS EN 1436:2007 +A1:2008  | Road marking materials - Road marking performance for road users   | 93.080.30   | S/S CYS EN 1436:2007 =W/D |
| CYS EN 500-6:2006 +A1:2008 | Mobile road construction machinery - Safety - Part 6: Specific requirements for paver-finishers                                  | 93.080.10   | S/S CYS EN 500-6:2006=W/D |
| CYS EN 500-2:2006 +A1:2008 | Mobile road construction machinery - Safety - Part 2: Specific requirements for road-milling machines                            | 93.080.10   | S/S CYS EN 500-2:2006=W/D |
| CYS EN 500-3:2006 +A1:2008 | Mobile road construction machinery - Safety - Part 3: Specific requirements for soil-stabilising machines and recycling machines | 93.080.10   | S/S CYS EN 500-3:2006=W/D |

|    |   |
|----|---|
| 97 | <b>DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS</b> |
|----|---|

| <b>CYSEN Document:</b>     | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b>              |
|----------------------------|---|-------------|-------------------------------|
| CYS EN ISO 8230-1:2008     | Safety requirements for dry-cleaning machines - Part 1: Common safety requirements  | 97.060      | S/S CYS EN ISO 8230:1998 =W/D |
| CYS EN ISO 8230-2:2008     | Safety requirements for dry-cleaning machines - Part 2: Machines using perchloroethylene  | 97.060      | S/S CYS EN ISO 8230:1998=W/D  |
| CYS EN ISO 8230-3:2008     | Safety requirements for dry-cleaning machines - Part 3: Machines using combustible solvents   | 97.060      | S/S CYS EN ISO 8230:1998=W/D  |
| CYS EN 13329:2006 +A1:2008 | Laminate floor coverings - Elements with a surface layer based on aminoplastic thermosetting resins - Specifications, requirements and test methods | 97.150      | S/S CYS EN 13329:2006 =W/D    |
| CYS EN 15181:2008          | Measuring method of the energy consumption of gas fired ovens   | 97.040.20   |                               |
| CYS EN 13138-1:2008        | Buoyant aids for swimming instruction - Part 1: Safety requirements and test methods for buoyant aids to be worn                                    | 97.220.40   | S/S CYS EN 13138-1:2003=W/D   |

|                            |   |        |                                 |
|----------------------------|---|--------|---------------------------------|
| CYS CEN/TR<br>15775:2008   | Child use and care articles - National translations of warnings and instructions for use in child use and care articles standards | 97.190 |                                 |
| CYS EN ISO<br>10472-1:2008 | Safety requirements for industrial laundry machinery - Part 1:Common requirements   | 97.060 | S/S CYS EN ISO 10472-1:1998=W/D |
| CYS EN ISO<br>10472-2:2008 | Safety requirements for industrial laundry machinery - Part 2:Washing machines and washer-extractors                              | 97.060 | S/S CYS EN ISO 10472-2:1998=W/D |
| CYS EN ISO<br>10472-3:2008 | Safety requirements for industrial laundry machinery - Part 3:Washing tunnel lines including component machines                   | 97.060 | S/S CYS EN ISO 10472-3:1998=W/D |
| CYS EN ISO<br>10472-4:2008 | Safety requirements for industrial laundry machinery - Part 4: Air dryers   | 97.060 | S/S CYS EN ISO 10472-4:1998=W/D |

### ΤΡΟΠΟΠΟΙΗΣΕΙΣ

|                                       |           |  |
|---------------------------------------|-----------|--|
| CYS EN ISO<br>3834-5:2005<br>/AC:2008 | 25.160.01 | Quality requirements for fusion welding of metallic materials - Part 5:Documents with which it is necessary to conform to claim conformity to the quality requirements of ISO 3834-2, ISO 3834-3 or ISO 3834-4 |
| CYS EN ISO<br>8041:2005<br>/AC:2008   | 13.160    | Human response to vibration - Measuring instrumentation  |
| CYS EN ISO<br>19115:2005<br>/AC:2008  | 35.240.70 | Geographic information - Metadata  |
| CYS EN ISO<br>9936:2006<br>/AC:2008   | 67.200.10 | Animal and vegetable fats and oils - Determination of tocopherol and to cotrienol contents by high-performance liquid chromatography   |
| CYS EN<br>980:2008                    | 01.080.20 | Symbols for use in the labelling of medical devices  |
| CYS EN 539-<br>2:2006<br>/AC:2008     | 91.100.25 | Clay roofing tiles for discontinuous laying - Determination of physical characteristics - Part 2: Test for frost resistance  |
| CYS EN<br>13157:2004<br>/AC:2008      | 53.020.20 | Cranes - Safety - Hand powered lifting equipment   |
| CYS EN<br>10083-3:2006<br>/AC:2008    | 77.140.10 | Steels for quenching and tempering - Part 3: Technical delivery conditions for alloy steels  |

|   |           |  |
|---|-----------|--|
| CYS EN<br>14459:2007<br>/AC:2008            | 91.140.40 | Control functions in electronic systems for gas burners and gas burning appliances - Methods for classification and assessment   |
| CYS EN<br>13297:2007<br>/AC:2008            | 59.080.60 | Textile floor coverings - Classification of needed pile floor coverings  |
| CYS EN ISO<br>5436-2:2001<br>/AC:2008       | 17.040.30 | Geometrical Product Specifications (GPS) - Surface texture: Profile method; Measurement standards - Part 2: Software measurement standards                             |
| CYS EN ISO<br>4287:1998<br>/AC:2008         | 17.040    | Geometrical product specifications (GPS) - Surface texture: Profile method- Terms, definitions and surface texture parameters  |
| CYS EN ISO<br>11562:1997<br>/AC:2008        | 17.040.20 | Geometrical product specifications (GPS) - Surface texture: Profile method- Metrological characteristics of phase correct filters                                      |
| CYS EN ISO<br>12085:1997<br>/AC:2008        | 17.040.20 | Geometrical product specification (GPS) - Surface texture: Profile method -Motif parameters  |
| CYS EN ISO<br>12179:2000<br>/AC:2008        | 17.040.30 | Geometrical Product Specifications (GPS) - Surface texture: Profile method- Calibration of contact (stylus) instruments  |
| CYS EN<br>14267:2004<br>/AC:2008            | 65.060.35 | Irrigation techniques - Irrigation hydrants  |
| CYS EN<br>14604:2005<br>/AC:2008            | 13.220.20 | Smoke alarm devices  |
| CYS<br>EN13218:2002<br>+A1:2008<br>/AC:2008 | 25.080.50 | Machine tools - Safety - Stationary grinding machines  |
| CYS EN<br>14444:2005<br>/AC:2008            | 83.180    | Structural adhesives - Qualitative assessment of durability of bonded assemblies - Wedge rupture test  |
| CYS EN<br>12983-1:2000<br>/AC:2008          | 97.040.60 | Cookware - Domestic cookware for use on top of a stove, cooker or hob -Part 1: General requirements  |
| CYS EN<br>14343:2005<br>/AC:2008            | 23.080    | Rotary positive displacement pumps - Performance tests for acceptance  |
| CYS EN ISO<br>11542-2:1998<br>/AC:2008      | 83.080.20 | Plastics - Ultra-high-molecular-weight polyethylene (PE-UHMW) moulding and extrusion materials - Part 2: Preparation of test specimens and determination of properties |
| CYS EN<br>12487:2007<br>/AC:2008            | 25.220.40 | Corrosion protection of metals - Rinsed and non-rinsed chromate conversion coatings on aluminium and aluminium alloys  |
| CYS EN<br>10324:2004<br>/AC:2008            | 77.140.65 | Steel wire and wire products - Hose reinforcement wire   |

|  |           |  |
|--|-----------|--|
| CYS EN<br>861:2007<br>/AC:2008           | 79.120.10 | Safety of woodworking machines - Surface planing and thicknessing machines   |
| CYS EN<br>13108-20:2006<br>/AC:2008      | 93.080.20 | Bituminous mixtures - Material specifications - Part 20: Type Testing  |
| CYS EN<br>13108-21:2006<br>/AC:2008      | 93.080.20 | Bituminous mixtures - Material specifications - Part 21: Factory Production Control                                      |
| CYS EN ISO<br>9308-1:2000<br>/AC:2008    | 13.060.30 | Water quality - Detection and enumeration of Escherichia coli and coliform bacteria - Part 1: Membrane filtration method |
| CYS EN<br>10269:1999/A1<br>:2006/AC:2008 | 77.120.40 | Steels and nickel alloys for fasteners with specified elevated and/or low temperature properties                         |

**ΕΠΙΣΗΣ ΕΧΕΙ ΕΚΔΟΘΕΙ ΚΑΙ Ο ΠΙΟ ΚΑΤΩ ΟΔΗΓΟΣ**

|                      |  |
|----------------------|--|
| CEN GUIDE<br>13:2008 | Validation of environmental test methods |
|----------------------|--|

Τυπώθηκε στο Τυπογραφείο της Κυπριακής Δημοκρατίας  
 Μιχαλάκη Καραολή, 1445 Λευκωσία, Τηλ. 22405824, Φαξ 22303175 – [www.mof.gov.cy/gpo](http://www.mof.gov.cy/gpo)  
 Αντίτυπα της Επίσημης Εφημερίδας πωλούνται προς €1,71 – £1,00 το καθένα  
 Ετήσια συνδρομή: €68,00 – £40,00