

Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ ΤΟΥ 2002

Γνωστοποίηση βάσει του Άρθρου 5(γ) του Νόμου 156(Ι)/2002

Με το παρόν γνωστοποιείται ότι με βάση το Άρθρο 5(γ) του Νόμου 156(Ι) του 2002 που ρυθμίζει τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

STANDARDS FROM EUROPEAN COMMITTEE FOR STANDARDIZATION (CEN)

| | |
|-----------|--|
| 01 | Generalities. Terminology. Standardization. Documentation |
|-----------|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--|-------------|--|
| CYS EN 15986:2011 | Symbol for use in the labelling of medical devices - Requirements for labelling of medical devices containing phthalates | 01.080.20 | |
| CYS EN 15357:2011 | Solid recovered fuels - Terminology, definitions and descriptions | 01.040.75 | S/S CEN/TS 15357:2006 =W/D |
| CYS EN 13710:2011 | European Ordering Rules - Ordering of characters from Latin, Greek, Cyrillic, Georgian and Armenian scripts | 01.140.20 | S/S CR 14400:2001, CYS ENV 13710:2000 =W/D |

| | |
|-----------|---|
| 03 | Services. Company organization, management and quality. Administration. Transport. Sociology |
|-----------|---|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|---|-------------|------------------|
| CYS CEN/TR 16092:2011 | Electronic fee collection - Requirements for pre-payment systems | 03.220.20 | |
| CYS EN 15964:2011 | Breath alcohol test devices other than single use devices - Requirements and test methods | 03.160 | |

| | |
|-----------|-------------------------------|
| 11 | Health care technology |
|-----------|-------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|---|-------------|---|
| CYS EN ISO 3107:2011 | Dentistry - Zinc oxide/eugenol cements and zinc oxide/non-eugenol cements | 11.060.10 | S/S CYS EN ISO 3107:2004 =W/D |
| CYS EN 16128:2011 | Reference test method for release of nickel from those parts of spectacle frames and sunglasses intended to come into close and prolonged contact with the skin | 11.040.70 | S/S CYS EN 1811:1998 +A1:2008 =W/D |
| CYS EN 13795:2011 | Surgical drapes, gowns and clean air suits, used as medical devices for patients, clinical staff and equipment - General requirements for manufacturers, processors and products, test methods, performance requirements and performance levels | 11.140 | S/S CYS EN 13795-1:2002 +A1:2009, CYS EN 13795-2:2004+A1:20 |

| | | | |
|--|--|--|--|
| | | | 09, CYS EN 13795- 3:2006+A1:20 09=W/D |
|--|--|--|--|

| | | | |
|----|--|--|--|
| 13 | Environment. Health protection. Safety | | |
|----|--|--|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|---|-----------|--------------------------------|
| CYS EN ISO 5667-23:2011 | Water quality - Sampling - Part 23: Guidance on passive sampling in surface waters | 13.060.45 | |
| CYS EN 15975-1:2011 | Security of drinking water supply - Guidelines for risk and crisis management - Part 1: Crisis management | 13.060.20 | |
| CYS EN 54-1:2011 | Fire detection and fire alarm systems - Part 1: Introduction | 13.220.20 | S/S CYS EN 54-1:1996=W/D |
| CYS CEN/TR 16148:2011 | Head and neck impact, burn and noise injury criteria - A Guide for CEN helmet standards committees | 13.340.20 | |
| CYS CEN/TR 16149:2011 | Guidance Document for drafting CEN/TC 158 Standards | 13.340.20 | |
| CYS CEN/TR 15642:2011 | Unified tests procedures for the tests of EN 3-7:2004+A1:2007 | 13.220.10 | S/S CYS CEN/TR 15642:2008 =W/D |

| | | | |
|----|---|--|--|
| 17 | Metrology and measurement. Physical phenomena | | |
|----|---|--|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------|---|-----------|--------------------------------|
| CYS EN ISO 22868:2011 | Forestry and garden machinery - Noise test code for portable hand-held machines with internal combustion engine - Engineering method (Grade 2 accuracy) | 17.140.20 | S/S CYS EN ISO 22868:2008 =W/D |
| CYS EN ISO 3381:2011 | Railway applications - Acoustics - Measurement of noise inside railbound vehicles | 17.140.30 | S/S CYS EN ISO 3381:2005 =W/D |
| CYS EN ISO 4787:2011 | Laboratory glassware - Volumetric instruments - Methods for testing of capacity and for use | 17.060 | S/S CYS EN ISO 4787:2010 =W/D |
| CYS EN ISO 22868:2011 | Forestry and garden machinery - Noise test code for portable hand-held machines with internal combustion engine - Engineering method (Grade 2 accuracy) | 17.140.20 | S/S CYS EN ISO 22868:2008 =W/D |

| | | | |
|----|---|--|--|
| 21 | Mechanical systems and components for general use | | |
|----|---|--|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------|---|-----------|-------------------------------|
| CYS EN ISO 4014:2011 | Hexagon head bolts - Product grades A and B | 21.060.10 | S/S CYS EN ISO 4014:2000 =W/D |

| | | | |
|-----------------------|---|-----------|--------------------------------|
| CYS EN ISO 4016:2011 | Hexagon head bolts - Product grade C | 21.060.10 | S/S CYS EN ISO 4016:2000 =W/D |
| CYS EN ISO 8765:2011 | Hexagon head bolts with metric fine pitch thread - Product grades A and B | 21.060.10 | S/S CYS EN ISO 8765:2000 =W/D |
| CYS EN ISO 14579:2011 | Hexalobular socket head cap screws | 21.060.10 | S/S CYS EN ISO 14579:2001 =W/D |
| CYS EN ISO 14580:2011 | Hexalobular socket cheese head screws | 21.060.10 | S/S CYS EN ISO 14580:2001 =W/D |
| CYS EN ISO 14583:2011 | Hexalobular socket pan head screws | 21.060.10 | S/S CYS EN ISO 14583:2001 =W/D |
| CYS EN ISO 14584:2011 | Hexalobular socket raised countersunk head screws | 21.060.10 | S/S CYS EN ISO 14584:2001 =W/D |

| | |
|-----------|---|
| 23 | Fluid systems and components for general use |
|-----------|---|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---|-----------|----------------------------|
| CYS EN ISO 22434:2011 | Transportable gas cylinders - Inspection and maintenance of cylinder valves | 23.020.30 | S/S CYS EN 14189:2003 =W/D |
| CYS EN 488:2011 | District heating pipes - Preinsulated bonded pipe systems for directly buried hot water networks - Steel valve assembly for steel service pipes, polyurethane thermal insulation and outer casing of polyethylene | 23.060.01 | S/S CYS EN 488:2003 =W/D |
| CYS EN 161:2011 | Automatic shut-off valves for gas burners and gas appliances | 23.060.40 | S/S CYS EN 161:2007 =W/D |
| CYS EN 593:2009 +A1:2011 | Industrial valves - Metallic butterfly valves | 23.060.30 | S/S CYS EN 593:2009 =W/D |

| | |
|-----------|----------------------------------|
| 25 | Manufacturing engineering |
|-----------|----------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|---|-----------|----------------------------|
| CYS EN ISO 9016:2011 | Destructive tests on welds in metallic materials - Impact tests - Test specimen location, notch orientation and examination | 25.160.40 | S/S CYS EN 875:1995 =W/D |
| CYS EN ISO 5178:2011 | Destructive tests on welds in metallic materials - Longitudinal tensile test on weld metal in fusion welded joints | 25.160.40 | S/S CYS EN 876:1995 =W/D |
| CYS EN ISO 4136:2011 | Destructive tests on welds in metallic materials - Transverse tensile test | 25.160.40 | S/S CYS EN 895:1995 =W/D |
| CYS EN ISO 9015-1:2011 | Destructive tests on welds in metallic materials - Hardness testing - Part 1: Hardness test on arc welded joints | 25.160.40 | S/S CYS EN 1043-1:1995=W/D |

| | | | |
|---------------------------|--|-----------|-----------------------------|
| CYS EN ISO 9015-2:2011 | Destructive tests on welds in metallic materials - Hardness testing - Part 2: Microhardness testing of welded joints | 25.160.40 | S/S CYS EN 1043-2:1996=W/D |
| CYS EN ISO 17637:2011 | Non-destructive testing of welds - Visual testing of fusion-welded joints | 25.160.40 | S/S CYS EN 970:1997=W/D |
| CYS EN ISO 2106:2011 | Anodizing of aluminium and its alloys - Determination of mass per unit area (surface density) of anodic oxidation coatings - Gravimetric method | 25.220.20 | S/S CYS EN 12373-2:1998=W/D |
| CYS EN ISO 544:2011 | Welding consumables - Technical delivery conditions for filler materials and fluxes - Type of product, dimensions, tolerances and markings | 25.160.20 | S/S CYS EN ISO 544:2003=W/D |
| CYS EN ISO 28722:2011 | Vitreous and porcelain enamels - Characteristics of enamel coatings applied to steel panels intended for architecture | 25.220.50 | S/S CYS EN 14431:2004=W/D |
| CYS EN ISO 28723:2011 | Vitreous and porcelain enamels - Determination of the edge covering on enamelled steel plate to be used in heat exchangers | 25.220.50 | S/S CYS EN 14863:2005=W/D |
| CYS EN ISO 28763:2011 | Vitreous and porcelain enamels - Regenerative, enamelled and packed panels for air-gas and gas-gas heat exchangers - Specifications | 25.220.50 | S/S CYS EN 14866:2005=W/D |
| CYS EN ISO 28764:2011 | Vitreous and porcelain enamels - Production of specimens for testing enamels on sheet steel, sheet aluminium and cast iron | 25.220.50 | S/S CYS EN 15206:2007=W/D |
| CYS EN ISO 28765:2011 | Vitreous and porcelain enamels - Design of bolted steel tanks for the storage or treatment of water or municipal or industrial effluents and sludges | 25.220.50 | S/S CYS EN 15282:2007=W/D |
| CYS EN 12413:2007+A1:2011 | Safety requirements for bonded abrasive products | 25.100.70 | S/S CYS EN 12413:2007=W/D |

| | |
|----|--|
| 35 | Information technology. Office machines |
|----|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------------|--|-----------|-----------------------------|
| CYS EN 15876-2:2011 | Electronic fee collection - Evaluation of on-board and roadside equipment for conformity to EN 15509 - Part 2: Abstract test suite | 35.240.60 | |
| CYS EN ISO 11073-10404:2011 | Health informatics - Personal health device communication - Part 10404: Device specialization - Pulse oximeter | 35.240.80 | |
| CYS EN ISO 11073-10407:2011 | Health informatics - Personal health device communication - Part 10407: Device specialization - Blood pressure monitor | 35.240.80 | |
| CYS EN ISO 11073-10408:2011 | Health informatics - Personal health device communication - Part 10408: Device specialization - Thermometer | 35.240.80 | |
| CYS EN ISO 11073-10415:2011 | Health informatics - Personal health device communication - Part 10415: Device specialization - Weighing scale | 35.240.80 | |
| CYS EN ISO 11073-10417:2011 | Health informatics - Personal health device communication - Part 10417: Device specialization - Glucose meter | 35.240.80 | |
| CYS EN ISO 11073-10471:2011 | Health Informatics - Personal health device communication - Part 10471: Device specialization - Independant living activity hub | 35.240.80 | |
| CYS EN ISO 11073-20601:2011 | Health informatics - Personal health device communication - Part 20601: Application profile - Optimized exchange protocol | 35.240.80 | |
| CYS EN ISO 12967-1:2011 | Health informatics - Service architecture - Part 1: Enterprise viewpoint | 35.240.80 | S/S CYS EN 12967-1:2007=W/D |

| | | | |
|-------------------------|---|-----------|-----------------------------|
| CYS EN ISO 12967-2:2011 | Health informatics - Service architecture - Part 2: Information viewpoint | 35.240.80 | S/S CYS EN 12967-2:2007=W/D |
| CYS EN ISO 12967-3:2011 | Health informatics - Service architecture -Part 3: Computational viewpoint | 35.240.70 | S/S CYS EN 12967-3:2007=W/D |
| CYS EN ISO 12052:2011 | Health informatics - Digital imaging and communication in medicine (DICOM) including workflow and data management | 35.240.80 | S/S CYS EN 12052:2004=W/D |

| | |
|----|---------------------------------------|
| 39 | Precision mechanics. Jewellery |
|----|---------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------|--|--------|----------------------------------|
| CYS EN 1811:2011 | Reference test method for release of nickel from all post assemblies which are inserted into pierced parts of the human body and articles intended to come into direct and prolonged contact with the skin | 39.060 | S/S CYS EN 1811:1998+A1:2008=W/D |

| | |
|----|----------------------------------|
| 43 | Road vehicles engineering |
|----|----------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------|--|-----------|-------------------------|
| CYS EN 624:2011 | Specification for dedicated LPG appliances -Room sealed LPG space heating equipment for installation in vehicles and boats | 43.040.60 | S/S CYS EN 624:2000=W/D |

| | |
|----|----------------------------|
| 45 | Railway engineering |
|----|----------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------------|---|--------|-------------------------------------|
| CYS EN 13979-1:2003+A2:2011 | Railway applications - Wheelsets and bogies - Monobloc wheels - Technical approval procedure - Part 1: Forged and rolled wheels | 45.040 | S/S CYS EN 13979-1:2003+A1:2009=W/D |
| CYS EN 13262:2004+A2:2011 | Railway applications - Wheelsets and bogies - Wheels - Product requirements | 45.040 | S/S CYS EN 13262:2004+A1:2008=W/D |
| CYS EN 13749:2011 | Railway applications - Wheelsets and bogies - Method of specifying the structural requirements of bogie frames | 45.040 | S/S CYS EN 13749:2005=W/D |
| CYS EN 15827:2011 | Railway applications - Requirements for bogies and running gears | 45.040 | |

| | |
|----|---|
| 49 | Aircraft and space vehicle engineering |
|----|---|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--|-------------|------------------|
| CYS EN 2240-052:2011 | Aerospace series - Lamps, incandescent -Part 052: Lamp, code 1222 - Product standard | 49.060 | |
| CYS EN 2240-053:2011 | Aerospace series - Lamps, incandescent -Part 053: Lamp, code 1308 - Product standard | 49.060 | |
| CYS EN 2240-054:2011 | Aerospace series - Lamps, incandescent -Part 054: Lamp, code 1317 - Product standard | 49.060 | |
| CYS EN 2240-055:2011 | Aerospace series - Lamps, incandescent -Part 055: Lamp, code 1495 - Product standard | 49.060 | |
| CYS EN 2240-056:2011 | Aerospace series - Lamps, incandescent -Part 056: Lamp, code 1506 - Product standard | 49.060 | |
| CYS EN 2240-057:2011 | Aerospace series - Lamps, incandescent -Part 057: Lamp, code 1512 - Product standard | 49.060 | |
| CYS EN 2240-058:2011 | Aerospace series - Lamps, incandescent -Part 058: Lamp, code 1524 - Product standard | 49.060 | |
| CYS EN 2240-059:2011 | Aerospace series - Lamps, incandescent -Part 059: Lamp, code 1591 - Product standard | 49.060 | |
| CYS EN 2240-060:2011 | Aerospace series - Lamps, incandescent -Part 060: Lamp, code 1619 - Product standard | 49.060 | |

| | |
|----|--|
| 55 | Packaging and distribution of goods |
|----|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|---|-------------|------------------|
| CYS CEN/TS 15945:2011 | Packaging - Ease of opening - Criteria and test methods for evaluating consumer packaging | 55.020 | |

| | |
|----|---------------------------------------|
| 59 | Textile and leather technology |
|----|---------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|--|-------------|------------------|
| CYS EN 15973:2011 | Rubber- or plastic-coated fabrics - Upholstery fabrics - Resistance to soiling | 59.080.40 | |
| CYS EN ISO 17234-2:2011 | Leather - Chemical tests for the determination of certain azo colorants in dyed leathers - Part 2: Determination of 4-aminobenzene | 59.140.30 | |

| | |
|----|--------------------------|
| 61 | Clothing industry |
|----|--------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--|-------------|------------------|
| CYS EN ISO 10748:2011 | Footwear - Test method for slide fasteners - Slider locking strength | 61.060 | |

| 65 | | Agriculture | |
|----------------------------|---|------------------------------------|---|
| CYSEN Document: | Title | ICS1 | Withdrawn |
| CYS EN 13683:2003 +A2:2011 | Garden equipment - Integrally powered shredders/chippers - Safety | 65.060.70 | S/S CYS EN 13683:2003 +A1:2009 =W/D |
| 75 | | Petroleum and related technologies | |
| CYSEN Document: | Title | ICS1 | Withdrawn |
| CYS EN 14961-5:2011 | Solid biofuels - Fuel specifications and classes - Part 5: Firewood for non-industrial use | 75.160.10 | |
| CYS EN 15234-1:2011 | Solid biofuels - Fuel quality assurance - Part 1: General requirements | 75.160.10 | S/S CYS CEN/TS 15234:2006 =W/D |
| CYS EN 15358:2011 | Solid recovered fuels - Quality management systems - Particular requirements for their application to the production of solid recovered fuels | 75.160.10 | S/S CYS CEN/TS 15358:2006 =W/D |
| CYS EN 15440:2011 | Solid recovered fuels - Methods for the determination of biomass content | 75.160.10 | S/S CYS CEN/TS 15440:2006, S/S CYS CEN/TS 15747:2008 =W/D |
| CYS EN 15442:2011 | Solid recovered fuels - Methods for sampling | 75.160.10 | S/S CYS CEN/TS 15442:2006 =W/D |
| CYS EN 15443:2011 | Solid recovered fuels - Methods for the preparation of the laboratory sample | 75.160.10 | S/S CYS CEN/TS 15443:2006 =W/D |
| CYS EN 15400:2011 | Solid recovered fuels - Determination of calorific value | 75.160.10 | S/S CYS CEN/TS 15400:2006 =W/D |
| CYS EN 15402:2011 | Solid recovered fuels - Determination of the content of volatile matter | 75.160.10 | S/S CYS CEN/TS 15402:2006 =W/D |
| CYS EN 15403:2011 | Solid recovered fuels - Determination of ash content | 75.160.10 | S/S CYS CEN/TS 15403:2006 =W/D |
| CYS EN 15414-3:2011 | Solid recovered fuels - Determination of moisture content using the oven dry method - Part 3: Moisture in general analysis sample | 75.160.10 | S/S CYS CEN/TS 15414-3:2006=W/D |
| CYS EN 15407:2011 | Solid recovered fuels - Methods for the determination of carbon (C), hydrogen (H) and nitrogen (N) content | 75.160.10 | S/S CYS CEN/TS 15407:2006 =W/D |
| CYS EN 15408:2011 | Solid recovered fuels - Methods for the determination of sulphur (S), chlorine (Cl), fluorine (F) and bromine (Br) content | 75.160.10 | S/S CYS CEN/TS 15408:2006 =W/D |

| | | | |
|----------------------|---|--------|----------------------------------|
| CYS EN 13614:2011 | Bitumen and bituminous binders -Determination of adhesivity of bituminous emulsions by water immersion test | 75.140 | S/S CYS EN 13614:2004 =W/D |
|----------------------|---|--------|----------------------------------|

| | |
|-----------|-------------------|
| 77 | Metallurgy |
|-----------|-------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|---|-----------|--|
| CYS EN ISO 8994:2011 | Anodizing of aluminium and its alloys - Rating system for the evaluation of pitting corrosion - Grid method | 77.060 | S/S CYS EN 12373- 19:2001 =W/D |
| CYS EN 10351:2011 | Chemical analysis of ferrous materials - Inductively coupled plasma optical emission spectrometric analysis of unalloyed and low alloyed steels - Determination of Mn, P, Cu, Ni, Cr, Mo, V, Co, Al (total) and Sn [Routine method] | 77.140.10 | |
| CYS EN 13411-4:2011 | Terminations for steel wire ropes - Safety - Part 4: Metal and resin socketing | 77.140.99 | S/S CYS EN 13411- 4:2002 +A1:2008 =W/D |

| | |
|-----------|--------------------------------------|
| 83 | Rubber and plastic industries |
|-----------|--------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------|--|--------|--|
| CYS EN ISO 10350-2:2011 | Plastics - Acquisition and presentation of comparable single-point data - Part 2: Long-fibre-reinforced plastics | 83.120 | S/S CYS EN ISO 10350- 2:2001=W/D |

| | |
|-----------|------------------------------------|
| 87 | Paint and colour industries |
|-----------|------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------------|--|--------|---------------------------------------|
| CYS EN ISO 2811-1:2011 | Paints and varnishes - Determination of density - Part 1: Pycnometer method | 87.040 | S/S CYS EN ISO 2811- 1:2001=W/D |
| CYS EN ISO 2811-2:2011 | Paints and varnishes - Determination of density - Part 2: Immersed body (plummet) method | 87.040 | S/S CYS EN ISO 2811- 2:2001=W/D |
| CYS EN ISO 2811-3:2011 | Paints and varnishes - Determination of density - Part 3: Oscillation method | 87.040 | S/S CYS EN ISO 2811- 3:2001=W/D |
| CYS EN ISO 2811-4:2011 | Paints and varnishes - Determination of density - Part 4: Pressure cup method | 87.040 | S/S CYS EN ISO 2811- 4:2001=W/D |

| | |
|-----------|--|
| 91 | Construction materials and building |
|-----------|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--|-----------|-----------|
| CYS EN 15643-2:2011 | Sustainability of construction works - Assessment of buildings - Part 2: Framework for the assessment of environmental performance | 91.040.01 | |

| | | | |
|--------------------------|--|-----------|--|
| CYS CEN/TR 16142:2011 | Concrete - A study of the characteristic leaching behaviour of hardened concrete for use in the natural environment | 91.100.30 | |
| CYS EN 12846-1:2011 | Bitumen and bituminous binders - Determination of efflux time by the efflux viscometer - Part 1: Bituminous emulsions | 91.100.50 | S/S CYS EN 12846:2002 =W/D |
| CYS EN 12846-2:2011 | Bitumen and bituminous binders - Determination of efflux time by the efflux viscometer - Part 2: Cut-back and fluxed bituminous binders | 91.100.50 | S/S CYS EN 13357:2002 =W/D |
| CYS EN 1520:2011 | Prefabricated reinforced components of lightweight aggregate concrete with open structure with structural or non-structural reinforcement | 91.100.30 | S/S CYS EN 1520:2002 =W/D |
| CYS EN 196-5:2011 | Methods of testing cement - Part 5: Pozzolanicity test for pozzolanic cement | 91.100.10 | S/S CYS EN 196- 5:2005=W/D |
| CYS EN 16140:2011 | Natural stone test methods - Determination of sensitivity to changes in appearance produced by thermal cycles | 91.100.15 | |
| CYS EN 15812:2011 | Polymer modified bituminous thick coatings for waterproofing - Determination of crack bridging ability | 91.100.50 | |
| CYS EN 15813:2011 | Polymer modified bituminous thick coatings for waterproofing - Determination of flexibility at low temperatures | 91.100.50 | |
| CYS EN 15815:2011 | Polymer modified bituminous thick coatings for waterproofing - Resistance to compression | 91.100.50 | |
| CYS EN 15816:2011 | Polymer-modified bituminous thick coatings for waterproofing - Resistance to rain | 91.100.50 | |
| CYS EN 15817:2011 | Polymer modified bituminous thick coatings for waterproofing - Water resistance | 91.100.50 | |
| CYS EN 15818:2011 | Polymer modified bituminous thick coatings for waterproofing - Determination of dimensional stability at high temperature | 91.100.50 | |
| CYS EN 15819:2011 | Polymer modified bituminous thick coatings for waterproofing - Reduction of the thickness of the layer when fully dried | 91.100.50 | |
| CYS EN 15820:2011 | Polymer modified bituminous thick coatings for waterproofing - Determination of watertightness | 91.100.50 | |
| CYS CEN/TS 81-11:2011 | Safety rules for the construction and installation of lifts - Basics and interpretations - Part 11: Interpretations related to EN 81 family of standards | 91.140.90 | S/S CYS CEN/TS 81- 11:2009 =W/D |

| | |
|----|-------------------|
| 93 | Civil engineering |
|----|-------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------------|--|-----------|-----------|
| CYS CEN/TS 15901-11:2011 | Road and airfield surface characteristics -Part 11: Procedure for determining the skid resistance of a pavement surface using a device with longitudinal block measurement (LFCSR): the SRM | 93.080.20 | |
| CYS CEN/TS 15901-12:2011 | Road and airfield surface characteristics -Part 12: Procedure for determining the skid resistance of a pavement surface using a device with longitudinal controlled slip: the BV 11 and Saab friction tester (SFT) | 93.080.20 | |
| CYS CEN/TS 15901-13:2011 | Road and airfield surface characteristics -Part 13: Procedure for determining the skid resistance of a pavement surface by measurement of a sideway force coefficient (SFCO): the Odoligraph | 93.120 | |

| | |
|----|--|
| 97 | Domestic and commercial equipment. Entertainment. Sports |
|----|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------|--|-----------|-------------------------------|
| CYS EN 548:2011 | Resilient floor coverings - Specification for plain and decorative linoleum | 97.150 | S/S CYS EN 548:2004 =W/D |
| CYS EN 649:2011 | Resilient floor coverings - Homogenous and heterogenous polyvinyl chloride floor coverings - Specification | 97.150 | S/S CYS EN 649:1996 =W/D |
| CYS EN 651:2011 | Resilient floor coverings - Polyvinyl chloride floor coverings with foam layer - Specification | 97.150 | S/S CYS EN 651:1996 =W/D |
| CYS EN 652:2011 | Resilient floor coverings - Polyvinyl chloride floor coverings with cork-based backing - Specification | 97.150 | S/S CYS EN 652:1996 =W/D |
| CYS EN 13089:2011 | Mountaineering equipment - Ice-tools - Safety requirements and test methods | 97.220.40 | S/S CYS EN 13089:1999 =W/D |

| | | | |
|-----------------------|---|--|--|
| CYS CEN/TR 16152:2011 | Electronic fee collection - Personalisation and mounting of first mount OBE | | |
|-----------------------|---|--|--|

Επίσης έχουν εκδοθεί από την Ευρωπαϊκή Επιτροπή Τυποποίησης (CEN) οι ακόλουθες εκδόσεις

| | | |
|----------------|-----------|--|
| CWA 16275:2011 | 03.100.30 | Guidelines for the selection of consultants advising SMEs on integrated quality, environment, health and safety management systems |
|----------------|-----------|--|

ΤΡΟΠΟΠΟΙΗΣΗ

| | | |
|--------------------------------|-----------|--|
| CYS EN ISO 4254-5:2009/AC:2011 | 65.060.20 | Agricultural machinery - Safety - Part 5: Power-driven soil-working machines |
|--------------------------------|-----------|--|