

Ε.Ε. Παρ. ΙΙΙ(Ι)  
Αρ. 5097, 6.7.2018  
Αριθμός 191

Κ.Δ.Π. 191/2018

ΟΙ ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΙ ΤΟΥ 2002 ΕΩΣ 2012

Γνωστοποίηση βάσει του Άρθρου 5 του Βασικού Νόμου 156(Ι)/2002  
και του Άρθρου 6 του Τροποποιητικού Νόμου 57(Ι)/2011

Με το παρόν γνωστοποιείται ότι βάσει των Άρθρων 5 του βασικού Νόμου 156(Ι) του 2002 και 6 του τροποποιητικού Νόμου 57(Ι)/2011 που ρυθμίζουν τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης (CYS) δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

**STANDARDS FROM EUROPEAN COMMITTEE FOR ELECTROTECHNICAL STANDARDIZATION (CENELEC)**

|           |                               |
|-----------|-------------------------------|
| <b>11</b> | <b>Health care technology</b> |
|-----------|-------------------------------|

| <b>CYS EN Document:</b>    | <b>Title</b>                                                                                                                                                               | <b>ICS1</b> | <b>Withdrawn</b> |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN IEC 80601-2-71:2018 | Medical electrical equipment - Part 2-71: Particular requirements for the basic safety and essential performance of functional near-infrared spectroscopy (NIRS) equipment | 11.040.55   |                  |

|           |                                               |
|-----------|-----------------------------------------------|
| <b>13</b> | <b>Environment. Health protection. Safety</b> |
|-----------|-----------------------------------------------|

| <b>CYS EN Document:</b>   | <b>Title</b>                                                                                                                                                                         | <b>ICS1</b> | <b>Withdrawn</b>          |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------|
| CYS EN 50271:2018         | Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen - Requirements and tests for apparatus using software and/or digital technologies | 13.320      | S/S CYS EN 50271:2010=W/D |
| CYS EN IEC 62820-3-1:2018 | Building intercom systems - Part 3-1: Application guidelines - General                                                                                                               | 13.320      |                           |
| CYS EN IEC 62820-3-2:2018 | Building intercom systems - Part 3-2: Application guidelines - Advanced security building intercom systems (ASBIS)                                                                   | 13.320      |                           |

|           |                                                      |
|-----------|------------------------------------------------------|
| <b>17</b> | <b>Metrology and measurement. Physical phenomena</b> |
|-----------|------------------------------------------------------|

| <b>CYS EN Document:</b>     | <b>Title</b>                                                                                                                                               | <b>ICS1</b> | <b>Withdrawn</b>                             |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------------------|
| CYS EN IEC 62828-3:2018     | Reference conditions and procedures for testing industrial and process measurement transmitters - Part 3: Specific procedures for temperature transmitters | 17.200.20   |                                              |
| CYS EN IEC 61010-2-201:2018 | Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-201: Particular requirements for control equipment      | 17.020      | S/S CYS EN 61010-2-201:2013 and AC:2013 =W/D |

|           |                |
|-----------|----------------|
| <b>19</b> | <b>Testing</b> |
|-----------|----------------|

| <b>CYS EN Document:</b>         | <b>Title</b>                                                                 | <b>ICS1</b> | <b>Withdrawn</b> |
|---------------------------------|------------------------------------------------------------------------------|-------------|------------------|
| CYS EN 60068-2-10:2005 /A1:2018 | Environmental testing - Part 2-10: Tests - Test J and guidance: Mould growth | 19.040      |                  |
| CYS EN 60068-2-74:1999 /A1:2018 | Environmental testing - Part 2-74: Tests - Test Xc: Fluid contamination      | 19.040      |                  |

|           |                               |
|-----------|-------------------------------|
| <b>25</b> | <b>Electrical engineering</b> |
|-----------|-------------------------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                                                                                                                                       | <b>ICS1</b> | <b>Withdrawn</b>            |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------|
| CYS EN IEC 60974-9:2018 | Arc welding equipment - Part 9: Installation and use                                                                                                               | 25.160.30   | S/S CYS EN 60974-9:2010=W/D |
| CYS EN IEC 62714-1:2018 | Engineering data exchange format for use in industrial automation systems engineering - Automation markup language - Part 1: Architecture and general requirements | 25.040.40   | S/S CYS EN 62714-1:2014=W/D |

|           |                               |
|-----------|-------------------------------|
| <b>29</b> | <b>Electrical engineering</b> |
|-----------|-------------------------------|

| <b>CYS EN Document:</b>      | <b>Title</b>                                                                                                                                                | <b>ICS1</b> | <b>Withdrawn</b>                 |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------|
| CYS EN IEC 62386-216:2018    | Digital addressable lighting interface - Part 216: Particular requirements for control gear - Load referencing (device type 15)                             | 29.140.50   |                                  |
| CYS EN IEC 62386-222:2018    | Digital addressable lighting interface - Part 222: Particular requirements for control gear - Thermal lamp protection (device type 21)                      | 29.140.50   |                                  |
| CYS EN 62751-1:2014 /A1:2018 | Power losses in voltage sourced converter (VSC) valves for high-voltage direct current (HVDC) systems - Part 1: General requirements                        | 29.200      |                                  |
| CYS EN IEC 60034-27-1:2018   | Rotating electrical machines - Part 27-1: Off-line partial discharge measurements on the stator winding insulation of rotating electrical machines          | 29.160.01   | S/S CYS CLC/TS 60034-27:2011=W/D |
| CYS EN IEC 62386-333:2018    | Digital addressable lighting interface - Part 333: Particular requirements for control devices – Manual configuration (feature type 33)                     | 29.140.50   |                                  |
| CYS EN IEC 60034-27-4:2018   | Rotating electrical machines - Part 27-4: Measurement of insulation resistance and polarization index on winding insulation of rotating electrical machines | 29.160.01   |                                  |
| CYS EN IEC 62386-207:2018    | Digital addressable lighting interface - Part 207: Particular requirements for control gear - LED modules (device type 6)                                   | 29.140.50   | S/S CYS EN 62386-207:2009=W/D    |
| CYS EN IEC 62793:2018        | Protection against lightning - Thunderstorm warning systems                                                                                                 | 29.020      |                                  |

|                           |                                                                                                                     |         |                               |
|---------------------------|---------------------------------------------------------------------------------------------------------------------|---------|-------------------------------|
| CYS EN IEC 62680-1-2:2018 | Universal Serial Bus interfaces for data and power - Part 1-2: Common components - USB Power Delivery Specification | 29.220, | S/S CYS EN 62680-1-2:2017=W/D |
|---------------------------|---------------------------------------------------------------------------------------------------------------------|---------|-------------------------------|

|           |                    |
|-----------|--------------------|
| <b>31</b> | <b>Electronics</b> |
|-----------|--------------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                                                                                                                                  | <b>ICS1</b> | <b>Withdrawn</b>                           |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------------------------|
| CYS EN IEC 60286-5:2018 | Packaging of components for automatic handling - Part 5: Matrix trays                                                                                         | 31.020      | S/S CYS EN 60286-5:2004 (and A1:2009) =W/D |
| CYS EN IEC 62576:2018   | Electric double-layer capacitors for use in hybrid electric vehicles - Test methods for electrical characteristics                                            | 31.060.99   | S/S CYS EN 62576:2010=W/D                  |
| CYS EN IEC 62228-1:2018 | Integrated circuits - EMC evaluation of transceivers - Part 1: General conditions and definitions                                                             | 31.200      |                                            |
| CYS EN IEC 62969-3:2018 | Semiconductor devices - Semiconductor interface for automotive vehicles - Part 3: Shock driven piezoelectric energy harvesting for automotive vehicle sensors | 31.080.99   |                                            |

|           |                                                        |
|-----------|--------------------------------------------------------|
| <b>33</b> | <b>Telecommunications. Audio and video engineering</b> |
|-----------|--------------------------------------------------------|

| <b>CYS EN Document:</b>   | <b>Title</b>                                                                                                         | <b>ICS1</b> | <b>Withdrawn</b>                                             |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------|
| CYS EN IEC 61970-302:2018 | Energy management system application program interface (EMS-API) - Part 302: Common information model (CIM) dynamics | 33.200      |                                                              |
| CYS CLC/TR 50682:2018     | Consideration on the use of OTDRs to measure return loss of single-mode optical fibre connections                    | 33.180.01   |                                                              |
| CYS EN IEC 62343-3-4:2018 | Dynamic modules - Part 3-4: Performance specification templates - Multicast optical switches                         | 33.180.01   |                                                              |
| CYS EN IEC 60268-3:2018   | Sound system equipment - Part 3: Amplifiers                                                                          | 33.160.10   | S/S CYS EN 60268-3:2013=W/D                                  |
| CYS EN 50173-1:2018       | Information technology - Generic cabling systems - Part 1: General requirements                                      | 33.040.50   | S/S CYS EN 50173-1:2011=W/D                                  |
| CYS EN 50173-2:2018       | Information technology - Generic cabling systems - Part 2: Office spaces                                             | 33.040.50   | S/S CYS EN 50173-2:2007 (and A1:2010, AC:2011) =W/D          |
| CYS EN 50173-4:2018       | Information technology - Generic cabling systems - Part 4: Homes                                                     | 33.040.50   | S/S CYS EN 50173-4:2007 (and A1:2010, AC:2011, A2:2012) =W/D |
| CYS EN 50173-5:2018       | Information technology - Generic cabling systems - Part 5: Data centre spaces                                        | 33.040.50   | S/S CYS EN 50173-5:2007 (A1:2010, AC:2011 and A2:2012) =W/D  |

|           |                               |
|-----------|-------------------------------|
| <b>35</b> | <b>Information technology</b> |
|-----------|-------------------------------|

| <b>CYS EN Document:</b>   | <b>Title</b>                                                                                                                | <b>ICS1</b> | <b>Withdrawn</b>                                                 |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------|
| CYS EN 50174-2:2018       | Information technology - Cabling installation - Part 2: Installation planning and practices inside buildings                | 35.110      | S/S CYS EN 50174-2:2009 and A1:2011 and AC:2011 and A2:2014 =W/D |
| CYS EN 50174-1:2018       | Information technology - Cabling installation - Part 1: Installation specification and quality assurance                    | 35.110      | S/S CYS EN 50174-1:2009 (and A2:2014 and A1:2011) =W/D           |
| CYS EN 50173-3:2018       | Information technology - Generic cabling systems – Part 3: Industrial spaces                                                | 35.110      | S/S CYS EN 50173-3:2007 (and A1:2010 and AC:2011) =W/D           |
| CYS EN 50173-6:2018       | Information technology - Generic cabling systems – Part 6: Distributed building services                                    | 35.110      | S/S CYS EN 50173-6:2013=W/D                                      |
| CYS EN IEC 62680-1-4:2018 | Universal Serial Bus interfaces for data and power – Part 1-4: Common Components - USB Type-C™ Authentication Specification | 35.200      |                                                                  |

#### **ΤΡΟΠΟΠΟΙΗΣΕΙΣ / CORRIGENDA**

|                                            |                                                                                                                     |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| CYS EN 62439-2:2017/ <b>AC:2018-06</b>     | Industrial communication networks - High availability automation networks - Part 2: Media Redundancy Protocol (MRP) |
| CYS EN IEC 61730-1:2018/ <b>AC:2018-06</b> | Photovoltaic (PV) module safety qualification - Part 1: Requirements for construction                               |
| CYS EN IEC 61730-2:2018/ <b>AC:2018-06</b> | Photovoltaic (PV) module safety qualification - Part 2: Requirements for testing                                    |