

ΟΙ ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΙ ΤΟΥ 2002 ΕΩΣ 2012

Γνωστοποίηση βάσει του άρθρου 5 του βασικού νόμου 156(Ι)/2002
και του άρθρου 6 του Τροποποιητικού Νόμου 57(Ι)/2011

Με το παρόν γνωστοποιείται ότι βάσει των άρθρων 5 του βασικού νόμου 156(Ι) του 2002 και 6 του Τροποποιητικού Νόμου 57(Ι)/2011 που ρυθμίζουν τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης (CYS) δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

STANDARDS FROM EUROPEAN TELECOMMUNICATIONS STANDARDS INSTITUTE (ETSI)

CYS EN Document:	Title
CYS ETSI EN 300 220-2 V3.3.1 (2025-03)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz with power levels ranging up to 500 mW e.r.p. Part 2: Harmonised Standard for access to radio spectrum for non specific radio equipment
CYS ETSI EN 301 489-50 V2.4.1 (2025-09)	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services Part 50: Specific conditions for Cellular Communication Base Station (BS), repeater and ancillary equipment Harmonised Standard for ElectroMagnetic Compatibility
CYS ETSI EN 301 489-55 V1.1.1 (2025-10)	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services Part 55: Specific conditions for ground based equipment for air navigation operating in the frequency range 960 MHz to 1 215 MHz Harmonised Standard for ElectroMagnetic Compatibility
CYS ETSI EN 301 575 V1.2.1 (2025-06)	Environmental Engineering (EE) Measurement method for energy consumption of Customer Premises Equipment (CPE)
CYS ETSI EN 301 489-55 V1.1.1 (2025-10)	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services Part 55: Specific conditions for ground based equipment for air navigation operating in the frequency range 960 MHz to 1 215 MHz Harmonised Standard for ElectroMagnetic Compatibility
CYS ETSI EN 300 386 V3.2.1 (2025-11)	Telecommunication network equipment Harmonised Standard for ElectroMagnetic Compatibility (EMC) requirements
CYS ETSI EN 301 575 V1.2.1 (2025-06)	Environmental Engineering (EE) Measurement method for energy consumption of Customer Premises Equipment (CPE)
CYS ETSI EN 302 307-2 V1.4.1 (2024-08)	Digital Video Broadcasting (DVB) Second generation framing structure, channel coding and modulation systems for Broadcasting, Interactive Services, News Gathering and other broadband satellite applications Part 2: DVB-S2 Extensions (DVB-S2X)
CYS ETSI EN 303 753 V1.1.1 (2024-05)	Wideband Data Transmission Systems (WDTS) for Mobile and Fixed Radio Equipment operating in the 57 - 71 GHz band Harmonised Standard for for access to radio spectrum
CYS ETSI EN 303 883-2 V2.1.1 (2024-08)	Short Range Devices (SRD) and Ultra Wide Band (UWB) Part 2: Measurement techniques for receiver requirements
CYS ETSI EN 300 395-2 V1.3.3 (2025-02)	TETRA and Critical Communications Evolution (TCCE) Speech codec for full-rate traffic channel Part 2: TETRA codec
CYS ETSI EN 301 908-14 V17.1.1 (2025-02)	IMT cellular networks Harmonised Standard for access to radio spectrum Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS) Release 17
CYS ETSI EN 302 729-1 V3.1.1 (2025-05)	Short Range Devices (SRD) using Ultra Wide Band technology (UWB) Harmonised standard for access to radio spectrum Part 1: Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz for strictly vertical downward installation

CYS ETSI EN 303 215 V1.5.1 (2025-06)	Environmental Engineering (EE)Measurement methods and limits for power consumption in broadband telecommunication networks equipment
CYS ETSI EN 303 645 V3.1.3 (2024-09)	CYBERCyber Security for Consumer Internet of Things: Baseline Requirements
CYS ETSI EN 303 659 V1.1.1 (2025-02)	Short Range Devices (SRD) in Data NetworksRadio equipment to be used in the frequency ranges 865 MHz to 868 MHz and 915 MHz to 919,4 MHzHarmonised Standard for access to radio spectrum
CYS ETSI EN 303 661 V1.1.1 (2024-05)	Short Range Devices (SRD)Ground Based Synthetic Aperture Radar (GBSAR) in the frequency range 17,1 GHz to 17,3 GHz and High Definition Ground Based Synthetic Aperture Radar (HD-GBSAR) in the frequency range 76 GHz to 77 GHzHarmonised Standard for access to radio spectrum
CYS ETSI EN 303 760 V1.1.1 (2024-10)	SmartM2MSAREF Guidelines for IoT Semantic Interoperability Develop, apply and evolve Smart Applications ontologies
CYS ETSI EN 303 797 V2.1.1 (2024-02)	Intelligent Transport Systems (ITS)LTE-V2X and NR-V2X Access layer specification for Intelligent Transport Systems operating in the 5 GHz frequency bandRelease 2
CYS ETSI EN 303 798 V2.1.1 (2024-08)	Intelligent Transport Systems (ITS)LTE-V2X and NR-V2X Access layer specification for Intelligent Transport Systems operating in the 5 GHz frequency bandRelease 2
CYS ETSI EN 303 800-2 V1.1.1 (2025-06)	Environmental Engineering (EE)Assessment of material efficiency of ICT network infrastructure goods (circular economy) Part 2: Server and data storage product secure data deletion functionality
CYS ETSI EN 303 800-3 V1.1.1 (2025-02)	Environmental Engineering (EE)Assessment of material efficiency of ICT network infrastructure goods (circular economy) Part 3: Server and data storage product availability of firmware and of security updates to firmware
CYS ETSI EN 303 800-5 V1.1.1 (2024-08)	Environmental Engineering (EE)Assessment of material efficiency of ICT network infrastructure goods (circular economy) Part 5: Server and data storage product disassembly and disassembly instruction
CYS ETSI EN 303 804 V1.1.1 (2025-06)	Environmental Engineering (EE)Energy efficiency metrics and measurement methods for data storage equipment
CYS ETSI EN 303 851 V1.1.1 (2025-04)	Radio Frequency Identification Equipment operating in the band 2 446 MHz to 2 454 MHz with power levels up to a maximum of 500 mW e.i.r.p. and up to a maximum of 4 W e.i.r.p.Harmonised Standard for access to radio spectrum
CYS ETSI EN 303 883-1 V2.1.1 (2024-08)	Short Range Devices (SRD) and Ultra Wide Band (UWB)Part 1: Measurement techniques for transmitter requirements
CYS ETSI EN 303 978 V2.2.1 (2024-12)	Satellite Earth Stations and Systems (SES)Earth Stations on Mobile Platforms (ESOMP) communicating with satellites in geostationary orbit, operating in the 27,5 GHz to 30,0 GHz and 17,3 GHz to 20,2 GHz frequency bands Harmonised Standard for access to radio spectrum
CYS ETSI EN 304 220-1 V1.2.1 (2024-08)	Wideband data transmission SRD Harmonised Standard for access to radio spectrum Part 1: Wideband data transmission devices: network access points operating in the frequency bands 863 MHz to 868 MHz and 915,8 MHz to 919,4 MHz
CYS ETSI EN 304 220-2 V1.2.1 (2024-08)	Wideband data transmission SRD Harmonised Standard for access to radio spectrum Part 2: Wideband data transmission devices: terminal node operating in the frequency bands 863 MHz to 868 MHz and 915,8 MHz to 919,4 MHz
CYS ETSI EN 305 550-5 V1.1.1 (2025-07)	Short Range Devices (SRD) to be used in the 40 GHz to 260 GHz frequency range Harmonised Standard for access to radio spectrum Part 5: Ultra Short Range Communication (USRC) equipment operating within 57 GHz to 64 GHz
CYS ETSI EN 305 550-6 V1.2.1 (2025-05)	Short Range Devices (SRD) to be used in the 40 GHz to 260 GHz frequency range Harmonised Standard for access to radio spectrum Part 6: Specific radiodetermination applications - Tank Level Probing Radar (TLPR) and Level Probing Radar (LPR) equipment operating in the frequency ranges 116 GHz to 148,5 GHz167 GHz to 182 GHz and 231,5 GHz to 250 GHz
CYS ETSI EN 319 102-1 V1.4.1 (2024-06)	Electronic Signatures and Trust Infrastructures (ESI)Procedures for Creation and Validation of AdES Digital Signatures Part 1: Creation and Validation

CYS ETSI EN 319 132-1 V1.3.1 (2024-07)	Electronic Signatures and Trust Infrastructures (ESI)XAdES digital signatures Part 1: Building blocks and XAdES baseline signatures
CYS ETSI EN 319 142-2 V1.2.1 (2025-07)	Electronic Signatures and Trust Infrastructures (ESI)PAdES digital signatures Part 2: Additional PAdES signatures profiles
CYS ETSI EN 319 401 V3.1.1 (2024-06)	Electronic Signatures and Trust Infrastructures (ESI)General Policy Requirements for Trust Service Providers
CYS ETSI EN 319 411-1 V1.5.1 (2025-04)	Electronic Signatures and Trust Infrastructures (ESI)Policy and security requirements for Trust Service Providers issuing certificates Part 1: General requirements
CYS ETSI EN 319 411-2 V2.6.1 (2025-06)	Electronic Signatures and Trust Infrastructures (ESI)Policy and security requirements for Trust Service Providers issuing certificates Part 2: Requirements for trust service providers issuing EU qualified certificates
CYS ETSI EN 319 412-1 V1.6.1 (2025-06)	Electronic Signatures and Trust Infrastructures (ESI)Certificate Profiles Part 1: Overview and common data structures
CYS ETSI EN 319 412-2 V2.4.1 (2025-06)	Electronic Signatures and Trust Infrastructures (ESI)Certificate Profiles Part 4: Certificate profile for web site certificates
CYS ETSI EN 319 412-4 V1.3.2 (2024-11)	Electronic Signatures and Trust Infrastructures (ESI)Certificate Profiles Part 4: Certificate profile for web site certificates
CYS ETSI EN 319 412-5 V2.5.1 (2025-06)	Electronic Signatures and Trust Infrastructures (ESI)Certificate Profiles Part 5: QCStatements
CYS ETSI EN 319 421 V1.3.1 (2025-07)	Electronic Signatures and Trust Infrastructures (ESI)Policy and Security Requirements for Trust Service Providers issuing Time-Stamps
CYS ETSI EN 300 440-2 V3.1.1 (2025-10)	Short Range Devices (SRD) operating in 1 GHz to 40 GHzHarmonised Standard for access to radio spectrum Part 2: Radiodetermination equipment for location tracking applications operating in the frequency range 2,4 GHz to 2,4835 GHz
CYS ETSI EN 300 468 V1.19.1 (2025-02)	Digital Video Broadcasting (DVB)Specification for Service Information (SI) in DVB systems
CYS ETSI EN 300 487 V2.2.1 (2024-12)	Satellite Earth Stations and Systems (SES)Receive-Only Mobile Earth Stations (ROMES) providing data communications operating in the 1,5 GHz frequency bandHarmonised Standard for access to radio spectrum
CYS ETSI EN 301 126-1 V2.1.1 (2025-07)	Fixed Radio SystemsConformance testing Part 1: Point-to-point equipment - Definitions, general requirements and test procedures
CYS ETSI EN 301 192 V1.8.1 (2025-06)	Digital Video Broadcasting (DVB)DVB specification for data broadcasting
CYS ETSI EN 301 489-13 V2.1.1 (2025-10)	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services Part 13: Specific conditions for Citizens' Band (CB) radio and ancillary equipmentHarmonised Standard for ElectroMagnetic Compatibility
CYS ETSI EN 301 489-5 V2.3.1 (2025-07)	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services Part 5: Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech) and Terrestrial Trunked Radio (TETRA)Harmonised Standard for ElectroMagnetic Compatibility

CYS ETSI EN 301 489-55 V1.1.1 (2025-10)	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services Part 55: Specific conditions for ground based equipment for air navigation operating in the frequency range 960 MHz to 1 215 MHzHarmonised Standard for ElectroMagnetic Compatibility
CYS ETSI EN 301 893 V2.2.1 (2024-11)	5 GHz WAS/RLAN Harmonised Standard for access to radio spectrum