



**ΕΠΙΣΗΜΗ ΕΦΗΜΕΡΙΔΑ
ΤΗΣ ΚΥΠΡΙΑΚΗΣ ΔΗΜΟΚΡΑΤΙΑΣ**

ΠΑΡΑΡΤΗΜΑ ΤΡΙΤΟ

ΜΕΡΟΣ Ι

ΚΑΝΟΝΙΣΤΙΚΕΣ ΔΙΟΙΚΗΤΙΚΕΣ ΠΡΑΞΕΙΣ

| | | |
|---------------------|--------------------------------------|------------|
| Αριθμός 4172 | Παρασκευή, 2 Φεβρουαρίου 2007 | 409 |
|---------------------|--------------------------------------|------------|

Αριθμός 60

**Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ
ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ (ΝΟΜΟΣ 156(Ι) ΤΟΥ 2002)**

Γνωστοποίηση βάσει του άρθρου 5(γ) του Νόμου 156(Ι) του 2002

Με το παρόν γνωστοποιείται ότι με βάση το άρθρο 5(γ) του Νόμου 156(Ι) του 2002 που ρυθμίζει τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά Πρότυπα τα πιο κάτω Ευρωπαϊκά Πρότυπα:

| | |
|-----------|----------------------------------------------------------------------|
| 01 | GENERALITIES, TERMINOLOGY, STANDARDIZATION, DOCUMENTATION |
|-----------|----------------------------------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------|
| CYSENISO 3166-1:2006 | Codes for the representation of names of countries and their subdivisions - Part 1: Country codes | 01.140.30 | S/S CYS EN ISO 3166-1:1998 = W/D |
| CYSCEN/TS 15379:2006 | Building management - Terminology and scope of services | 01.040.03 | |
| CYSEN 13967:2004-iss1 | Flexible sheets for waterproofing - Plastic and rubber damp proof sheets including plastic and rubber basement tanking sheet - Definitions and characteristics | 01.040.91 | S/S CYS EN 13967:2004 = W/D |
| CYSEN 13969:2004-iss1 | Flexible sheets for waterproofing - Bitumen damp proof sheets including bitumen basement tanking sheets - Definitions and characteristics | 01.040.91 | S/S CYS EN 13969:2004 = W/D |
| CYSEN 13970:2004-iss1 | Flexible sheets for waterproofing - Bitumen water vapour control layers - Definitions and characteristics | 01.040.91 | S/S CYS EN 13970:2004 = W/D |
| CYSEN 13984:2004-iss1 | Flexible sheets for waterproofing - Plastic and rubber vapour control layers - Definitions and characteristics | 01.040.91 | S/S CYS EN 13984:2004 = W/D |
| CYSEN 13707:2004-iss1 | Flexible sheets for waterproofing - Reinforced bitumen sheets for roof waterproofing - Definitions and characteristics | 01.040.91 | S/S CYS EN 13707:2004 = W/D |
| CYSEN 45020:2006 | Standardization and related activities - General vocabulary | 01.040.01 | S/S CYS EN 45020:1998 = W/D |
| CYSENISO 2692:2006 | Geometrical product specifications (GPS) - Geometrical tolerancing - Maximum material requirement (MMR), least material requirement (LMR) and reciprocity requirement (RPR) | 01.100.20 | |

| | |
|-----------|--------------------------------------------------------------------------------------------------------|
| 03 | SERVICES.COMPANY ORGANIZATION, MANAGEMENT AND QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY |
|-----------|--------------------------------------------------------------------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--------------------------------------------------|-------------|------------------|
| CYSCEN/TS 15523:2006 | Postal service - Statement of mailing submission | 03.240 | |

| | | | |
|-------------------------|--------------------------------------------------------------------------------------------------------------|-----------|--|
| CYSCEN/TS 15525:2006 | Postal Services - Standard Interfaces - Interface between Machine Control and Bar Code Printers | 03.240 | |
| CYSCEN/TR 15524:2006 | Postal services - Customer-directed information including track and trace - General concepts and definitions | 03.240 | |
| CYSCR 14245:2001 | Guidelines for the application of EN 197-2 "Conformity evaluation" | 03.120.20 | |

| | |
|-----------|-------------------------------|
| 11 | HEALTH CARE TECHNOLOGY |
|-----------|-------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------|
| CYSEN 14885:2006 | Chemical disinfectants and antiseptics - Application of European Standards for chemical disinfectants and antiseptics | 11.080.20 | |
| CYSENISO 22674:2006 | Dentistry - Metallic materials for fixed and removable restorations and appliances | 11.060.10 | |
| CYSENISO 20776-1:2006 | Clinical laboratory testing and in vitro diagnostic test systems - Susceptibility testing of infectious agents and evaluation of performance of antimicrobial susceptibility test devices - Part 1: Reference method for testing the in vitro activity of antimicrobial agents against rapidly growing aerobic bacteria involved in infectious diseases | 11.100 | |
| CYSEN 455-3:2006 | Medical gloves for single use - Part 3: Requirements and testing for biological evaluation | 11.140 | S/S CYS EN 455-3:2000 = W/D |
| CYSENISO 10535:2006 | Hoists for the transfer of disabled persons - Requirements and test methods | 11.180.10 | S/S CYS EN ISO 10535:1998 = W/D |

13

ENVIRONMENT. HEALTH PROTECTION. SAFETY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| CYSEN 137:2006 | Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking | 13.340.30 | S/S CYS EN 137:1993 = W/D |
| CYSENISO 13849-1:2006 | Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design | 13.110 | S/S CYS EN 954-1:1997=W/D |
| CYSEN 1496:2006 | Personal fall protection equipment - Rescue lifting devices | 13.340.60 | S/S CYS EN 1496:1996 = W/D |
| CYSEN 1498:2006 | Personal fall protection equipment - Rescue loops | 13.340.60 | S/S CYS EN 1498:1996 = W/D |
| CYSCEN/TR 15522-1:2006 | Oil spill identification - Waterborne petroleum and petroleum products - Part 1: Sampling | 13.020.40 | |
| CYSEN 13317:2002-iss1 | Tanks for transport of dangerous goods. Service equipment for tanks.Manhole cover assembly | 13.300 | S/S CYS EN 13317:2002 = W/D |
| CYSENISO 13850:2006 | Safety of machinery - Emergency stop - Principles for design | 13.110 | S/S CYS EN 418:1992 = W/D |
| CYSEN 469:2005-iss1 | Protective clothing for firefighters - Performance requirements for protective clothing for firefighting | 13.340.10 | S/S CYS EN 469:2005 = W/D |
| CYSENISO 389-5:2006 | Acoustics - Reference zero for the calibration of audiometric equipment - Part 5: Reference equivalent threshold sound pressure levels for pure tones in the frequency range 8 kHz to 16 kHz | 13.140 | S/S EN ISO 389-5:1999 = W/D |
| CYSEN 14987:2006 | Plastics - Evaluation of disposability in waste water treatment plants - Test scheme for final acceptance and specifications | 13.060.30 | |
| CYSEN 15192:2006 | Characterisation of waste and soil - Determination of Chromium(VI) in solid material by alkaline digestion and ion chromatography with spectrophotometric detection | 13.030.10 | |
| CYSEN 14756:2006 | Determination of the limiting oxygen concentration (LOC) for flammable gases and vapours | 13.230 | |

| | | | |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------|
| CYSEN 1731:2006 | Personal eye protection - Mesh eye and face protectors | 13.040.20 | S/S CYS EN 1731:1998 = W/D |
| CYSENISO 12402-7:2006 | Personal flotation devices - Part 7: Materials and components - Safety requirements and test methods | 13.340.70 | |
| CYSCEN/TR 15310-1:2006 | Characterization of waste - Sampling of waste materials - Part 1: Guidance on selection and application of criteria for sampling under various conditions | 13.030.10 | |
| CYSCEN/TR 15310-2:2006 | Characterization of waste - Sampling of waste materials - Part 2: Guidance on sampling techniques | 13.030.10 | |
| CYSCEN/TR 15310-3:2006 | Characterization of waste - Sampling of waste materials - Part 3: Guidance on procedures for sub-sampling in the field | 13.030.10 | |
| CYSCEN/TR 15310-4:2006 | Characterization of waste - Sampling of waste materials - Part 4: Guidance on procedures for sample packaging, storage, preservation, transport and delivery | 13.030.10 | |
| CYSCEN/TR 15310-5:2006 | Characterization of waste - Sampling of waste materials - Part 5: Guidance on the process of defining the sampling plan | 13.030.10 | |
| CYSCEN/TS 14997:2006 | Characterization of waste - Leaching behaviour tests - Influence of pH on leaching with continuous pH-control | 13.030.01 | |
| CYSEN 3-8:2006 | Portable fire extinguishers - Part 8: Additional requirements to EN 3-7 for the construction, resistance to pressure and mechanical tests for extinguishers with a maximum allowable pressure equal to or lower than 30 bar | 13.220.10 | |
| CYSEN 3-9:2006 | Portable fire extinguishers - Part 9: Additional requirements to EN 3-7 for pressure resistance of CO2 extinguishers | 13.220.10 | |
| CYSEN 1093-2:2006 | Safety of machinery - Evaluation of the emission of airborne hazardous substances - Part 2: Tracer gas method for the measurement of the emission rate of a given pollutant | 13.300 | |
| CYSEN 1093-3:2006 | Safety of machinery - Evaluation of the emission of airborne hazardous substances - Part 3: Test bench method for the measurement of the emission rate of a given pollutant | 13.040.40 | S/S CYS EN 1093-3:1996 = W/D |
| CYSENISO 15535:2006 | General requirements for establishing anthropometric databases | 13.180 | S/S CYS EN ISO 15535:2003- iss1 = W/D |

| | | | |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| CYSCEN/TR 12101-4:2006 | Smoke and heat control systems - Part 4: Installed SHEVS systems for smoke and heat ventilation | 13.220.20 | |
| CYSEN 14995:2006 | Plastics - Evaluation of compostability - Test scheme and specifications | 13.030.99 | |
| CYSEN 15207:2006 | Tanks for transport of dangerous goods - Plug/socket connection and supply characteristics for service equipment in hazardous areas with 24 V nominal supply voltage | 13.300 | |
| CYSEN 14797:2006 | Explosion venting devices | 13.230 | |
| CYSENISO 14505-2:2006 | Ergonomics of the thermal environment - Evaluation of thermal environments in vehicles - Part 2: Determination of equivalent temperature | 13.180 | |
| CYSENISO 5667-1:2006 | Water quality - Sampling - Part 1: Guidance on the design of sampling programmes and sampling techniques | 13.060.45 | S/S CYS EN 25667-1:1994 = W/D |
| CYSEN 14346:2006 | Characterization of waste - Calculation of dry matter by determination of dry residue or water content | 13.030.01 | |
| CYSEN 469:2005-iss2 | Protective clothing for firefighters - Performance requirements for protective clothing for firefighting | 13.340.10 | S/S CYS EN 469:2005- iss1= W/D |

23

FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------------|
| CYSEN253: 2003-iss3 | District Heating Pipes - Preinsulated bonded pipe systems for directly buried hot water networks - Pipe assembly of steel service pipe, polyurethane thermal insulation and outer casing of polyethylene | 23.040.10 | S/S CYS EN 253:2003- iss1 = W/D |
| CYSEN 1800:2006 | Transportable gas cylinders - Acetylene cylinders - Basic requirements, definitions and type testing | 23.020.30 | S/S CYS EN 1800:1999 = W/D |
| CYSEN 15189:2006 | Ductile iron pipes, fittings and accessories - External polyurethane coating for pipes - Requirements and test methods | 23.040.01 | |
| CYSEN 545:2006 | Ductile iron pipes, fittings, accessories and their joints for water pipelines - Requirements and test methods | 23.040.10 | S/S CYS EN 545:2002 = W/D |

| | | | |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------|
| CYSEN 14398-2:2003- iss1 | Cryogenic vessels - Large transportable non-vacuum insulated vessels - Part 2: Design, fabrication, inspection and testing | 23.020.40 | S/S CYS EN 14398- 2:2003= W/D |
| CYSEN 1123-2:2006 | Pipes and fittings of longitudinally welded hot-dip galvanized steel tube with spigot and socket for waste water systems - Part 2: Dimensions | 23.040.10 | S/S CYS EN 1123- 2:1999=W/D |
| CYSCEN/TS 13547:2006 | Industrial valves - Copper alloy ball valves | 23.060.20 | |
| CYSEN 13480-3:2002- iss2 | Metallic industrial piping - Part 3: Design and calculation | 23.040.01 | S/S CYS EN 13480- 3:2002- iss1=W/D |
| CYSCEN/TS 14421:2006 | Hose tail and ferrule for crimping and swaging | 23.040.70 | |
| CYSEN 15202:2006 | LPG equipment and accessories - Essential operational dimensions for LPG cylinder valve outlet and associated equipment connections | 23.060.40 | |
| CYSEN 14140:2003- iss1 | LPG equipment and accessories - Transportable refillable welded steel cylinders for LPG - Alternative design and construction | 23.020.30 | S/S CYS EN 14140:2003 = W/D |
| CYSEN 13445-6:2002- iss4 | Unfired pressure vessels - Part 6: Requirements for the design and fabrication of pressure vessels and pressure parts constructed from spheroidal graphite cast iron | 23.020.30 | S/S CYS EN 13445- 6:2002-iss3 = W/D |
| CYSEN 13445-1:2002- iss2 | Unfired pressure vessels - Part 1: General | 23.020.30 | S/S CYS EN 13445- 1:2002-iss1 = W/D |
| CYSEN 13445-2:2002- iss4 | Unfired pressure vessels — Part 2: Materials | 23.020.30 | S/S CYS EN 13445- 2:2002-iss3 = W/D |
| CYSEN 13445-3:2002- iss9 | Unfired pressure vessels - Part 3: Design | 23.020.30 | S/S CYS EN 13445- 3:2002- iss8=W/D |
| CYSEN 13445-4:2002- iss4 | Unfired pressure vessels — Part 4: Fabrication | 23.020.30 | S/S CYS EN 13445- 4:2002-iss3 = W/D |
| CYSEN 13445-5:2002- iss8 | Unfired pressure vessels - Part 5: Inspection and testing | 23.020.30 | S/S CYS EN 13445- 5:2002-iss7 = W/D |

| | | | |
|-------------------------|----------------------------|-----------|--|
| CYSCEN/TR 15545:2006 | Guide to the use of EN 545 | 23.040.10 | |
|-------------------------|----------------------------|-----------|--|

| | |
|----|----------------------------------|
| 25 | MANUFACTURING ENGINEERING |
|----|----------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------|
| CYSEN 14673:2006 | Safety of machinery - Safety requirements for hydraulically powered open die hot forging presses for the forging of steel and non-ferrous metals | 25.120.10 | |
| CYSEN 13858:2006 | Corrosion protection of metals - Non-electrolytically applied zinc flake coatings on iron or steel components | 25.220.40 | S/S CYS EN 13858:2003 = W/D |
| CYSEN 14879-2:2006 | Organic coating systems and linings for protection of industrial apparatus and plants against corrosion caused by aggressive media - Part 2: Coatings on metallic components | 25.220.60 | |
| CYSEN 14879-3:2006 | Organic coating systems and linings for protection of industrial apparatus and plants against corrosion caused by aggressive media - Part 3: Coatings on concrete components | 25.220.60 | |
| CYSCEN/TR 15481:2006 | Welding of reinforcing steel - Tack weldability - Test methods and performance requirements | 25.160.01 | |
| CYSENISO 8501-4:2006 | Preparation of steel substrates before application of paints and related products - Visual assessment of surface cleanliness - Part 4: Initial surface conditions, preparation grades and flash rust grades in connection with high-pressure water jetting | 25.220.10 | |

| | |
|----|--------------------|
| 31 | ELECTRONICS |
|----|--------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYSENISO 24013:2006 | Optics and photonics - Lasers and laser-related equipment - Measurement of phase retardation of optical components for polarized laser radiation | 31.260 | |

| | | | |
|--------------------------|------------------------------------------------------------------------------------------------|--------|--|
| CYSENISO 14880-2:2006 | Optics and photonics - Microlens arrays - Part 2: Test methods for wavefront aberrations | 31.260 | |
|--------------------------|------------------------------------------------------------------------------------------------|--------|--|

| | |
|----|------------------------------------------------|
| 35 | INFORMATION TECHNOLOGY. OFFICE MACHINES |
|----|------------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|
| CYSEN 14908-3:2006 | Open Data Communication in Building Automation, Controls and Building Management - Control Network Protocol - Part 3: Power Line Channel Specification | 35.240.99 | |
| CYSEN 14908-4:2006 | Open Data Communication in Building Automation, Controls and Building Management - Control Network Protocol - Part 4: IP Communication | 35.240.99 | |
| CYSCEN/TS 15211:2006 | Health informatics - Mapping of hierarchical message descriptions to XML | 35.240.80 | |
| CYSCEN/TS 15213-3:2006 | Road transport and traffic telematics - After-theft systems for the recovery of stolen vehicles - Part 3: Interface and system requirements for short range communication | 35.240.60 | |
| CYSCEN/TS 15213-4:2006 | Road transport and traffic telematics - After-theft systems for the recovery of stolen vehicles - Part 4: Interface and system requirements for long range communication | 35.240.60 | |
| CYSCEN/TS 15213-5:2006 | Road transport and traffic telematics - After-theft systems for the recovery of stolen vehicles - Part 5: Messaging interface | 35.240.60 | |
| CYSENISO 21549-4:2006 | Health informatics - Patient healthcard data - Part 4: Extended clinical data | 35.240.80 | |

| | |
|----|----------------------------|
| 45 | RAILWAY ENGINEERING |
|----|----------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|----------------------------------------------------------------------------------------------------------------|-----------|-----------|
| CYSEN 15020:2006 | Railway applications - Rescue coupler - Performance requirements, specific interface geometry and test methods | 45.060.01 | |

47

SHIPBUILDINGS AND MARINE STRUCTURES

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------|---------------------------------------------------------------------------------------------------------------------|--------|-----------|
| CYSENISO 14509-2:2006 | Small craft - Airborne sound emitted by powered recreational craft - Part 2: Sound assessment using reference craft | 47.080 | |
| CYSENISO 21487:2006 | Small craft - Permanently installed petrol and diesel fuel tanks | 47.080 | |

49

AIRCRAFT AND SPACE VEHICLE ENGINEERING

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|
| CYSEN 3339:2006 | Aerospace series - Aluminium alloy AL-P7010 - T76 - Die forgings - $a \leq 200$ mm | 49.025.20 | |
| CYSEN 3476:2006 | Aerospace series - Steel FE-PL1501 (30CrMo12) - Air melted - Softened - Forging stock - a or $D \leq 300$ mm | 49.025.10 | |
| CYSEN 3491:2006 | Aerospace series - Steel FE-PM3901 (X15CrNi17-3) - Air melted - Hardened and tempered - Forgings - $De \leq 100$ mm - $900 \text{ Mpa} \leq Rm \leq 1\ 100 \text{ MPa}$ | 49.025.10 | |
| CYSEN 3507:2006 | Aerospace series - Steel FE-PL1501 (30CrMo12) - Air melted - Hardened and tempered - Forgings - $De \leq 100$ mm - $930 \text{ MPa} \leq Rm \leq 1\ 080 \text{ MPa}$ | 49.025.10 | |
| CYSEN 3645-003:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 003: Receptacle square flange mounting - Product standard | 49.060 | |
| CYSEN 3645-004:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 004: Receptacle, hermetic, square flange mounting - Product standard | 49.060 | |
| CYSEN 3645-006:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 006: Protective cover for receptacle - Product standard | 49.060 | |

| | | | |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--|
| CYSEN 3645-009:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 009: Receptacle, round flange, jam nut mounting - Product standard | 49.060 | |
| CYSEN 3645-010:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 010: Receptacle, hermetic, round flange, jam nut mounting - Product standard | 49.060 | |
| CYSEN 3645-011:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 011: Lanyard release plug with grounding fingers - Type 1 - Product standard | 49.060 | |
| CYSEN 3645-012:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 012: Lanyard release plug with grounding fingers - Type 2 - Product standard | 49.060 | |
| CYSEN 3155-014:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 014: Contacts, electrical, male, type A, crimp, class S - Product standard | 49.060 | |
| CYSEN 3155-015:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 015: Contacts, electrical, female, type A, crimp, class S - Product standard | 49.060 | |
| CYSEN 4049-001:2006 | Aerospace series - Thermocouple extension cable - Operating temperatures between - 65 °C to 260 °C - Part 001: Technical specification | 49.060 | |
| CYSEN 4049-003:2006 | Aerospace series - Thermocouple extension cable - Operating temperatures between - 65 C to 260 C - Part 003: Single core nickel chromium/nickel aluminium - Product standard | 49.060 | |
| CYSEN 4049-004:2006 | Aerospace series - Thermocouple extension cable - Operating temperatures between - 65 C to 260 C - Part 004: Two core nickel chromium/nickel aluminium shielded and jacketed - Product standard | 49.060 | |
| CYSEN 4057-100:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 100: General | 49.060 | |

| | | | |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--|
| CYSEN 4057-302:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 302: Flammability | 49.060 | |
| CYSEN 4057-304:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 304: Loop tensile strength at maximum working temperature | 49.060 | |
| CYSEN 4057-306:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 306: Heat ageing test | 49.060 | |
| CYSEN 4057-307:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 307: Resistance to ultra violet radiation | 49.060 | |
| CYSEN 4057-401:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 401: Loop tensile strength | 49.060 | |
| CYSEN 4057-402:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 402: Life cycle | 49.060 | |
| CYSEN 4057-404:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 404: Low temperature installation | 49.060 | |
| CYSEN 4057-406:2006 | Aerospace series - Cable ties for harnesses - Test methods - Part 406: Locking device retention | 49.060 | |
| CYSEN 3155-059:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 059: Contacts, electrical, coaxial, size 16, female, type D, solder, class R Product standard | 49.060 | |
| CYSEN 3155-030:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 030: Contacts, electrical, coaxial, shielded, size 12, male, type D, crimp, class R - Product standard | 49.060 | |
| CYSEN 3155-031:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 031: Contacts, electrical, coaxial, shielded, size 12, female, type D, crimp, class R - Product standard | 49.060 | |
| CYSEN 3716-005:2006 | Aerospace series - Connector, single-way with triaxial interface, for transmission of digital data - Part 005: Crimp receptacle - Product standard | 49.060 | |
| CYSEN 3716-006:2006 | Aerospace series - Connector, single-way with triaxial interface, for transmission of digital data - Part 006: Crimp plug - Product standard | 49.060 | |

| | | | |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|
| CYSEN 3155-035:2006 | Aerospace series - Electrical contacts used in elements of connection - Part 035: Contacts, electrical, triaxial, size 08, female, type D, crimp, class R - Product standard | 49.060 | |
| CYSEN 3645-005:2006 | Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 005: Receptacle, hermetic, round flange, brasage mounting - Product standard | 49.060 | |
| CYSEN 4158:2006 | Aerospace series - Paints and varnishes - Test method for measurement of electrical surface resistance of conductive layers | 49.040 | |
| CYSEN 4530-005:2006 | Aerospace series - Sealing sleeves used in elements of connection - Part 005: Sealing sleeves for external diameter cable 3 mm to 4,1 mm - Product standard | 49.060 | |
| CYSEN 4530-006:2006 | Aerospace series - Sealing sleeves used in elements of connection - Part 006: Sealing sleeves for external diameter cable 4,68 mm to 5,05 mm - Product standard | 49.060 | |
| CYSEN 3375-006:2006 | Aerospace series - Cable, electrical, for digital data transmission - Part 006: Single braid - 78 Ohms - Type XM - Product standard | 49.060 | |
| CYSEN 3375-007:2006 | Aerospace series - Cable, electrical, for digital data transmission - Part 007: Double braid - 77 Ohms - Type WW - Product standard | 49.060 | |
| CYSEN 4008-017:2006 | Aerospace series - Elements of electrical and optical connection - Crimping tools and associated accessories - Part 017: Head for crimping tool M22520/4-01 - Product standard | 49.060 | |
| CYSEN 4108:2006 | Aerospace series - Wrenches, crow foot, attachment socket, socket drive | 49.030.99 | |
| CYSEN 4109:2006 | Aerospace series - Wrenches, face spanner | 49.030.99 | |
| CYSEN 4110:2006 | Aerospace series - Wrenches, open end, box | 49.030.99 | |
| CYSEN 4354:2006 | Aerospace series - Six lobe recess - Drivers, relieved | 49.030.99 | |
| CYSEN 4356:2006 | Aerospace series - Six lobe recess - Drivers, short | 49.030.99 | |
| CYSEN 4357:2006 | Aerospace series - Six lobe recess - Drivers, handle | 49.030.99 | |

| | | | |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|
| CYSEN 4358:2006 | Aerospace series - Six lobe recess - Drivers, double ended, 90 | 49.030.99 | |
| CYSEN 4359:2006 | Aerospace series - Six lobe recess - Drivers - Technical specification | 49.030.99 | |
| CYSEN 2947:2006 | Aerospace series - Steel FE-PA3004 (X10CrNi18-09) - Air melted - Non heat treated - Cold drawn wire - a or D \leq 2,3 mm | 49.025.10 | |
| CYSEN 3114-001:2006 | Aerospace series - Test method - Microstructure of (α + β) titanium alloy wrought products - Part 001: General requirements | 49.025.10 | |
| CYSEN 3114-003:2006 | Aerospace series - Test method - Microstructure of (α + β) titanium alloy wrought products - Part 003: Microstructure of plate | 49.025.30 | |
| CYSEN 3114-004:2006 | Aerospace series - Test method - Microstructure of (α + β) titanium alloy wrought products - Part 004: Microstructure of sheet for superplastic forming | 49.025.30 | |
| CYSEN 3668:2006 | Aerospace series - Heat resisting alloy NI-PH2301 (NiCr21Fe18Mo9) - Non heat treated - Forging stock - a or D \leq 250 mm | 49.025.15 | |
| CYSEN 3816:2006 | Aerospace series - Steel FE-PA3601 (X6CrNiTi18-10) - Air melted - Softened and cold rolled - Sheet and strip a \leq 3 mm - Rm \geq 800 MPa | 49.025.10 | |
| CYSEN 3969:2006 | Aerospace series - Steel FE-PL1507 (40CrMoV12) - Air melted - Annealed - Forging stock - a or D \leq 350 mm | 49.025.05 | |
| CYSEN 3971:2006 | Aerospace series - Steel FE-PL1507 (40CrMoV12) - Consumable electrode remelted - Annealed - Forging stock - a or D \leq 350 mm | 49.025.10 | |
| CYSEN 3972:2006 | Aerospace series - Steel FE-PL1507 (40CrMoV12) - Consumable electrode remelted - Hardened and tempered - Bar for machining - De \leq 50 mm - 1 250 MPa \leq Rm \leq 1 400 MPa | 49.025.10 | |

| | | | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|
| CYSEN 3973:2006 | Aerospace series - Steel FE-CM3801 (X5CrNiCuNb16-4) - Homogenized, solution treated and precipitation hardened - Investment casting - $De \leq 50$ mm - $Rm \geq 1\ 030$ MPa | 49.025.10 | |
| CYSEN 3976:2006 | Aerospace series - Titanium and titanium alloys - Test method - Chemical analysis for the determination of hydrogen content | 49.025.30 | |
| CYSEN 4382:2006 | Aerospace series - Heat resisting alloy NI-PH3601 (NiCr22Mo9Nb) - Solution treated - Seamless tubes - For hydraulic application - $D \leq 50$ mm, $a \leq 3$ mm | 49.025.99 | |
| CYSEN 4383:2006 | Aerospace series - Heat resisting alloy NI-CH2601 (NiCr19Fe19Nb5Mo3) - Non heat treated - Remelting stock | 49.025.99 | |

53

MATERIALS HANDLING EQUIPMENT

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| CYSENISO 21178:2006 | Light conveyor belts - Determination of electrical resistances | 53.040.10 | CYS EN 1637:1999 = W/D |
| CYSENISO 21179:2006 | Light conveyor belts - Determination of the electrostatic field generated by a running light conveyor belt | 53.040.10 | S/S CYS EN 1718:1999 = W/D |
| CYSENISO 21180:2006 | Light conveyor belts - Determination of the maximum tensile strength | 53.040.10 | S/S CYS EN 1722:1999 = W/D |
| CYSENISO 21181:2006 | Light conveyor belts - Determination of the relaxed elastic modulus | 53.040.10 | S/S CYS EN 1723:2000 = W/D |
| CYSENISO 21182:2006 | Light conveyor belts - Determination of the coefficient of friction | 53.040.10 | S/S CYS EN 1724:1999 = W/D |
| CYSENISO 21183-1:2006 | Light conveyor belts - Part 1: Principal characteristics and applications | 53.040.20 | S/S CYS EN 873:1997 = W/D |
| CYSENISO 21183-2:2006 | Light conveyor belts - Part 2: List of equivalent terms | 53.040.20 | |
| CYSEN 14492-2:2006 | Cranes - Power driven winches and hoists - Part 2: Power driven hoists | 53.020.20 | |
| CYSEN 474-12:2006 | Earth-moving machinery - Safety - Part 12: Requirements for cable excavators | 53.100 | |

| | | | |
|----------------------|-------------------------------------------------------------------------------------------------|-----------|------------------------------------|
| CYSEN 474-1:2006 | Earth-moving machinery - Safety - Part 1: General requirements | 53.100 | S/S CYS EN 474-1:1995 = W/D |
| CYSEN 474-2:2006 | Earth-moving machinery - Safety - Part 2: Requirements for tractor-dozers | 53.100 | S/S CYS EN 474-2:1996 = W/D |
| CYSEN 474-3:2006 | Earth-moving machinery - Safety - Part 3: Requirements for loaders | 53.100 | S/S CYS EN 474-3:1996 = W/D |
| CYSEN 474-4:2006 | Earth-moving machinery - Safety - Part 4: Requirements for backhoe loaders | 53.100 | S/S CYS EN 474-4:1996 = W/D |
| CYSEN 474-5:2006 | Earth-moving machinery - Safety - Part 5: Requirements for hydraulic excavators | 53.100 | S/S CYS EN 474-5:1996 = W/D |
| CYSEN 474-6:2006 | Earth-moving machinery - Safety - Part 6: Requirements for dumpers | 53.100 | S/S CYS EN 474-6:1997 = W/D |
| CYSEN 474-7:2006 | Earth-moving machinery - Safety - Part 7: Requirements for scrapers | 53.100 | S/S CYS EN 474-7:1998 = W/D |
| CYSEN 474-8:2006 | Earth-moving machinery - Safety - Part 8: Requirements for graders | 53.100 | S/S CYS EN 474-8:1998 = W/D |
| CYSEN 474-9:2006 | Earth-moving machinery - Safety - Part 9: Requirements for pipelayers | 53.100 | S/S CYS EN 474-9:1998 = W/D |
| CYSEN 474-10:2006 | Earth-moving machinery - Safety - Part 10: Requirements for trenchers | 53.100 | S/S CYS EN 474-10:1998 = W/D |
| CYSEN 474-11:2006 | Earth-moving machinery - Safety - Part 11: Requirements for earth and landfill compactors | 53.100 | S/S CYS EN 474-11:1998 = W/D |
| CYSEN 14439:2006 | Cranes - Safety - Tower cranes | 53.020.20 | |

55

PACKAGING AND DISTRIBUTION OF GOODS

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|-------------------------------------------------------------------------------------------------|--------|-----------|
| CYSEN 415-6:2006 | Safety of packaging machines - Part 6: Pallet wrapping machines | 55.200 | |
| CYSEN 14932:2006 | Plastics - Stretch thermoplastic films for wrapping bales - Requirements and test methods | 55.040 | |

| | | | |
|-----------------------|----------------------------------------------------|-----------|--|
| CYSEN 12674-4:2006 | Roll containers - Part 4: Performance requirements | 55.180.10 | |
|-----------------------|----------------------------------------------------|-----------|--|

| | |
|----|---------------------------------------|
| 59 | TEXTILE AND LEATHER TECHNOLOGY |
|----|---------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------------|-------------------------------------------------------------------------------------------|-----------|----------------------------------------------|
| CYSEN 15115:2006 | Textile floor coverings - Determination of sensitivity to spilled water | 59.080.60 | |
| CYSEN 14704-3:2006 | Determination of the elasticity of fabrics - Part 3: Narrow fabrics | 59.080.30 | |
| CYSEN 13758-2:2003- iss1 | Textiles - Solar UV protective properties - Part 2: Classification and marking of apparel | 59.080.30 | S/S CYS EN 13758- 2:2003 = W/D |
| CYSEN13758- 1:2002-iss2 | Textiles - Solar UV protective properties - Part 1: Method of test for apparel fabrics | 59.080.30 | S/S CYS EN 13758- 1:2002-iss1 = W/D |

| | |
|----|--------------------|
| 65 | AGRICULTURE |
|----|--------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------|-----------|
| CYSCEN/TS 15452:2006 | Fertilizers - Determination of chelating agents - Determination of iron chelated by o,p-EDDHA by reversed phase HPLC | 65.080 | |
| CYSCEN/TS 15451:2006 | Fertilizers - Determination of chelating agents - Determination of iron chelated by EDDHSA by ion pair chromatography | 65.080 | |
| CYSEN 15097:2006 | Irrigation techniques - Localised irrigation - Hydraulic evaluation | 65.060.35 | |
| CYSENISO 1805:2006 | Fishing nets - Determination of breaking force and knot breaking force of netting yarns | 65.150 | |
| CYSEN 15238:2006 | Soil improvers and growing media - Determination of quantity for materials with particle size greater than 60 mm | 65.080 | |

| | |
|----|------------------------|
| 67 | FOOD TECHNOLOGY |
|----|------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYSEN 14957:2006 | Food processing machinery - Dishwashing machines with conveyor - Safety and hygiene requirements | 67.26 | |
| CYSENISO 734-1:2006 | Oilseed meals - Determination of oil content - Part 1: Extraction method with hexane (or light petroleum) | 67.200.20 | |
| CYSENISO 20483:2006 | Cereals and pulses - Determination of the nitrogen content and calculation of the crude protein content - Kjeldahl method | 67.060 | |
| CYSENISO 14637:2006 | Milk - Determination of urea content - Enzymatic method using difference in pH (Reference method) | 67.100.10 | |
| CYSCEN/TS 15568:2006 | Foodstuffs - Methods of analysis for the detection of genetically modified organisms and derived products - Sampling strategies | 67.050 | |

| | |
|----|----------------------------|
| 71 | CHEMICAL TECHNOLOGY |
|----|----------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYSEN 15109:2006 | Surface active agents - Determination of the active matter content of alkylamidopropylbetaines | 71.100.40 | |
| CYSEN 15168:2006 | Surface active agents - Determination of hydroxyl value - p- Toluensulfonyl isocyanate (TSI) method and potentiometric titration with tetrabutylammonium hydroxide | 71.100.40 | |

| | |
|----|----------------------------|
| 73 | MINING AND MINERALS |
|----|----------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|-----------------------------------------------------------------------------------------------------------------|-------------|----------------------------|
| CYSEN 1936:2006 | Natural stone test methods - Determination of real density and apparent density, and of total and open porosity | 73.020 | S/S CYS EN 1936:1999 = W/D |

| | | | |
|---------------------|-----------------------------------------------------------------------------------------------|--------|-----------------------------------------|
| CYSEN 12372:2006 | Natural stone test methods - Determination of flexural strength under concentrated load | 73.020 | S/S CYS EN 12372:1999- iss1 = W/D |
| CYSEN 1926:2006 | Natural stone test methods - Determination of uniaxial compressive strength | 73.020 | S/S CYS EN 1926:1999 = W/D |

| | |
|----|-------------------------------------------|
| 75 | PETROLEUM AND RELATED TECHNOLOGIES |
|----|-------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------|
| CYSENISO 19904-1:2006 | Petroleum and natural gas industries - Floating offshore structures - Part 1: Monohulls, semi-submersibles and spars | 75.180.10 | |
| CYSENISO 13503-2:2006 | Petroleum and natural gas industries - Completion fluids and materials - Part 2: Measurement of properties of proppants used in hydraulic fracturing and gravel- packing operations | 75.100 | |
| CYSEN 14125:2004- iss1 | Thermoplastic and flexible metal pipework for underground installation at petrol filling stations | 75.200 | S/S CYS EN 14125:2004 = W/D |
| CYSCEN/TS 15442:2006 | Solid recovered fuels - Methods for sampling | 75.160.10 | |
| CYSCEN/TS 15443:2006 | Solid recovered fuels - Methods for laboratory sample preparation | 75.160.10 | |
| CYSCEN/TR 15522-2:2006 | Oil spill identification - Waterborne petroleum and petroleum products - Part 2: Analytical methodology and interpretation of results | 75.080 | |
| CYSENISO 13705:2006 | Petroleum, petrochemical and natural gas industries - Fired heaters for general refinery service | 75.180.20 | S/S CYS EN ISO 13705:2002- iss1 = W/D |
| CYSENISO 10405:2006 | Petroleum and natural gas industries - Care and use of casing and tubing | 75.180.10 | |
| CYSCEN/TS 15440:2006 | Solid recovered fuels - Method for the determination of biomass content | 75.160.10 | |
| CYSENISO 13501:2006 | Petroleum and natural gas industries - Drilling fluids - Processing systems evaluation | 75.180.10 | |
| CYSENISO 13628-7:2006 | Petroleum and natural gas industries - Design and operation of subsea production systems - Part 7: Completion/workover riser systems | 75.180.10 | |

| | | | |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|
| CYSENISO 19903:2006 | Petroleum and natural gas industries - Fixed concrete offshore structures | 75.180.10 | |
| CYSENISO 13628-8:2006 | Petroleum and natural gas industries - Design and operation of subsea production systems - Part 8: Remotely Operated Vehicle (ROV) interfaces on subsea production systems | 75.180.10 | |
| CYSENISO 13628-9:2006 | Petroleum and natural gas industries - Design and operation of subsea production systems - Part 9: Remotely Operated Tool (ROT) intervention systems | 75.180.10 | |
| CYSENISO 15663-1:2006 | Petroleum and natural gas industries - Life cycle costing - Part 1: Methodology | 75.020 | |
| CYSENISO 14224:2006 | Petroleum, petrochemical and natural gas industries - Collection and exchange of reliability and maintenance data for equipment | 75.180.01 | |

| | |
|----|-------------------|
| 77 | METALLURGY |
|----|-------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYSEN 15063-1:2006 | Copper and copper alloys - Determination of main constituents and impurities by wavelength dispersive X-ray fluorescence spectrometry (XRF) - Part 1: Guidelines to the routine method | 77.040.20 | |
| CYSEN 15063-2:2006 | Copper and copper alloys - Determination of main constituents and impurities by wavelength dispersive X-ray fluorescence spectrometry (XRF) - Part 2: Routine method | 77.120.30 | |
| CYSEN 15024-2:2006 | Copper and copper alloys - Determination of zinc content - Part 2: Flame atomic absorption spectrometry method (FAAS) | 77.120.30 | |
| CYSEN 13981-4:2006 | Aluminium and aluminium alloys - Products for structural railway applications - Technical conditions for inspection and delivery - Part 4: Forgings | 77.150.10 | |
| CYSCEN/TS 15025:2006 | Copper and copper alloys - Determination of magnesium content - Flame atomic absorption spectrometry method (FAAS) | 77.120.30 | |
| CYSCEN/TS 15023-3:2006 | Copper and copper alloys - Determination of nickel content - Part 3: Flame atomic absorption spectrometry method (FAAS) | 77.120.30 | |

| | | | |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| CYSCEN/TS 15022-4:2006 | Copper and copper alloys - Determination of tin content - Part 4: Medium tin content - Flame atomic absorption spectrometry method (FAAS) | 77.120.30 | |
| CYSEN 15205:2006 | Determination of hexavalent chromium in corrosion protection layers - Qualitative analysis | 77.060 | |
| CYSEN 10130:2006 | Cold rolled low carbon steel flat products for cold forming - Technical delivery conditions | 77.140.50 | S/S CYS EN 10130:1999 = W/D |
| CYSEN 541:2006 | Aluminium and aluminium alloys - Rolled products for cans, closures and lids - Specifications | 77.150.10 | S/S CYS EN 541:1995 = W/D |
| CYSEN 15257:2006 | Cathodic protection - Competence levels and certification of cathodic protection personnel | 77.060 | |
| CYSEN 12588:2006 | Lead and lead alloys - Rolled lead sheet for building purposes | 77.150.60 | S/S CYS EN 12588:1999 = W/D |
| CYSEN 546-1:2006 | Aluminium and aluminium alloys - Foil - Part 1: Technical conditions for inspection and delivery | 77.150.10 | S/S CYS EN 546-1:1997 = W/D |
| CYSEN 546-2:2006 | Aluminium and aluminium alloys - Foil - Part 2: Mechanical properties | 77.150.10 | S/S CYS EN 546-2:1997 = W/D |
| CYSEN 546-3:2006 | Aluminium and aluminium alloys - Foil - Part 3: Tolerances on dimensions | 77.150.10 | S/S CYS EN 546-3:1997 = W/D |
| CYSEN 546-4:2006 | Aluminium and aluminium alloys - Foil - Part 4: Special property requirements | 77.150.10 | S/S CYS EN 546-4:1997 = W/D |
| CYSEN 683-1:2006 | Aluminium and aluminium alloys - Finstock - Part 1: Technical conditions for inspection and delivery | 77.150.10 | S/S CYS EN 683-1:1996 = W/D |
| CYSEN 683-2:2006 | Aluminium and aluminium alloys - Finstock - Part 2: Mechanical properties | 77.150.10 | S/S CYS EN 683-2:1997 = W/D |
| CYSEN 683-3:2006 | Aluminium and aluminium alloys - Finstock - Part 3: Tolerances on dimensions and form | 77.150.10 | S/S CYS EN 683-3:1997 = W/D |
| CYSEN 4003:2006 | Aerospace series - Aluminium alloy AL-P2219-T87 - Sheet and strip $0,5 \text{ mm} \leq a \leq 6 \text{ mm}$ | 77.150.10 | |
| CYSENISO 7500-2:2006 | Metallic materials - Verification of static uniaxial testing machines - Part 2: Tension creep testing machines - Verification of the applied force | 77.040.10 | S/S CYS EN ISO 7500- 2:1999 = W/D |

| | | | |
|---------------------|-------------------------------------------------------------|-----------|-----------------------------------|
| CYSEN 10021:2006 | General technical delivery conditions for steel products | 77.140.01 | S/S CYS EN 10021:1993 = W/D |
|---------------------|-------------------------------------------------------------|-----------|-----------------------------------|

| | |
|----|------------------------|
| 79 | WOOD TECHNOLOGY |
|----|------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|
| CYSEN 14220:2006 | Timber and wood-based materials in external windows, external door leaves and external doorframes - Requirements and specifications | 79.060.01 | |
| CYSEN 14221:2006 | Timber and wood-based materials in internal windows, internal door leaves and internal doorframes - Requirements and specifications | 79.060.01 | |
| CYSEN 13307-1:2006 | Timber blanks and semi-finished profiles for non-structural uses - Part 1: Requirements | 79.08 | |
| CYSEN 14358:2006 | Timber structures - Calculation of characteristic 5-percentile values and acceptance criteria for a sample | 79.040 | |
| CYSEN 15146:2006 | Solid softwood panelling and cladding - Machined profiles without tongue and groove | 79.080 | |

| | |
|----|--------------------------------------|
| 81 | GLASS AND CERAMICS INDUSTRIES |
|----|--------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| CYSEN 843-1:2006 | Advanced technical ceramics - Mechanical properties of monolithic ceramics at room temperature - Part 1: Determination of flexural strength | 81.060.30 | S/S CYS EN 843-1:1995 = W/D |
| CYSEN 843-2:2006 | Advanced technical ceramics - Mechanical properties of monolithic ceramics at room temperature - Part 2: Determination of Young's modulus, shear modulus and Poisson's ratio | 81.060.30 | S/S CYS ENV 843- 2:1996 = W/D |
| CYSEN 843-5:2006 | Advanced technical ceramics - Mechanical properties of monolithic ceramics at room temperature - Part 5: Statistical analysis | 81.060.30 | S/S CYS ENV 843- 5:1997 = W/D |

| | | | |
|-----------------------|--------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| CYSEN 12923-1:2006 | Advanced technical ceramics - Monolithic ceramics - Part 1: General practice for undertaking corrosion tests | 81.060.99 | S/S ENV 12923- 1:1997 = W/D |
|-----------------------|--------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|

| | |
|----|--------------------------------------|
| 83 | RUBBER AND PLASTIC INDUSTRIES |
|----|--------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| CYSEN 12012-4:2006 | Plastics and rubber machines - Size reduction machines - Part 4: Safety requirements for agglomerators | 83.200 | |
| CYSENISO 1269:2006 | Plastics - Homopolymer and copolymer resins of vinyl chloride - Determination of volatile matter (including water) | 83.080.20 | |
| CYSENISO 5659-2:2006 | Plastics - Smoke generation - Part 2: Determination of optical density by a single-chamber test | 83.080.01 | S/S CYS EN ISO 5659- 2:1999 = W/D |
| CYSENISO 1874-2:2006 | Plastics - Polyamide (PA) moulding and extrusion materials - Part 2: Preparation of test specimens and determination of properties | 83.080.20 | S/S CYS EN ISO 1874- 2:1996 = W/D |
| CYSENISO 180:2001-iss1 | Plastics - Determination of Izod impact strength | 83.080.01 | S/S CYS EN ISO 180:2001 = W/D |

| | |
|----|-------------------------------------|
| 87 | PAINTS AND COLOUR INDUSTRIES |
|----|-------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| CYSENISO 11890-2:2006 | Paints and varnishes - Determination of volatile organic compound (VOC) content - Part 2: Gas-chromatographic method | 87.040 | S/S CYS EN ISO 11890- 2:2001= W/D |
| CYSENISO 787-25:2006 | General methods of test for pigments and extenders - Part 25: Comparison of the colour, in full-shade systems, of white, black and coloured pigments - Colorimetric method | 87.060.10 | |

| | | | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------|
| CYSENISO 1520:2006 | Paints and varnishes - Cupping test | 87.040 | S/S CYS EN ISO 1520:2001 = W/D |
| CYSEN 927-3:2006 | Paints and varnishes - Coating materials and coating systems for exterior wood - Part 3: Natural weathering test | 87.040 | S/S CYS EN 927-3:2000- iss1 = W/D |
| CYSEN 927-5:2006 | Paints and varnishes - Coating materials and coating systems for exterior wood - Part 5: Assessment of the liquid water permeability | 87.040 | S/S CYS EN 927-5:2000 = W/D |
| CYSENISO 1522:2006 | Paints and varnishes - Pendulum damping test | 87.040 | S/S EN ISO 1522:2000 = W/D |

91

CONSTRUCTION MATERIALS AND BUILDING

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| CYSEN 480-1:2006 | Admixtures for concrete, mortar and grout - Test methods - Part 1: Reference concrete and reference mortar for testing | 91.100.30 | S/S CYS EN 480- 1:1998=W/D |
| CYSEN 89:2000-iss3 | Gas-fired storage water heaters for the production of domestic hot water | 91.140.65 | S/S CYS EN 89:2000 - iss2= W/D |
| CYSEN 14509:2006 | Self-supporting double skin metal faced insulating panels - Factory made products - Specifications | 91.100.60 | |
| CYSEN 14688:2006 | Sanitary appliances - Wash basins - Functional requirements and test methods | 91.140.70 | |
| CYSENISO 140-18:2006 | Acoustics - Measurement of sound insulation in buildings and of building elements - Part 18: Laboratory measurement of sound generated by rainfall on building elements | 91.120.20 | |
| CYSEN 30-1-4:2002- iss1 | Domestic cooking appliances burning gas - Part 1-4: Safety - Appliances having one or more burners with an automatic burner control system | 91.040.20 | S/S CYS EN 30-1-4:2002 = W/D |
| CYSEN 13964:2004- iss1 | Suspended ceilings - Requirements and test methods | 91.060.30 | S/S CYS EN 13964:2004 = W/D |
| CYSEN 1015-1:1999- iss1 | Methods of test for mortar for masonry - Part 1: Determination of particle size distribution (by sieve analysis) | 91.100.10 | S/S CYS EN 1015-1:1999 = W/D |

| | | | |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------|
| CYSEN 1015-10:1999- iss1 | Methods of test for mortar for masonry - Part 10: Determination of dry bulk density of hardened mortar | 91.100.10 | S/S CYS EN 1015- 10:1999 = W/D |
| CYSEN 1015-11:1999- iss1 | Methods of test for mortar for masonry - Part 11: Determination of flexural and compressive strength of hardened mortar | 91.100.10 | S/S CYS EN 1015- 11:1999 = W/D |
| CYSEN 1015-2:1999- iss1 | Methods of test for mortar for masonry - Part 2: Bulk sampling of mortars and preparation of test mortars | 91.100.10 | S/S CYS EN 1015-2:1999 = W/D |
| CYSEN 1015-3:1999- iss2 | Methods of test for mortar for masonry — Part 3: Determination of consistence of fresh mortar (by flow table) | 91.100.10 | S/S CYS EN 1015- 3:1999-iss1 = W/D |
| CYSEN 1015-6:1999- iss1 | Methods of test for mortar for masonry. Determination of bulk density of fresh mortar | 91.100.10 | S/S CYS EN 1015-6:1999 = W/D |
| CYSEN 1015-9:1999- iss1 | Methods of test for mortar for masonry. Determination of workable life and correction time of fresh mortar | 91.100.10 | S/S CYS EN 1015-9:1999 = W/D |
| CYSEN 15219:2006 | Water equipment inside buildings - Nitrate removal devices - Requirements for performance, safety and testing | 91.140.60 | |
| CYSEN 15161:2006 | Water conditioning equipment inside buildings - Installation, operation, maintenance and repair | 91.140.60 | |
| CYSEN81- 71:2005-iss1 | Safety rules for the construction and installation of lifts - Particular applications to passenger lifts and goods passenger lifts - Part 71: Vandal resistant lifts | 91.140.90 | S/S CYS EN 81-71:2005 = W/D |
| CYSEN 13947:2006 | Thermal performance of curtain walling - Calculation of thermal transmittance | 91.060.10 | |
| CYSEN 997:2003-iss2 | WC pans and WC suites with integral trap | 91.140.70 | S/S CYS EN 997:2003- iss1 = W/D |
| CYSEN 15091:2006 | Sanitary tapware - Electronic opening and closing sanitary tapware | 91.140.70 | |
| CYSEN 14411:2006 | Ceramic tiles - Definitions, classification, characteristics and marking | 91.100.25 | S/S CYS EN 14411:2003 = W/D |

| | |
|----|--------------------------|
| 93 | CIVIL ENGINEERING |
|----|--------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| CYSEN 12271:2006 | Surface dressing - Requirements | 93.080.20 | S/S CYS EN 12271-3:2002 = W/D |
| CYSEN 13803-2:2006 | Railway applications - Track - Track alignment design parameters - Track gauges 1435 mm and wider - Part 2: Switches and crossings and comparable alignment design situations with abrupt changes of curvature | 93.100 | |

| | |
|----|-----------------------------------------------------------------|
| 97 | DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS |
|----|-----------------------------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------|
| CYSEN 15034:2006 | Heating boilers - Condensing heating boilers for fuel oil | 97.100.40 | |
| CYSEN 15033:2006 | Room sealed storage water heaters for the production of sanitary hot water using LPG for vehicles and boats | 97.100.20 | |
| CYSEN 14960:2006 | Inflatable play equipment - Safety requirements and test methods | 97.190 | |
| CYSEN 15035:2006 | Heating boilers - Special requirements for oil fired room sealed units up to 70 kW | 97.100.40 | |
| CYSEN 958:2006 | Mountaineering equipment - Energy absorbing systems for use in klettersteig (via ferrata) climbing - Safety requirements and test methods | 97.220.40 | S/S CYS EN 958:1997 = W/D |
| CYSEN 564:2006 | Mountaineering equipment - Accessory cord - Safety requirements and test methods | 97.220.40 | S/S CYS EN 564:1997 = W/D |
| CYSEN 565:2006 | Mountaineering equipment - Tape - Safety requirements and test methods | 97.220.40 | S/S CYS EN 565:1997 = W/D |
| CYSEN 566:2006 | Mountaineering equipment - Slings - Safety requirements and test methods | 97.220.40 | S/S CYS EN 566:1997 = W/D |
| CYSEN 14438:2006 | Gas-fired insets for heating more than one room | 97.100.20 | |

| | | | |
|---------------------|--------------------------------------------------|--------|--|
| CYSEN 14975:2006 | Loft ladders - Requirements, marking and testing | 97.145 | |
|---------------------|--------------------------------------------------|--------|--|

| Διορθώσεις από προηγούμενη δημοσίευση (06/12/2006) λόγω τυπογραφικού λάθους | | | |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------|--|
| CYSCEN ISO/TS 17764-1:2006 | Animal feeding stuffs - Determination of the content of fatty acids - Part 1: Preparation of methyl esters | 65.12 | |
| CYSCEN ISO/TS 17764-2:2006 | Animal feeding stuffs - Determination of the content of fatty acids - Part 2: Gas chromatographic method | 65.12 | |
| CYSENISO 15841:2006 | Dentistry - Wires for use in orthodontics | 11.060.10 | |
| CYSEN 15114:2006 | Textile floor coverings - Classification of textile floor coverings without pile | 59.080.60 | |

**Standards from European Committee for Electrotechnical
Standardization (CENELEC)**

| | |
|-----------|--------------------------------------------------------------------------------------------------------|
| 03 | SERVICES.COMPANY ORGANIZATION, MANAGEMENT AND QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY |
|-----------|--------------------------------------------------------------------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN 61163-1:2006 | Reliability stress screening -- Part 1: Repairable assemblies manufactured in lots | 03.120.01 | |
| CYS EN 62308:2006 | Equipment reliability - Reliability assessment methods | 03.120.01 | |

| | |
|-----------|-----------------------------------------------|
| 13 | ENVIRONMENT. HEALTH PROTECTION. SAFETY |
|-----------|-----------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------|
| CYS EN 50131-1:2006 | Alarm systems - Intrusion and hold-up systems -- Part 1: System requirements | 13.310 | |
| CYS CLC/TS 50131-4:2006 | Alarm systems - Intrusion and hold-up systems -- Part 4: Warning devices | 13.310 | |
| CYS EN 50270:2006 | Electromagnetic compatibility - Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen | 13.320 | |
| CYS CLC/TS 61111:2006 | Matting of insulating material for electrical purposes | 13.260 | S/S CYS ENV 61111:2002 = W/D |
| CYS CLC/TS 61112:2006 | Blankets of insulating material for electrical purposes | 13.260 | S/S CYS ENV 61112:2002 = W/D |
| CYS CLC/TR 50488:2006 | Railway applications - Safety measures for the personnel working on or near overhead contact lines | 13.260 | |
| CYS EN 60335-2-2:2003/A2:2006 | Household and similar electrical appliances - Safety -- Part 2-2: Particular requirements for vacuum cleaners and water-suction cleaning appliances | 13.120 | |

| | |
|----|-----------------------------------------------------|
| 17 | METROLOGY AND MEASUREMENT.PHYSICAL PHENOMENA |
|----|-----------------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN 60216-6:2006 | Electrical insulating materials - Thermal endurance properties -- Part 6: Determination of thermal endurance indices (TI and RTE) of an insulating material using the fixed time frame method | 17.220.99 | |
| CYS EN 60118-4:2006 | Electroacoustics - Hearing aids -- Part 4: Induction loop systems for hearing aid purposes - Magnetic field strength | 17.140.50 | |
| CYS EN 61033:2006 | Test methods for the determination of bond strength of impregnating agents to an enamelled wire substrate | 17.220.99 | |
| CYS EN 61672-3:2006 | Electroacoustics - Sound level meters -- Part 3: Periodic tests | 17.140.50 | |
| CYS EN 61061-1:2006 | Non-impregnated densified laminated wood for electrical purposes -- Part 1: Definitions, designation and general requirements | 17.220.99 | |
| CYS EN 61788-7:2006 | Superconductivity -- Part 7: Electronic characteristic measurements - Surface resistance of superconductors at microwave frequencies | 17.220 | |

| | |
|----|----------------------------------|
| 25 | MANUFACTURING ENGINEERING |
|----|----------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------|
| CYS EN 62076:2006 | Industrial electroheating installations - Test methods for induction channel and induction crucible furnaces | 25.180.10 | S/S CYS EN 60646:1999 and HD 610 S1:1992 = W/D |
| CYS EN 61326-2-4:2006 | Electrical equipment for measurement, control and laboratory use - EMC requirements -- Part 2-4: Particular requirements - Test configurations, operational conditions and performance criteria for insulation monitoring devices according to IEC 61557-8 and for equipment for insulation fault location | 25.040.40 | The EN 61326 series supersedes EN 61326:1997 + corr. Sept 1998 + |

| | | | |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| | according to IEC 61557-9 | | A1:1998 + A2:2001 + A3:2003 |
| CYS EN 60519-2:2006 | Safety in electroheat installations -- Part 2: Particular requirements for resistance heating equipment | 25.180.10 | |
| CYS EN 60519-4:2006 | Safety in electroheat installations -- Part 4: Particular requirements for arc furnace installations | 25.180.10 | |
| CYS EN 62395-1:2006 | Electrical resistance trace heating systems for industrial and commercial applications -- Part 1: General and testing requirements | 25.180.10 | |

27

ENERGY AND TEST HEAT TRANSFER ENGINEERING

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|----------------------------------------------------------------------------------------------------|--------|-----------|
| CYS EN 60904- 1:2006 | Photovoltaic devices -- Part 1: Measurement of photovoltaic current- voltage characteristics | 27.160 | |

29

ELECTRICAL ENGINEERING

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|
| CYS EN 62271- 3:2006 | High-voltage switchgear and controlgear -- Part 3: Digital interfaces based on IEC 61850 | 29.130.10 | |
| CYS EN 60371- 3- 4:1995/A1:2006 | Specification for insulating materials based on mica -- Part 3: Specifications for individual materials -- Sheet 4: Polyester film-backed mica paper with a B-stage epoxy resin binder | 29.035.50 | |
| CYS EN 60371- 3- 6:1995/A1:2006 | Specification for insulating materials based on mica -- Part 3: Specifications for individual materials -- Sheet 6: Glass-backed mica paper with a B- stage epoxy resin binder | 29.035.50 | |
| CYS EN 60371- 3- 7:1995/A1:2006 | Specification for insulating materials based on mica -- Part 3: Specifications for individual materials -- Sheet 7: Polyester film mica paper with an epoxy | 29.035.50 | |

| | | | |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------|
| | resin binder for single conductor taping | | |
| CYS EN 60947-8:2003/A1:2006 | Low-voltage switchgear and controlgear -- Part 8: Control units for built-in thermal protection (PTC) for rotating electrical machines | 29.130.20 | |
| CYS EN 50214:2006 | Flat polyvinyl chloride sheathed flexible cables | 29.060.20 | Supersedes CYS EN 50214:1998- iss1 & HD 359 S2:1990 = W/D |
| CYS EN 50397-1:2006 | Covered conductors for overhead lines and the related accessories for rated voltages above 1 kV a.c. and not exceeding 36 kV a.c. -- Part 1: Covered conductors | 29.240.20 | |
| CYS EN 61982-1:2006 | Secondary batteries for the propulsion of electric road vehicles -- Part 1: Test parameters | 29.220.20 | |
| CYS EN 60034-26:2006 | Rotating electrical machines -- Part 26: Effects of unbalanced voltages on the performance of three-phase cage induction motors | 29.160 | S/S CLC/TS 60034- 26:2004 = W/D |
| CYS EN 61204-7:2006 | Low voltage power supplies, d.c. output -- Part 7: Safety requirements | 29.200 | |
| CYS EN 62317-8:2006 | Ferrite cores - Dimensions -- Part 8: E-cores | 29.100.10 | Replaces Table A.1 and Table B.1 of CYS EN 62358:2004 |
| CYS EN 60317-0-6:2001/A1:2006 | Specifications for particular types of winding wires -- Part 0-6: General requirements - Glass-fibre wound resin or varnish impregnated, bare or enamelled round copper wire | 29.060.10 | |
| CYS EN 60947-4-2:2000/A2:2006 | Low-voltage switchgear and controlgear -- Part 4-2: Contactors and motor-starters - AC semiconductor motor controllers and starters | 29.130.20 | |
| CYS EN 60947-4-3:2000/A1:2006 | Low-voltage switchgear and controlgear -- Part 4-3: Contactors and motor-starters - AC semiconductor controllers and contactors for non-motor loads | 29.130.20 | |
| CYS EN 60947-5-8:2006 | Low-voltage switchgear and controlgear -- Part 5-8: Control circuit devices and switching elements - Three-position | 29.130.20 | |

| | | | |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| | enabling switches | | |
| CYS EN 62217:2006 | Polymeric insulators for indoor and outdoor use with a nominal voltage > 1 000 V - General definitions, test methods and acceptance criteria | 29.080.10 | |
| CYS EN 60670-22:2006 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations -- Part 22: Particular requirements for connecting boxes and enclosures | 29.120.10 | |
| CYS EN 61212-2:2006 | Insulating materials - Industrial rigid round laminated tubes and rods based on thermosetting resins for electrical purposes -- Part 2: Methods of test | 29.035.01 | |
| CYS EN 61241-0:2006 | Electrical apparatus for use in the presence of combustible dust -- Part 0: General requirements | 29.260.20 | Partly supersedes CYS EN 50281-1- 1:1999-iss1 |
| CYS EN 62271-109:2006 | High-voltage switchgear and controlgear -- Part 109: Alternating-current series capacitor by-pass switches | 29.130.10 | |
| CYS EN 60335- 2- 97:2000/A11:20 06 | Safety of household and similar electrical appliances -- Part 2-97: Particular requirements for drives for rolling shutters, awnings, blinds and similar equipment | 29.120.01 | Superseded by EN 60335-2- 97:2006 |
| CYS EN 60335-2- 97:2006 | Household and similar electrical appliances - Safety -- Part 2-97: Particular requirements for drives for rolling shutters, awnings, blinds and similar equipment | 29.120.01 | S/S CYS EN 60335-2- 97:2001 = W/D |
| CYS EN 60598- 1:2004/A1:2006 | Luminaires -- Part 1: General requirements and tests | 29.140.40 | |
| CYS EN 61241-11:2006 | Electrical apparatus for use in the presence of combustible dust -- Part 11: Protection by intrinsic safety "iD" | 29.260.20 | |
| CYS EN 61241-4:2006 | Electrical apparatus for use in the presence of combustible dust -- Part 4: Type of protection "pD" | 29.260.20 | |
| CYS EN 61347-2-7:2006 | Lamp controlgear -- Part 2-7: Particular requirements for d.c. supplied electronic ballasts for emergency lighting | 29.140.99 | |
| CYS EN 62034:2006 | Automatic test systems for battery powered emergency escape lighting | 29.140.50 | |

| | | | |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|
| CYS EN 62231:2006 | Composite station post insulators for substations with a.c. voltages greater than 1 000 V up to 245 kV - Definitions, test methods and acceptance criteria | 29.080.10 | |
| CYS EN 61347-2- 9:2001/A2:2006 | Lamp controlgear -- Part 2-9: Particular requirements for ballasts for discharge lamps (excluding fluorescent lamps) | 29.140.99 | |
| CYS EN 60669-2-2:2006 | Switches for household and similar fixed electrical installations -- Part 2-2: Particular requirements - Electromagnetic remote-control switches (RCS) | 29.120.40 | |
| CYS EN 60669-2-3:2006 | Switches for household and similar fixed electrical installations -- Part 2-3: Particular requirements - Time delay switches (TDS) | 29.120.40 | |

31

ELECTRONICS

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------|
| CYS EN 61076-3-104:2006 | Connectors for electronic equipment - Product requirements -- Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 1 000 MHz | 31.220.10 | Will supersede EN 61076-3-104:2003 |
| CYS EN 61587-3:2006 | Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 -- Part 3: Electromagnetic shielding performance tests for cabinets, racks and subracks | 31.240 | |
| CYS EN 61747-3-1:2006 | Liquid crystal display devices -- Part 3-1: Liquid crystal display (LCD) cells - Blank detail specification | 31.120 | |
| CYS EN 175301-801:2006 | Detail Specification: High density rectangular connectors, round removable crimp contacts | 31.220.10 | S/S CYS EN 175301-801:2000 = W/D |
| CYS EN 61076-3-106:2006 | Connectors for electronic equipment - Product requirements -- Part 3-106: Rectangular connectors - Detail specification for protective housings for use with 8-way shielded and unshielded connectors for industrial environments incorporating the IEC 60603-7 series interface | 31.220.10 | |

| | | | |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|
| CYS EN 60384-3:2006 | Fixed capacitors for use in electronic equipment -- Part 3: Sectional specification: Surface mount fixed tantalum electrolytic capacitors with manganese dioxide solid electrolyte | 31.060.40 | |
| CYS EN 60384-3-1:2006 | Fixed capacitors for use in electronic equipment -- Part 3-1: Blank detail specification: Surface mount fixed tantalum electrolytic capacitors with manganese dioxide solid electrolyte - Assessment level EZ | 31.060.30 | |
| CYS EN 60749-35:2006 | Semiconductor devices - Mechanical and climatic test methods -- Part 35: Acoustic microscopy for plastic encapsulated electronic components | 31.080.01 | |
| CYS EN 62047-2:2006 | Semiconductor devices - Micro-electromechanical devices -- Part 2: Tensile testing method of thin film materials | 31.080.99 | |
| CYS EN 62047-3:2006 | Semiconductor devices - Micro-electromechanical devices -- Part 3: Thin film standard test piece for tensile testing | 31.080.99 | |

33

TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| CYS EN 50117-1:2002/A1:2006 | Coaxial cables -- Part 1: Generic specification | 33.120.10 | |
| CYS EN 60870-5-104:2006 | Telecontrol equipment and systems -- Part 5-104: Transmission protocols - Network access for IEC 60870-5-101 using standard transport profiles | 33.200 | |
| CYS EN 61290-1-1:2006 | Optical amplifiers - Test methods -- Part 1-1: Power and gain parameters - Optical spectrum analyzer method | 33.180.30 | S/S CYS EN 61290-1-1:1998 and CYS EN 61290-2-1:1998 = W/D |
| CYS EN 61291-1:2006 | Optical amplifiers -- Part 1: Generic specification | 33.180.30 | |
| CYS EN 62002-1:2006 | Mobile and portable DVB-T/H radio access -- Part 1: Interface specification | 33.170 | |

| | | | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| CYS EN 62002-2:2006 | Mobile and portable DVB-T/H radio access -- Part 2: Interface conformance testing | 33.170 | |
| CYS EN 61000-4-5:2006 | Electromagnetic compatibility (EMC) -- Part 4-5: Testing and measurement techniques - Surge immunity test | 33.100.20 | |
| CYS EN 61314-1-1:2006 | Fibre optic fan-outs -- Part 1-1: Blank detail specification | 33.180.10 | |
| CYS EN 61755-2-2:2006 | Fibre optic connector optical interfaces - - Part 2-2: Optical interface standard single mode angled physically contacting fibres | 33.180.20 | |
| CYS EN 61274-1-1:2006 | Adaptors for fibre optic connectors -- Part 1-1: Blank detail specification | 33.180.20 | |
| CYS EN 61753-101-2:2006 | Fibre optic interconnecting devices and passive components performance standard -- Part 101-2: Fibre management systems for category C - Controlled environment | 33.180.20 | |
| CYS EN 55016-1-3:2006 | Specification for radio disturbance and immunity measuring apparatus and methods -- Part 1-3: Radio disturbance and immunity measuring apparatus - Ancillary equipment - Disturbance power | 33.100.10 | Will supersede CYS EN 55016-1-3:2004 |
| CYS EN 61300-2-16:2006 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-16: Tests - Mould growth | 33.180.20 | |
| CYS EN 61300-2-38:2006 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 2-38: Tests - Sealing for pressurized fibre optic closures | 33.180.20 | |
| CYS EN 61937-5:2006 | Digital audio - Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 -- Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theater Systems) format(s) | 33.160.60 | |
| CYS EN 61000-4-12:2006 | Electromagnetic compatibility (EMC) -- Part 4-12: Testing and measurement techniques - Ring wave immunity test | 33.100.20 | |
| CYS EN 55014-1:2006 | Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus -- Part 1: Emission | 33.100.10 | |
| CYS EN 55015:2006 | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment | 33.100.10 | |

| | | | |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|
| CYS EN 55016-1-2:2004/A2:2006 | Specification for radio disturbance and immunity measuring apparatus and methods -- Part 1-2: Radio disturbance and immunity measuring apparatus - Ancillary equipment - Conducted disturbances | 33.100.10 | |
| CYS EN 55016-2-3:2006 | Specification for radio disturbance and immunity measuring apparatus and methods -- Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements | 33.100.10 | |
| CYS EN 62343-1-3:2006 | Dynamic modules -- Part 1-3: Performance standards - Dynamic gain tilt equalizer with pigtailed for use in controlled environments (Category C) | 33.180.01 | |
| CYS EN 61755-3-5:2006 | Fibre optic connector optical interfaces - Part 3-5: Optical Interface - 2,5 mm and 1,25 mm diameter cylindrical PC composite ferrule using Cu-Ni-alloy as fibre surrounding material, single mode fibre | 33.180.20 | |
| CYS EN 61755-3-6:2006 | Fibre optic connector optical interfaces - Part 3-6: Optical interface - 2,5 mm and 1,25 mm diameter cylindrical 8 degrees angled-PC composite ferrule using Cu-Ni-alloy as fibre surrounding material, single mode fibre | 33.180.20 | |
| CYS EN 62261-1:2006 | Television METADATA -- Part 1: Metadata dictionary structure | 33.160 | |
| CYS EN 62261-2:2006 | Television METADATA -- Part 2: Data encoding protocol using key-length-value | 33.160 | |

35

INFORMATION TECHNOLOGY – OFFICE MACHINES

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------|--------|-----------|
| CYS EN 50116:2006 | Information technology equipment - Routine electrical safety testing in production | 35.020 | |
| CYS EN 61606-4:2006 | Audio and audiovisual equipment - Digital audio parts - Basic measurement methods of audio characteristics -- Part 4: Personal computer | 35.020 | |

| | |
|----|----------------------------|
| 45 | RAILWAY ENGINEERING |
|----|----------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------|
| CYS EN 62290-1:2006 | Railway applications - Urban guided transport management and command/control systems -- Part 1: System principles and fundamental concepts | 45.060 | |
| CYS EN 61287-1:2006 | Railway applications - Power convertors installed on board rolling stock -- Part 1: Characteristics and test methods | 45.060 | S/S CYS EN 50207:2001 = W/D |

| | |
|----|------------------------------------|
| 87 | PAINT AND COLOUR INDUSTRIES |
|----|------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|---------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN 50050:2006 | Electrical apparatus for potentially explosive atmospheres - Electrostatic hand-held spraying equipment | 87.100 | |
| CYS EN 50177:2006 | Automatic electrostatic spraying equipment for flammable coating powder | 87.100 | |

| | |
|----|-----------------------------------------------------------------|
| 97 | DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS |
|----|-----------------------------------------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN 60704-2-13:2000/A1:2006 | Household and similar electrical appliances - Test code for the determination of airborne acoustical noise -- Part 2-13: Particular requirements for range hoods | 97.040.20 | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS CLC/TR 50489:2006 | Smart tracker chips - Feasibility study on the inclusion of RFID in Electrical and Electronic Equipment for WEEE management | | |

Τυπώθηκε στο Τυπογραφείο της Κυπριακής Δημοκρατίας

Μιχαλάκη Καραολή, 1445 Λευκωσία, Τηλ. 22405824, Φαξ 22303175 – www.mof.gov.cy/gpo
Αντίτυπα της Επίσημης Εφημερίδας πωλούνται προς €1,00 το καθένα – Ετήσια συνδρομή: €40,00