

Αριθμός 192

Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ
ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ (ΝΟΜΟΣ 156(Ι) ΤΟΥ 2002)

Γνωστοποίηση βάσει του άρθρου 5(γ)

Με το παρόν γνωστοποιείται ότι με βάση το άρθρο 5(γ) του Νόμου 156(Ι) του 2002, που ρυθμίζει τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά Πρότυπα τα πιο κάτω Ευρωπαϊκά Πρότυπα:

**STANDARDS FROM EUROPEAN COMMITTEE FOR
STANDARDIZATION (CEN)**

03	SERVICES. COMPANY ORGANIZATION, MANAGEMENT AND QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSCEN/TS 15511:2008	Postal services - Quality of service - Information available on postal services	03.240	
CYSEN 9101:2008	Aerospace series - Quality management systems - Assessment (based on ISO 9001:2000)	03.120.10	

11	HEALTH CARE TECHNOLOGY
----	-------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CEN/TS 15209:2008	Tactile paving surface indicators produced from concrete, clay and stone	11.180.30	

13	ENVIRONMENT. HEALTH PROTECTION. SAFETY
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 54-24:2008	Fire detection and fire alarm systems - Part 24: Components of voice alarm systems - Loudspeakers	13.310	
CYSENISO 16000-12:2008	Indoor air - Part 12: Sampling strategy for polychlorinated biphenyls (PCBs), polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs) and polycyclic aromatic hydrocarbons (PAHs)	13.040.20	
CYSEN 12881-2:2005 +A1:2008	Conveyor belts - Fire simulation flammability testing - Part 2: Large scale fire test	13.220.40	S/S CYSEN 12881-2:2005 =W/D

CYSEN 14973:2006 +A1:2008	Conveyor belts for use in underground installations - Electrical and flammability safety requirements	13.220.40	S/S CYSEN 14973:2006 = W/D
CYSEN 12881-1:2005 +A1:2008	Conveyor belts - Fire simulation flammability testing - Part 1: Propane burner tests	13.220.40	S/S CYSEN 12881-1:2005 =W/D
CYSEN 14710-2:2005 +A1:2008	Fire-fighting pumps - Fire-fighting centrifugal pumps without primer - Part 2: Verification of general and safety requirements	13.220.10	S/S CYSEN 14710-2:2005 = W/D
CYSEN 1028-2:2002 +A1:2008	Fire-fighting pumps - Fire-fighting centrifugal pumps with primer - Part 2: Verification of general and safety requirements	13.220.10	S/S CYSEN 1028-2:2002 = W/D
CYSENISO 14116:2008	Protective clothing - Protection against heat and flame - Limited flame spread materials, material assemblies and clothing	13.340.10	S/S CYSEN 533:1997 =W/D
CYSEN 1127-2:2002 +A1:2008	Explosive atmospheres - Explosion prevention and protection - Part 2: Basic concepts and methodology for mining	13.230	S/SCYSEN 1127-2:2002 =W/D
CYSENISO 14159:2008	Safety of machinery - Hygiene requirements for the design of machinery	13.110	S/S CYSENISO 14159:2004 =W/D
CYSEN 1037:1995 +A1:2008	Safety of machinery - Prevention of unexpected start-up	13.110	S/S CYSEN 1037:1996 =W/D
CYSEN 13478:2001 +A1:2008	Safety of machinery - Fire prevention and protection	13.110	S/S CYSEN 13478:2002= W/D
CYSEN 352-8:2008	Hearing protectors - Safety requirements and testing - Part 8: Entertainment audio ear-muffs	13.340.20	

23	FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSCEN/TS 15223:2008	Plastics piping systems - Validated design parameters of buried thermoplastics piping systems	23.040.01	
CYSENISO 1179-1:2008	Connections for general use and fluid power - Ports and stud ends with ISO	23.100.40	

	228-1 threads with elastomeric or metal-to-metal sealing - Part 1: Threaded ports		
CYSENISO 1179-2:2008	Connections for general use and fluid power - Ports and stud ends with ISO 228-1 threads with elastomeric or metal-to-metal sealing - Part 2: Heavy-duty (S series) and light-duty (L series) stud ends with elastomeric sealing (type E)	23.100.40	
CYSENISO 1179-3:2008	Connections for general use and fluid power - Ports and stud ends with ISO 228-1 threads with elastomeric or metal-to-metal sealing - Part 3: Light-duty (L series) stud ends with sealing by O-ring with retaining ring (types G and H)	23.100.40	
CYSENISO 1179-4:2008	Connections for general use and fluid power - Ports and stud ends with ISO 228-1 threads with elastomeric or metal-to-metal sealing - Part 4: Stud ends for general use only with metal-to-metal sealing (type B)	23.100.40	

25	MANUFACTURING ENGINEERING
----	----------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSENISO 15012-2:2008	Health and safety in welding and allied processes - Requirements, testing and marking of equipment for air filtration - Part 2: Determination of the minimum air volume flow rate of captor hoods and nozzles	25.160.30	
CYSEN 3710:2008	Aerospace series - Sockets, bi-hexagonal - Technical Specification	25.140.30	
CYSEN 3711:2008	Aerospace series - Wrench-double ended, bi-hexagonal - Straight, cranked, offset	25.140.30	

27	ENERGY AND HEAT TRANSFER ENGINEERING
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSENISO 10270:2008	Corrosion of metals and alloys - Aqueous corrosion testing of zirconium alloys for use in nuclear power reactors	27.120.10	

35	INFORMATION TECHNOLOGY. OFFICE MACHINES
----	--

CYSEN Document:	Title	ICS1	Withdrawn
CYSENISO 21549-5:2008	Health informatics - Patient healthcard data - Part 5: Identification data	35.240.80	
CYSENISO 21549-6:2008	Health informatics - Patient healthcard data - Part 6: Administrative data	35.240.80	
CYSENISO 19131:2008	Geographic information - Data product specifications	35.240.70	
CYSENISO 19137:2008	Geographic information - Core profile of the spatial schema	35.240.70	

39	PRECISION MECHANICS. JEWELLERY
----	---------------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 1811:1998 +A1:2008	Reference test method for release of nickel from products intended to come into direct and prolonged contact with the skin	39.060	S/S CYSEN 1811:1999 =W/D

45	ROAD VEHICLES ENGINEERING
----	----------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 14033-2:2008	Railway applications - Track - Railbound construction and maintenance machines - Part 2: Technical requirements for working	45.120	

47	SHIPBUILDING AND MARINE STRUCTURES
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSENISO 12215-6:2008	Small craft - Hull construction and scantlings - Part 6: Structural arrangements and details	47.080	
CYSENISO 12215-5:2008	Small craft - Hull construction and scantlings - Part 5: Design pressures for monohulls, design stresses, scantlings determination	47.020.10	

49	AIRCRAFT AND SPACE VEHICLE ENGINEERING
----	--

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 3033:2008	Aerospace series - Nuts, self-locking, hexagonal with captive washer, in heat resisting steel FE-PA2601 (A286), uncoated - Classification : 1 100 MPa/425 °C	49.030.30	
CYSEN 3148:2008	Aerospace series - Shank nuts, self-locking, flange restrained - Installation procedure	49.030.30	
CYSEN 3201:2008	Aerospace series - Holes for metric threaded fasteners - Design standard	49.030.01	
CYSEN 3293:2008	Aerospace series - Bolts, T-head, close tolerance, medium thread length, in heat resisting nickel base alloy NI-P100HT (Inconel 718), uncoated - Classification: 1 275 MPa/650 °C	49.030.20	
CYSEN 3294:2008	Aerospace series - Bolts, T-head, close tolerance, in heat resisting nickel base alloy NI-P101HT (Waspaloy), uncoated for increased height nuts -Classification: 1 210 MPa/730 °C	49.030.20	
CYSEN 3368:2008	Aerospace series - Aerospace design standard - Holes for locating pins	49.030.01	
CYSEN 4399:2008	Aerospace series - Rings, threaded, self-locking, in heat resisting steel FE-PA92HT (A286), silver plated	49.030.50	
CYSEN 3745-203:2008	Aerospace series - Fibres and cables, optical, aircraft use - Test methods - Part 203: Cable dimensions	49.060	
CYSEN 3745-602:2008	Aerospace series - Fibres and cables, optical, aircraft use - Test methods - Part 602: Toxicity	49.060	
CYSEN 3298:2008	Aerospace series - Inserts, thin wall, self-locking - Installation and removal procedure	49.030.30	S/S CYSEN 3298:1998 =W/D
CYSEN 3733-002:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous - Part 002: List of product standards	49.060	
CYSEN 3733-003:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous - Part 003: Plug connector for cable according to EN 4532, product	49.060	

	standard		
CYSEN 3630:2008	Aerospace series - Fluid fittings, flanged, straight - Sealing by O-ring for 0,8 mm thick tubes	49.080	
CYSEN 3635:2008	Aerospace series - Weld lip - Geometrical configuration	49.080	
CYSEN 3636:2008	Aerospace series - Screws, reduced pan head, offset cruciform recess, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated - Classification: 900 MPa/650 °C	49.030.20	
CYSEN 3685:2008	Aerospace series - Bolts in heat resisting steel FE-PA2601 (A286) - Classification: 1 100 MPa/650 °C - Technical specification	49.030.20	
CYSEN 3717:2008	Aerospace series - Tubes - Selection for engines fluid systems	49.080	
CYSEN 3733-006:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous - Part 006: Receptacle, connector, jam nut fixing for cable according to EN 4532, product standard	49.060	
CYSEN 4626-002:2008	Aerospace series - Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule - Operating temperatures - 65 °C to 125 °C (cable dependent) - Flush contacts - Part 002: Specification of performance and contact arrangements	49.060	
CYSEN 4626-003:2008	Aerospace series - Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule - Operating temperatures - 65 °C to 125 °C (cable dependent) - Flush contacts - Part 003: Adaptor for plug	49.060	
CYSEN 4626-004:2008	Aerospace series - Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule - Operating temperatures - 65 °C to 125 °C (cable dependent) - Flush contacts - Part 004: Adaptor for receptacle	49.060	
CYSEN 4626-101:2008	Aerospace series - Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule - Operating temperatures - 65 °C to 125 °C (cable dependent) - Flush contacts - Part 101: Optical contact (sub-assembly) for plug - Product standard	49.060	
CYSEN 3733-103:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-	49.060	

	locking ring, operating temperature up to 150 °C continuous - Part 103: Protective cover jam nut receptacle - Product standard		
CYSEN 3733-104:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous - Part 104: Receptacle connector dummy four holes fixing - Product standard	49.060	
CYSEN 3733-105:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous - Part 105: Receptacle connector dummy two holes fixing - Product standard	49.060	
CYSEN 3733-106:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous - Part 106: Receptacle connector dummy jam nut - Product standard	49.060	
CYSEN 3733-108:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous - Part 108: Cable support boot - Product standard	49.060	
CYSEN 3728:2008	Aerospace series - Shaft-nuts, self-locking, left-hand thread, in heat resisting steel FE-PA92HT (A286), silver plated	49.030.30	
CYSEN 3729:2008	Aerospace series - Rings, threaded, self-locking, left-hand thread, in heat resisting steel FE-PA92HT (A286), silver plated	49.030.99	
CYSEN 3905:2008	Aerospace series - Six lobe recesses for bolts - Technical specification	49.030.20	
CYSEN 3915:2008	Aerospace series - Insert, thin wall, self-locking, MJ threads, in heat resisting nickel base alloy NI-PH2601 (NI-P100HT, Inconel 718), for salvage of components - Classification: 1 275 MPa (at ambient temperature) / 550 °C - Technical specification	49.030.99	
CYSEN 4300:2008	Aerospace series - Identification marking of engine items - Design standard	49.050	
CYSEN 4493:2008	Aerospace series - Inserts, screw thread, helical coil, self-locking, in heat resisting nickel base alloy NI-PH1801 (NI-P96HT, Nimonic 90), silver plated	49.030.10	
CYSEN 3660-012:2008	Aerospace series - Cable outlet accessories for circular and rectangular	49.060	

	electrical and optical connectors - Part 012: Grommet nut, style A for EN 3372 - Product standard		
CYSEN 3660-013:2008	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 013: Cable outlet, style A, straight, unsealed, with cable tie strain relief - Product standard	49.060	
CYSEN 3660-014:2008	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 014: Cable outlet, style A, 90°, unsealed, with cable tie strain relief - Product standard	49.060	
CYSEN 3660-015:2008	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 015: Cable outlet, style A, 45°, unsealed, with cable tie strain relief - Product standard	49.060	
CYSEN 3660-022:2008	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 022: Cable outlet, style A, straight, composite, unsealed, with cable tie strain relief - Product standard	49.060	
CYSEN 3660-023:2008	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 023: Cable outlet, style A, 90°, composite, unsealed, with cable tie strain relief - Product standard	49.060	
CYSEN 3660-024:2008	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 024: Grommet nut, style A, composite - Product standard	49.060	
CYSEN 4165-003:2008	Aerospace series - Connectors, electrical, rectangular, modular - Operating temperature 175 °C continuous - Part 003: Modules series 2 and series 3 - Product standard	49.060	
CYSEN 4632-001:2008	Aerospace series - Welded and brazed assemblies for aerospace constructions - Weldability and brazeability of materials - Part 001: General requirements	49.025.01	
CYSEN 2399:2008	Aerospace series - Heat resisting steel FE-PA2601 (X4NiCrTiMoV26-15) - $R_m \geq 900$ MPa - Bars for forged bolts - $D \leq 25$	49.025.10	

	mm		
CYSEN 3733-004:2008	Aerospace series - Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous - Part 004: Receptacle, connector, four hole fixing cable according to EN 4532, product standard	49.060	
CYSEN 4632-002:2008	Aerospace series - Welded and brazed assemblies for aerospace constructions - Weldability and brazeability of materials - Part 002: Homogeneous assemblies aluminium and aluminium alloys	49.025.01	

53	MATERIALS HANDLING EQUIPMENT
----	-------------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 818-6:2000 +A1:2008	Short link chain for lifting purposes - Safety - Part 6: Chain slings - Specification for information for use and maintenance to be provided by the manufacturer	53.020.30	S/S CYSEN 818-6:2000 =W/D
CYSEN 818-5:1999 +A1:2008	Short link chain for lifting purposes - Safety - Part 5: Chain slings - Grade 4	53.020.30	S/S CYSEN 818-5:1999 =W/D
CYSEN 818-4:1997 +A1:2008	Short link chain for lifting purposes - Safety - Part 4: Chain slings - Grade 8	53.020.30	S/S CYSEN 818-4:1997 =W/D
CYSEN 818-3:1999 +A1:2008	Short link chain for lifting purposes - Safety - Part 3: Medium tolerance chain for chain slings - Grade 4	53.020.30	S/S CYSEN 818-3:1999 =W/D
CYSEN 818-2:1997 +A1:2008	Short link chain for lifting purposes - Safety - Part 2: Medium tolerance chain for chain slings - Grade 8	53.020.30	S/S CYSEN 818-2:1997 =W/D
CYSEN 818-1:1996 +A1:2008	Short link chain for lifting purposes - Safety - Part 1: General conditions of acceptance	53.020.30	S/S CYSEN 818-1:1996 =W/D
CYSEN 818-7:2002 +A1:2008	Short link chain for lifting purposes - Safety - Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT)	53.020.30	S/S CYSEN 818-7:2002 =W/D
CYSEN 1677-2:2000 +A1:2008	Components for slings - Safety - Part 2: Forged steel lifting hooks with latch, Grade 8	53.020.30	S/S CYSEN 1677-2:2000 =W/D
CYSEN 1677-3:2001 +A1:2008	Components for slings - Safety - Part 3: Forged steel self-locking hooks - Grade 8	53.020.30	S/S CYSEN 1677-3:2001 =W/D

CYSEN 13586:2004 +A1:2008	Cranes - Access	53.020.20	S/S CYSEN 13586:2004 =W/D
CYSEN 14502-2:2005 +A1:2008	Cranes - Equipment for the lifting of persons - Part 2: Elevating control stations	53.020.20	S/S CYSEN 14502- 2:2005=W/D
CYSEN 12077-2:1998 +A1:2008	Cranes safety - Requirements for health and safety - Part 2: Limiting and indicating devices	53.020.20	S/S CYSEN 12077- 2:1999=W/D
CYSEN 13557:2003 +A2:2008	Cranes - Controls and control stations	53.020.20	S/S CYSEN 13557:2003- iss1=W/D

59	TEXTILE AND LEATHER TECHNOLOGY
----	--------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSENISO 9073-9:2008	Textiles - Test methods for nonwovens - Part 9: Determination of drapability including drape coefficient	59.080.30	S/S CYSEN ISO 9073-9:1998 = W/D
CYSENISO 10321:2008	Geosynthetics - Tensile test for joints/seams by wide-width strip method	59.080.70	S/S CYSENISO 10321:1996 =W/D

71	CHEMICAL TECHNOLOGY
----	---------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSENISO 21079-1:2008	Chemical analysis of refractories containing alumina, zirconia and silica - Refractories containing 5 percent to 45 percent of ZrO ₂ (alternative to the X-ray fluorescence method) - Part 1: Apparatus, reagents and dissolution	71.040.40	
CYSENISO 21079-2:2008	Chemical analysis of refractories containing alumina, zirconia, and silica - Refractories containing 5 percent to 45 percent of ZrO ₂ (alternative to the X-ray fluorescence method) - Part 2: Wet chemical analysis	71.040.40	

CYSENISO 21079-3:2008	Chemical analysis of refractories containing alumina, zirconia, and silica - Refractories containing 5 percent to 45 percent of ZrO ₂ (alternative to the X-ray fluorescence method) - Part 3: Flame atomic absorption spectrophotometry (FAAS) and inductively coupled plasma emission spectrometry (ICP -AES)	71.040.40	
--------------------------	--	-----------	--

73	MINING AND MINERALS
----	----------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 1710:2005 +A1:2008	Equipment and components intended for use in potentially explosive atmospheres in underground mines	73.100.30	S/S CYSEN 1710:2005=W/D
CYSEN 13161:2008	Natural stone test methods - Determination of flexural strength under constant moment	73.020	S/SCYSEN 13162:2001-iss1=W/D
CYSEN 13755:2008	Natural stone test methods - Determination of water absorption at atmospheric pressure	73.020	S/SCYSEN 13755:2002-iss1=W/D

77	METALLURGY
----	-------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 14677:2008	Safety of machinery - Secondary steelmaking - Machinery and equipment for treatment of liquid steel	77.180	
CYSEN 10111:2008	Continuously hot rolled low carbon steel sheet and strip for cold forming - Technical delivery conditions	77.140.50	S/S CYSEN 10111:1998=W/D
CYSEN 10084:2008	Case hardening steels - Technical delivery conditions	77.140.10	S/S CYSEN 10084:1998=W/D
CYSEN 1715-1:2008	Aluminium and aluminium alloys - Drawing stock - Part 1: General requirements and technical conditions for inspection and delivery	77.150.10	S/S CYSEN 1715-1:1998=W/D
CYSEN 1715-2:2008	Aluminium and aluminium alloys - Drawing stock - Part 2: Specific requirements for electrical applications	77.150.10	S/S CYSEN 1715-2:1998=W/D

CYSEN 1715-3:2008	Aluminium and aluminium alloys - Drawing stock - Part 3: Specific requirements for mechanical uses (excluding welding)	77.150.10	S/S CYSEN 1715-3:1998 =W/D
CYSEN 1715-4:2008	Aluminium and aluminium alloys - Drawing stock - Part 4: Specific requirements for welding applications	77.150.10	S/S CYSEN 1715-4:1998 =W/D
CYSENISO 7539-8:2008	Corrosion of metals and alloys - Stress corrosion testing - Part 8: Preparation and use of specimens to evaluate weldments	77.060	
CYSENISO 7539-9:2008	Corrosion of metals and alloys - Stress corrosion testing - Part 9: Preparation and use of pre-cracked specimens for tests under rising load or rising displacement	77.060	
CYSENISO 11303:2008	Corrosion of metals and alloys - Guidelines for selection of protection methods against atmospheric corrosion	77.060	
CYSENISO 11463:2008	Corrosion of metals and alloys - Evaluation of pitting corrosion	77.060	
CYSENISO 11782-1:2008	Corrosion of metals and alloys - Corrosion fatigue testing - Part 1: Cycles to failure testing	77.060	
CYSENISO 11782-2:2008	Corrosion of metals and alloys - Corrosion fatigue testing - Part 2: Crack propagation testing using precracked specimens	77.060	
CYSENISO 11846:2008	Corrosion of metals and alloys - Determination of resistance to intergranular corrosion of solution heat- treatable aluminium alloys	77.060	
CYSENISO 15324:2008	Corrosion of metals and alloys - Evaluation of stress corrosion cracking by the drop evaporation test	77.060	
CYSENISO 16151:2008	Corrosion of metals and alloys - Accelerated cyclic tests with exposure to acidified salt spray, "dry" and "wet" conditions	77.060	
CYSENISO 16701:2008	Corrosion of metals and alloys - Corrosion in artificial atmosphere - Accelerated corrosion test involving exposure under controlled conditions of humidity cycling and intermittent spraying of a salt solution	77.060	
CYSENISO 17081:2008	Method of measurement of hydrogen permeation and determination of hydrogen uptake and transport in metals by an electrochemical technique	77.060	
CYSENISO 17475:2008	Corrosion of metals and alloys - Electrochemical test methods - Guidelines for conducting potentiostatic and potentiodynamic polarization measurements	77.060	

CYSENISO 17864:2008	Corrosion of metals and alloys - Determination of the critical pitting temperature under potentiostatic control	77.060	
CYSEN 1173:2008	Copper and copper alloys - Material condition designation	77.120.30	S/S CYSEN 1173:1996 =W/D
CYSEN 1982:2008	Copper and copper alloys - Ingots and castings	77.150.30	S/SCYSEN 1982:1999 =W/D
CYSENISO 11844-1:2008	Corrosion of metals and alloys - Classification of low corrosivity of indoor atmospheres - Part 1: Determination and estimation of indoor corrosivity	77.060	
CYSENISO 11844-2:2008	Corrosion of metals and alloys - Classification of low corrosivity of indoor atmospheres - Part 2: Determination of corrosion attack in indoor atmospheres	77.060	
CYSENISO 11844-3:2008	Corrosion of metals and alloys - Classification of low corrosivity of indoor atmospheres - Part 3: Measurement of environmental parameters affecting indoor corrosivity	77.060	
CYSENISO 12732:2008	Corrosion of metals and alloys - Electrochemical potentiokinetic reactivation measurement using the double loop method (based on Cihal's method)	77.060	
CYSENISO 15329:2008	Corrosion of metals and alloys - Anodic test for evaluation of intergranular corrosion susceptibility of heat-treatable aluminium alloys	77.060	
CYSENISO 16784-1:2008	Corrosion of metals and alloys - Corrosion and fouling in industrial cooling water systems - Part 1: Guidelines for conducting pilot-scale evaluation of corrosion and fouling control additives for open recirculating cooling water systems	77.060	
CYSENISO 16784-2:2008	Corrosion of metals and alloys - Corrosion and fouling in industrial cooling water systems - Part 2: Evaluation of the performance of cooling water treatment programmes using a pilot-scale test rig	77.060	
CYSCEN/TS 13388:2008	Copper and copper alloys - Compendium of compositions and products	77.120.30	S/S GEN/TS 13388:2004 =W/D

79	WOOD TECHNOLOGY
----	------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 1912:2004 +A2:2008	Structural timber - Strength classes - Assignment of visual grades and species	79.040	S/S CYSEN 1912:2004 +A1:2007 = W/D

91	CONSTRUCTION MATERIALS AND BUILDING
----	--

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 15456:2008	Heating boilers - Electrical power consumption for heat generators - System boundaries - Measurements	91.140.10	
CYSEN 15037-1:2008	Precast concrete products - Beam-and-block floor systems - Part 1: Beams	91.100.30	
CYSEN 12859:2008	Gypsum blocks - Definitions, requirements and test methods	91.100.10	S/S CYSEN 12589:2001-iss1 = W/D
CYSEN 12620:2002 +A1:2008	Aggregates for concrete	91.100.15	S/S CYSEN 12620:2002-iss1 = W/D
CYSEN 13384-1:2002 +A2:2008	Chimneys - Thermal and fluid dynamic calculation methods - Part 1: Chimneys serving one appliance	91.060.40	S/S CYSEN 13384-1:2002-iss1 = W/D
CYSCEN/TR 15697:2008	Cement - Performance testing for sulfate resistance - State of the art report	91.100.10	
CYSCEN/TR 15678:2008	Concrete - Release of regulated dangerous substances into soil, groundwater and surface water - Test method for new or unapproved constituents of concrete and for production concretes	91.100.30	
CYSENISO 19432:2008	Building construction machinery and equipment - Portable, hand-held, internal combustion engine driven cut-off machines - Safety requirements and testing	91.220	S/S CYSENISO 19432:2006 =W/D
CYSEN 15116:2008	Ventilation in buildings - Chilled beams - Testing and rating of active chilled beams	91.140.30	

CYSEN 12602:2008	Prefabricated reinforced components of autoclaved aerated concrete	91.100.30	
CYSEN 15498:2008	Precast concrete products - Wood-chip concrete shuttering blocks - Product properties and performance	91.100.30	
CYSCEN/TR 15615:2008	Explanation of the general relationship between various European standards and the Energy Performance of Buildings Directive (EPBD) - Umbrella Document	91.140.99	
CYSCEN/TS 81-82:2008	Safety rules for the construction and installation of lifts - Existing lifts - Part 82: Improvement of the accessibility of existing lifts for persons including persons with disability	91.140.90	
CYSEN 15435:2008	Precast concrete products - Normal weight and lightweight concrete shuttering blocks - Product properties and performance	91.100.30	
CYSCEN/TS 15324:2008	Bitumen and bituminous binders - Determination of equiviscous temperature based on Low Shear Viscosity using a Dynamic Shear Rheometer in low frequency oscillation mode	91.100.50	

93	CIVIL ENGINEERING
----	--------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 12273:2008	Slurry surfacing - Requirements	93.080.20	

97	DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 1829-2:2008	High-pressure water jet machines - Safety requirements - Part 2: Hoses, hose lines and connectors	97.080	
CYSCEN/TR 15709:2008	Hardware for furniture.- Terms for slide fittings for sliding doors and roll fronts	97.140	
CYSCEN/TS 15717:2008	Parquet flooring - General guideline for installation	97.150	

ΤΡΟΠΟΠΟΙΗΣΕΙΣ

CYS EN ISO 23251:2007 /AC:2008	Petroleum, petrochemical and natural gas industries - Pressure-relieving and depressuring systems
CYS EN ISO 14978:2006 /AC:2008	Geometrical product specifications (GPS) - General concepts and requirements for GPS measuring equipment
CYS EN ISO 3166-1:2006 /AC:2008	Codes for the representation of names of countries and their subdivisions - Part 1: Country codes (ISO 3166-1:2006/Cor 1:2007)
CYSEN 1159- 3:2003 /AC:2008	Advanced technical ceramics - Ceramic composites, thermophysical properties - Part 3: Determination of specific heat capacity
CYSEN 10216-5:2004 /AC:2008	Seamless steel tubes for pressure purposes - Technical delivery conditions - Part 5: Stainless steel tubes
CYSEN 1916:2002 /AC:2008	Concrete pipes and fittings, unreinforced, steel fibre and reinforced
CYSEN 1917:2002 /AC:2008	Concrete manholes and inspection chambers, unreinforced, steel fibre and reinforced
CYSEN ISO 7197:2006 /AC:2008	Neurosurgical implants - Sterile, single-use hydrocephalus shunts and components
CYSCEN ISO/TS 17450- 1:2007 /AC:2008	Geometrical product specifications (GPS) - General concepts - Part 1: Model for geometrical specification and verification

**Επίσης έχουν εκδοθεί από την Ευρωπαϊκή Επιτροπή
Τυποποίησης (CEN) οι ακόλουθες εκδόσεις**

CWA 15740:2008	Risk-Based Inspection and Maintenance Procedures for European Industry (RIMAP)
CWA 15832:2008	Humanitarian mine action - Follow-on processes after the use of demining machines
CWA 15833:2008	Humanitarian mine action - Quality management - Quality assurance (QA) and quality control (QC) for mechanical demining

**STANDARDS FROM EUROPEAN COMMITTEE FOR
ELECTROTECHNICAL STANDARDIZATION (CENELEC)**

03	SERVICES. COMPANY ORGANIZATION, MANAGEMENT AND QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 62429:2008	Reliability growth - Stress testing for early failures in unique complex systems	03.120.01	

11	HEALTH CARE TECHNOLOGY
----	-------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 45502-2-2:2008	Active implantable medical devices -- Part 2-2: Particular requirements for active implantable medical devices intended to treat tachyarrhythmia (includes implantable defibrillators)	11.040.40	Will S/S EN 50061:1988+A1:1995
CYSEN 60601-1-3:2008	Medical electrical equipment -- Part 1-3: General requirements for basic safety and essential performance - Collateral Standard: Radiation protection in diagnostic X-ray equipment	11.040.50	S/S CYSEN 60601-1-3:1995=W/D
CYSEN 60601-1-10:2008	Medical electrical equipment -- Part 1-10: General requirements for basic safety and essential performance - Collateral Standard: Requirements for the development of physiologic closed-loop controllers	11.040	
CYSEN 60601-2-39:2008	Medical electrical equipment -- Part 2-39: Particular requirements for basic safety and essential performance of peritoneal dialysis equipment	11.040.99	S/S CYSEN60601-2-39:1999-iss1=W/D

13	ENVIRONMENT. HEALTH PROTECTION. SAFETY
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 60335-2-13:2003 /A2:2008	Household and similar electrical appliances - Safety -- Part 2-13: Particular requirements for deep fat fryers, frying pans and similar appliances	13.120	

CYSCLC/TR 62125:2008	Environmental statement specific to TC 20 - Electric cables	13.020.01	
-------------------------	--	-----------	--

17	METROLOGY AND MEASUREMENT. PHYSICAL PHENOMENA
----	--

CYSEN Document:	Title	ICS1	Withdrawn
CYSCLC/TR 61340-5- 2:2008	Electrostatics -- Part 5-2: Protection of electronic devices from electrostatic phenomena - User guide	17.220.99	S/SCYSEN 61340-5- 2:2001=W/D

19	TESTING
----	----------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 61010- 031:2002 /A1:2008	Safety requirements for electrical equipment for measurement, control and laboratory use -- Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test	19.080	

25	MANUFACTURING ENGINEERING
----	----------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 50505:2008	Basic standard for the evaluation of human exposure to electromagnetic fields from equipment for resistance welding and allied processes	25.160.30	

29	ELECTRICAL ENGINEERING
----	-------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 60254-2:2008	Lead-acid traction batteries -- Part 2: Dimensions of cells and terminals and marking of polarity on cells	29.220.20	S/S CYSEN 60254- 2:1997- iss1=W/D

CYSEN 60357:2003 /A1:2008	Tungsten halogen lamps (non-vehicle) - Performance specifications	29.140.20	
CYSEN 61009-1:2004 /A11:2008	Residual current operated circuit- breakers with integral overcurrent protection for household and similar uses (RCBO's) -- Part 1: General rules	29.120.50	
CYSEN 61242:1997 /A1:2008	Electrical accessories - Cable reels for household and similar purposes	29.060	
CYSEN 61347-1:2001 /A1:2008	Lamp controlgear -- Part 1: General and safety requirements	29.140.99	
CYSEN 61800-7-1:2008	Adjustable speed electrical power drive systems -- Part 7-1: Generic interface and use of profiles for power drive systems - Interface definition	29.200	S/S CYSEN 61491:1999 =W/D
CYSEN 61800-7- 201:2008	Adjustable speed electrical power drive systems - Part 7-201: Generic interface and use of profiles for power drive systems - Profile type 1 specification	29.200	
CYSEN 61800-7- 202:2008	Adjustable speed electrical power drive systems - Part 7-202: Generic interface and use of profiles for power drive systems - Profile type 2 specification	29.200	
CYSEN 61800-7- 203:2008	Adjustable speed electrical power drive systems - Part 7-203: Generic interface and use of profiles for power drive systems - Profile type 3 specification	29.200	
CYSEN 61800-7- 204:2008	Adjustable speed electrical power drive systems - Part 7-204: Generic interface and use of profiles for power drive systems - Profile type 4 specification	29.200	S/S CYSEN 61491:1999 =W/D
CYSEN 61800-7- 301:2008	Adjustable speed electrical power drive systems - Part 7-301: Generic interface and use of profiles for power drive systems - Mapping of profile type 1 to network technologies	29.200	
CYSEN 61800-7- 302:2008	Adjustable speed electrical power drive systems - Part 7-302: Generic interface and use of profiles for power drive systems - Mapping of profile type 2 to network technologies	29.200	
CYSEN 61800-7- 303:2008	Adjustable speed electrical power drive systems - Part 7-303: Generic interface and use of profiles for power drive systems - Mapping of profile type 3 to network technologies	29.200	
CYSEN 61800-7-304	Adjustable speed electrical power drive systems - Part 7-304: Generic interface	29.200	S/S CYSEN 61491:1999

	and use of profiles for power drive systems - Mapping of profile type 4 to network technologies		=W/D
CYSCLC/TS 50467:2008	Railway applications - Rolling stock - Electrical connectors, requirements and test methods	29.120.20	

31	ELECTRONICS
----	-------------

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 60384-11- 1:2008	Fixed capacitors for use in electronic equipment -- Part 11-1: Blank detail specification - Fixed polyethylene-terephthalate film dielectric metal foil d.c. capacitors - Assessment level EZ	31.060.30	
CYSEN 60384-11:2008	Fixed capacitors for use in electronic equipment -- Part 11: Sectional specification - Fixed polyethylene-terephthalate film dielectric metal foil d.c. capacitors	31.060.30	
CYSCLC/TR 50454:2008	Guide for the application of aluminium electrolytic capacitors	31.060.50	S/S R040- 001:1998= W/D
CYSEN 60749-37:2008	Semiconductor devices - Mechanical and climatic test methods -- Part 37: Board level drop test method using an accelerometer	31.080.01	
CYSEN 61076-3- 110:2008	Connectors for electronic equipment - Product requirements -- Part 3-110: Rectangular connectors - Detail specification for shielded, free and fixed connectors for data transmission with frequencies up to 1 000 MHz	31.220.10	
CYSEN 60384-20- 1:2008	Fixed capacitors for use in electronic equipment -- Part 20-1: Blank detail specification - Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors - Assessment level EZ	31.060.10	S/S CYSEN 60384-20- 1:1999=W/D
CYSEN 60384-20:2008	Fixed capacitors for use in electronic equipment -- Part 20: Sectional specification - Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors	31.060.10	S/S CYSEN 60384- 20:1999= W/D

33	TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSCLC/TR 50378-2-2:2008	Passive components to be used in optical fibre communication systems - Product specifications -- Part 2-2: SC(SC2)-APC connector-type fixed optical attenuators using IEC 60793-2 Category B1.1 singlemode fibre	33.180.20	
CYSEN 62075:2008	Audio/video, information and communication technology equipment - Environmentally conscious design	33.160	
CYSEN 61834-11:2008	Recording - Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) -- Part 11: HDV format for 1080i and 720p systems	33.160.40	

35	INFORMATION TECHNOLOGY. OFFICE MACHINES
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYSEN 61158-6-2:2008	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6-3:2008	Industrial communication networks - Fieldbus specifications - Part 6-3: Application layer protocol specification - Type 3 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6-4:2008	Industrial communication networks - Fieldbus specifications - Part 6-4: Application layer protocol specification - Type 4 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6-5:2008	Industrial communication networks - Fieldbus specifications - Part 6-5: Application layer protocol specification - Type 5 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6-7:2008	Industrial communication networks - Fieldbus specifications - Part 6-7: Application layer protocol specification - Type 7 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D

CYSEN 61158-6-8:2008	Industrial communication networks - Fieldbus specifications - Part 6-8: Application layer protocol specification - Type 8 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6-9:2008	Industrial communication networks - Fieldbus specifications - Part 6-9: Application layer protocol specification - Type 9 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 10:2008	Industrial communication networks - Fieldbus specifications - Part 6-10: Application layer protocol specification - Type 10 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 11:2008	Industrial communication networks - Fieldbus specifications - Part 6-11: Application layer protocol specification - Type 11 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 12:2008	Industrial communication networks - Fieldbus specifications - Part 6-12: Application layer protocol specification - Type 12 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 13:2008	Industrial communication networks - Fieldbus specifications - Part 6-13: Application layer protocol specification - Type 13 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 14:2008	Industrial communication networks - Fieldbus specifications - Part 6-14: Application layer protocol specification - Type 14 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 15:2008	Industrial communication networks - Fieldbus specifications - Part 6-15: Application layer protocol specification - Type 15 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 16:2008	Industrial communication networks - Fieldbus specifications - Part 6-16: Application layer protocol specification - Type 16 elements	35.100.70	S/S CYSEN 61158- 6:2004, CYSEN 61491:1999 =W/D
CYSEN 61158-6- 17:2008	Industrial communication networks - Fieldbus specifications - Part 6-17: Application layer protocol specification - Type 17 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 18:2008	Industrial communication networks - Fieldbus specifications - Part 6-18: Application layer protocol specification - Type 18 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D
CYSEN 61158-6- 19:2008	Industrial communication networks - Fieldbus specifications - Part 6-19: Application layer protocol specification -	35.100.70	S/S CYSEN 61158- 6:2004=W/D

	Type 19 elements		
CYSEN 61158-6- 20:2008	Industrial communication networks - Fieldbus specifications - Part 6-20: Application layer protocol specification - Type 20 elements	35.100.70	S/S CYSEN 61158- 6:2004=W/D

97	DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS
----	---

CYSEN Document:	Title	ICSf	Withdrawn
CYSEN 60335-2- 36:2002 /A2:2008	Household and similar electrical appliances - Safety -- Part 2-36: Particular requirements for commercial electric cooking ranges, ovens, hobs and hob elements	97.040.20	
CYSEN 60335-2- 37:2002 /A1:2008	Household and similar electrical appliances - Safety -- Part 2-37: Particular requirements for commercial electric deep fat fryers	97.040.50	
CYSEN 60335-2- 38:2003/ A1:2008	Household and similar electrical appliances - Safety -- Part 2-38: Particular requirements for commercial electric griddles and griddle grills	97.040.20	
CYSEN 60335- 2-48:2003 /A1:2008	Household and similar electrical appliances - Safety -- Part 2-48: Particular requirements for commercial electric grillers and toasters	97.040.50	
CYSEN 60335-2- 58:2005 /A1:2008	Household and similar electrical appliances - Safety -- Part 2-58: Particular requirements for commercial electric dishwashing machines	97.040.40	
CYSEN 60335- 2-62:2003 /A1:2008	Household and similar electrical appliances - Safety -- Part 2-62: Particular requirements for commercial electric rinsing sinks	97.040.50	
CYSEN 60335-2- 50:2003 /A1:2008	Household and similar electrical appliances - Safety -- Part 2-50: Particular requirements for commercial electric bains-marie	97.040.20	
CYSEN 60335-2- 69:2003 /A2:2008	Household and similar electrical appliances - Safety -- Part 2-69: Particular requirements for wet and dry vacuum cleaners, including power brush, for industrial and commercial use	97.080	
CYSEN 62233:2008	Measurement methods for electromagnetic fields of household	97.030	S/S CYSEN 50366:2003-

	appliances and similar apparatus with regard to human exposure		iss1=W/D
--	--	--	----------

Τα ακόλουθα πρότυπα έχουν τροποποιηθεί:

CYS HD 60364-7-704:2007 +Corrigendum:2008	Low-voltage electrical installations -- Part 7-704: Requirements for special installations or locations - Construction and demolition site installations
CYS HD 60364-7-705:2007 +Corrigendum:2008	Low-voltage electrical installations -- Part 7-705: Requirements for special installations or locations - Agricultural and horticultural premises
CYS EN 60915:2007 +Corrigendum:2008	Capacitors and resistors for use in electronic equipment - Preferred dimensions of shaft ends, bushes and for the mounting of single-hole, bush-mounted, shaft-operated electronic components