Ε.Ε. Παρ. III(I) Αρ. 4209, 18.7.2007

Αριθμός 305

Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ (ΝΟΜΟΣ 156(I) ΤΟΥ 2002)

Γνωστοποίηση βάσει του άρθρου 5(γ) του Νόμου 156(Ι) του 2002 Με το παρόν γνωστοποιείται ότι με βάση το άρθρο 5(γ) του Νόμου 156(Ι) του 2002 που ρυθμίζει τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

GENERALITIES, TERMINOLOGY, STANDARDIZATION, DOCUMENTATION

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---|-----------|-----------|
| CYSEN 14799:2007 | Air filters for general air cleaning - Terminology | 01.040.23 | |
| CYSENISO 80000-8:2007 | Quantities and units - Part 8: Acoustics | 01.060 | |

93 SOCIOLOGY. SERVICES. COMPANY ORGANIZATION AND MANAGEMENT. ADMINISTRATION. TRANSPORT

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|---|-----------|-----------------------------------|
| CYSEN 12798:2007 | Transport Quality Management System - Road, Rail and Inland navigation transport - Quality management system requirements to supplement EN ISO 9001 for the transport of dangerous goods with regard to safety | 03.120,10 | S/S CYS EN 12798:1999 = W/D |
| CYSCEN/TR 15592:2007 | Health services - Quality management systems - Guide for the use of EN ISO 9004:2000 in health services for performance improvement | 03.120.10 | |

| 07 | MATHEMATICS.NATURAL SCIENCES |
|----|------------------------------|
| | |

| CYSEN Document: | Title | IC\$1 | Withdrawn |
|-----------------------|---|-----------|-----------|
| CYSENISO 6785:2007 | Milk and milk products - Detection of Salmonella spp. | 07.100.30 | |

HEALTH CARE TECHNOLOGY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---|-----------|--|
| CYSENISO 11135-1:2007 | Sterilization of health care products - Ethylene oxide - Part 1:Requirements for development, validation and routine control of a sterilization process for medical devices | 11.080.01 | S/S CYS EN 550:1994 = W/D |
| CYSEN1789:2007 | Medical vehicles and their equipment - Road ambulances | 11.160 | S/S CYS EN 1789:2000 - iss1= W/D |
| CYSENISO 11137-2:2007 | Sterilization of health care products - Radiation - Part 2:Establishing the sterilization dose | 11.080.01 | S/S CYS EN ISO 11137- 2:2006, S/S CYS EN 552:1994- iss1 = W/D |
| CYSENISO 21606:2007 | Dentistry - Elastomeric auxiliaries for use in orthodontics | 11.060.10 | |
| CYSENISO 9680:2007 | Dentistry - Operating lights | 11.060.20 | S/S CYS EN ISO 9680:1996 = W/D |

13

ENVIRONMENT. HEALTH PROTECTION. SAFETY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---|-----------|-----------------------------------|
| CYSEN13921:2007 | Personal protective equipment - Ergonomic principles | 13.180 | |
| CYSENISO 11810-2:2007 | Lasers and laser-related equipment - Test method and classification for the laser-resistance of surgical drapes and/or patient-protective covers - Part 2: Secondary ignition | 11.040.30 | S/S EN ISO 11810:2002 = W/D |
| CYSEN 15309:2007 | Characterization of waste and soil - Determination of elemental composition by X-ray fluorescence | 13.030.10 | |
| CYSENISO 11161:2007 | Safety of machinery - Integrated manufacturing systems - Basic requirements | 13.110 | |
| CYSENISO 9920:2007 | Ergonomics of the thermal environment - Estimation of thermal insulation and water vapour | 13.18 | S/S CYS EN ISO 9920:2003 = |

| облика и полити на полити под развиду фициалних продости на постору в постору в постору в под образова образова | resistance of a clothing ensemble | | W/D |
|---|--|-----------|-------------------------------------|
| CYSEN 15614:2007 | Protective clothing for firefighters - Laboratory test methods and performance requirements for wildland clothing | 13.340.10 | |
| CYSEN 13277-3:2000-iss1 | Protective equipment for martial arts - Part 3: Additional requirements and test methods for trunk protectors | 13.340.10 | S/S CYS EN 13277-3:2000 = W/D |
| CYSEN 13277-4:2001-iss1 | Protective equipment for martial arts - Part 4: Additional requirements and test methods for head protectors | 13.340.20 | S/S CYS EN 13277-4:2001 = W/D |
| CYSEN 13546:2002 +A1:2007 | Protective clothing - Hand, arm, chest, abdomen, leg, foot and genital protectors for field hockey goal keepers, and shin protectors for field players - Requirements and test methods | 13.340.10 | S/S CYS EN 13546:2002 = W/D |
| CYSEN 13567:2002 +A1:2007 | Protective clothing - Hand, arm, chest, abdomen, leg, genital and face protectors for fencers - Requirements and test methods | 13.340.10 | S/S CYS EN 13567:2002 =W/D |
| CYSEN 14120:2003 +A1:2007 | Protective clothing -Wrist, palm, knee and elbow protectors for users of roller sports equipment - Requirements and test methods | 13.340.40 | S/S CYS EN 14120:2003 = W/D |
| CYSEN 13443- 2:2005+A1:2007 | Water conditioning equipment inside buildings - Mechanical filters - Part 2: Particle rating 1 µm to less than 80 µm - Requirements for performance, safety and testing | 13.060.20 | S/S CYS EN 13443-2:2005 = W/D |
| CYSEN 14652:2005 +A1:2007 | Water conditioning equipment inside buildings - Membrane separation devices - Requirements for performance, safety and testing | 13.060.20 | S/S CYS EN 14652:2005 = W/D |
| CYSEN 14812:2005 +A1:2007 | Water conditioning equipment inside buildings -Chemical dosing systems - Pre-set dosing systems - Requirements for performance, safety and testing | 13.060.20 | S/S CYS EN 14812:2005 = W/D |
| CYSEN 14897:2006 +A1:2007 | Water conditioning equipment inside buildings - Devices using mercury low-pressure ultraviolet radiators - Requirements for performance, safety and testing | 13.060.20 | S/S CYS EN 14897:2006 = W/D |
| CYSEN 14898:2006 +A1:2007 | Water conditioning equipment inside buildings - Active media filters - Requirements for performance, safety and testing | 13.060.20 | S/S CYS EN 14898:2006 = W/D |

| CYSENISO 19493:2007 | Water quality - Guidance on marine biological surveys of hard-substrate communities | 13.060.10 | |
|-----------------------------------|--|-----------|--|
| CYSEN12416- 1:2001+A2:2007 | Fixed firefighting systems - Powder systems - Part 1: Requirements and test methods for components | 13.220.20 | S/S CYS EN 12416- 1:2001-iss1 = W/D |
| CYSEN 12416- 2:2001+A1:2007 | Fixed firefighting systems - Powder systems - Part 2: Design, construction and maintenance | 13.220.20 | S/S CYS EN 12416-2:2001 = W/D |

17 METROLOGY AND MEASUREMENT. PHYSICAL PHENOMENA

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|--|-----------|-----------|
| CYSENISO 8062-1:2007 | Geometrical product specifications (GPS) - Dimensional and geometrical tolerances for moulded parts - Part 1: Vocabulary | 17.040.10 | |
| CYSENISO 8062-3:2007 | Geometrical Product Specifications (GPS) - Dimensional and geometrical tolerances for moulded parts - Part 3: General dimensional and geometrical tolerances and machining allowances for castings | 17.040.10 | |

| 19 | TESTING |
|----|---------|
| | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------|---|--------|-----------|
| CYSEN 1330-11:2007 | Non-destructive testing - Terminology - Terms used in X-raydiffraction from polycrystalline and amorphous materials | 19.100 | |

23 FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|--|-----------|-----------|
| CYSEN 15266:2007 | Stainless steel pliable corrugated tubing kits in buildings for gas with an operating pressure up to 0,5 bar | 23.040.01 | |

| CYSENISO 7225:2007 | Gas cylinders - Precautionary labels | 23.020.30 | S/S CYS EN 1089-2:2002 = W/D |
|------------------------------------|--|-----------|---|
| CYSEN 14276-2:2007 | Pressure equipment for refrigerating systems and heat pumps -Part 2: Piping - General requirements | 23.020.30 | |
| CYSENISO 15874-1:2003- iss1 | Plastics piping systems for hot and cold water installations -Polypropylene (PP) - Part 1: General | 23.040.20 | S/S CYS EN ISO 15874- 1:2003 = W/D |
| CYSENISO 15875-1:2003- iss1 | Plastics piping systems for hot and cold water installations –Cross linked polyethylene (PE-X) - Part 1: General | 23.040.01 | S/S CYS EN ISO 15875- 1:2003 = W/D |
| CYSENISO 15876-1:2003- iss1 | Plastics piping systems for hot and cold water installations -Polybutylene (PB) - Part 1: General | 23.040.01 | S/S CYS EN ISO 15876- 1:2003 = W/D |
| CYS EN 13445-1:2002 /A1:2007 | Unfired pressure vessels — Part 5: Inspection and testing | 23.020.30 | S/S CYS EN 13445- 1:2002= W/D |
| CYS EN 13445-2:2002 /A1:2007 | Unfired pressure vessels - Part 2: Materials | 23.020.30 | S/S CYS EN 13445- 2:2002= W/D |
| CYS EN 13445-5:2002 /A1:2007 | Unfired pressure vessels - Part 5: Inspection and testing | 23.020.30 | S/S CYS EN 13445- 5:2002= W/D |
| CYS EN 13445-3:2002 /A1:2007 | Unfired pressure vessels - Part 3: Design | 23.020.30 | S/S CYS EN 13445- 3:2002= W/D |

| | | 3 |
|----|---------------------------|---|
| 25 | MANUFACTURING ENGINEERING | |
| | | J |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|--|-----------|---|
| CYSENISO 8501-1:2007 | Preparation of steel substrates before application of paints and related products - Visual assessment of surface cleanliness -Part 1: Rust grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings | 25.220.10 | S/S CYS EN ISO 8501- 1:2001, CYS EN ISO 8501- 1:2001/Supp lement = W/D |

| CYSEN 12413:2007 | Safety requirements for bonded abrasive products | 25.100.70 | S/S CYS EN 12413:1999 = W/D |
|--------------------------|--|-----------|-----------------------------------|
| CYSEN 14587-1:2007 | Railway applications - Track - Flash butt welding of rails - Part 1:New R220, R260, R260Mn and R350HT grade rails in a fixed plant | 25.160.10 | |
| CYSENISO 20988:2007 | Railway applications - Track - Flash butt welding of rails - Part 1:New R220, R260, R260Mn and R350HT grade rails in a fixed plant | 25.160.10 | |
| CYSENISO 15614-7:2007 | Specification and qualification of welding procedures for metallic materials - Welding procedure test - Part 7: Overlay welding | 25.160.10 | |
| CYSENISO 17657-1:2007 | Resistance welding - Welding current measurement for resistance welding - Part 1: Guidelines for measurement | 25.160.10 | |
| CYSENISO 17657-2:2007 | Resistance welding - Welding current measurement for resistance welding - Part 2: Welding current meter with current sensing coil | 25.160.10 | |
| CYSENISO 17657-3:2007 | Resistance welding - Welding current measurement for resistance welding - Part 3: Current sensing coil | 25.160.10 | |
| CYSENISO 17657-4:2007 | Resistance welding - Welding current measurement for resistance welding - Part 4: Calibration system | 25.160.10 | |
| CYSENISO 17657-5:2007 | Resistance welding - Welding current measurement for resistance welding - Part 5: Verification of welding current measuring system | 25.160.10 | |
| CYSENISO 10447:2007 | Resistance welding - Peel and chisel testing of resistance spot and projection welds | 25.160.40 | |
| CYSENISO 16432:2007 | Resistance welding - Procedure for projection welding of uncoated and coated low carbon steels using embossed projection(s) | 25.160.10 | |
| CYSENISO 16433:2007 | Resistance welding - Procedure for seam welding of uncoated and coated low carbon steels | 25.160.10 | |
| CYSENISO 14373:2007 | Resistance welding - Procedure for spot welding of uncoated and coated low carbon steels | 25.160.10 | |

| 35 | INFORMATION TECHNOLOGY. OFFICE MACHINES |
|----|---|
| | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------------|---|-----------|---------------------------------------|
| CYSEN 1332-1:1999- iss1 | Identification card systems - Man-machine interface - Part 1:Design principles for the user interface - Symbols in the form of icons on screens and/or pictograms | 35.200 | S/S CYS EN 1332-1:1999 = W/D |
| CYSEN 15509:2007 | Road transport and traffic telematics - Electronic fee collection -Interoperability application profile for DSRC | 35.240.60 | |
| CYSEN 1332-4:2007 | Identification card systems - Man-machine interface - Part 4:Coding of user requirements for people with special needs | 35.040 | S/S CYS EN 1332-4:1999 = W/D |
| CYSENISO 21549-7:2007 | Health informatics - Patient healthcard data - Part 7: Medication data | 35.240.80 | |
| CYSEN 13940-1:2007 | Health informatics - System of concepts to support continuity of care - Part 1: Basic concepts | 35.240.80 | S/S CYS ENV 13940:2001 = W/D |

| 45 | RAILWAY ENGINEERING |
|----|--|
| Į. | the state of the s |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------|---|-----------|-----------|
| CYSEN 15153-1:2007 | Railway applications - External visible and audible warning devices for high speed trains - Part 1: Head, marker and tail lamps | 45.060.10 | |

| 49 | AIRCRAFT AND SPACE VEHICLE ENGINEERING |
|----|--|
| 1 | and the same of th |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------|--|-----------|----------------------------------|
| CYSEN 3712:2007 | Aerospace series - Nuts, anchor, self- locking, one lug, fixed, reduced series, with counterbore, in steel, cadmium plated, MoS2 lubricated - Classification: 1 100 MPa (at ambient temperature) / 235 °C | 49.030.30 | |
| CYSEN 3746:2007 | Aerospace series - O-rings, in fluorosilicone rubber (FVMQ) -Hardness 80 IRHD | 49.025.40 | S/S CYS EN 3746:2003 = W/D |

| 0.70.5 | Aerospace series - O-rings, in | | 0/0 00/0 50: |
|------------------------|---|-----------|----------------------------------|
| CYSEN 3747:2007 | fluorosilicone rubber (FVMQ) -Technical specification | 49.025.40 | S/S CYS EN 3747:2003 = W/D |
| CYSEN 4421:2007 | Aerospace series - Studs, in titanium alloy TI-P64001, MoS2 coated, with serrated locking ring in corrosion resisting steel - Strength class: 1 100 MPa (at ambient temperature) | 49.030.20 | |
| CYSEN 3059:2007 | Aerospace series - Bearings, airframe rolling - Rigid single row ball bearings in steel with flanged alignment housing, cadmium plated - Dimensions and loads | 49.035 | |
| CYSEN 3060:2007 | Aerospace series - Bearings, airframe rolling - Rigid single row ball bearings in steel, cadmium plated, with flanged alignment housing, cadmium plated - Dimensions and loads | 49.035 | |
| CYSEN 3061:2007 | Aerospace series - Bearings, airframe rolling - Rigid single row ball bearings in corrosion resisting steel, with flanged alignment housing - Dimensions and loads | 49.035 | |
| CYSEN 4033:2007 | Aerospace series - Bearings, airframe rolling - Rigid single row ball bearings in corrosion resisting steel - Diameter series 8 and9, reduced internal radial clearance - Dimensions and loads | 49.035 | |
| CYSEN 4034:2007 | Aerospace series - Bearings, airframe rolling - Double row self-aligning ball bearings with flanged outer ring in corrosion resisting steel, reduced internal radial clearance - Dimensions and loads | 49.035 | |
| CYSEN 4531-001:2007 | Aerospace series - Connectors, optical, circular, single and multipin, coupled by threaded ring - Flush contacts - Part 001:Technical specification | 49.060 | |
| CYSEN 4531-002:2007 | Aerospace series - Connectors, optical, circular, single and multipin, coupled by threaded ring - Flush contacts - Part 002:Specification of performance and contact arrangements | 49.060 | |
| CYSEN 4531-003:2007 | Aerospace series - Connectors, optical, circular, single and multipin, coupled by threaded ring - Flush contacts - Part 003:Square flange receptacle - Product standard | 49.060 | |
| CYSEN 4531-004:2007 | Aerospace series - Connectors, optical, circular, single and multipin, coupled by threaded ring - Flush contacts - Part 004:Jam nut receptacle - Product | 49.060 | |

| | standard | | |
|------------------------|---|-----------|--|
| CYSEN 4531-005:2007 | Aerospace series - Connectors, optical, circular, single and multipin, coupled by threaded ring - Flush contacts - Part 005:Plug - Product standard | 49.060 | |
| CYSEN 4531-101:2007 | Aerospace series - Connectors, optical, circular, single and multipin, coupled by threaded ring - Flush contacts - Part 101: Optical contact for EN 4641-100 cable - 55 °C to 125 °C - Product standard | 49.060 | |
| CYSEN 4461:2007 | Aerospace series - Steel FE-PM1506 (X5CrNiMoAl13-8-2) - Vacuum induction melted and consumable electrode remelted - Solution treated and precipitation treated - Bar - a or D ≤ 150 | 49.025.10 | |
| | mm - Rm ≥ 1 200 Mpa | : | |
| CYSEN 4462:2007 | Aerospace series - Steel FE-PM1506 (X5CrNiMoAl13-8-2) - Vacuum induction melted and consumable electrode remelted - Solution treated and precipitation treated - Bar - a or D ≤ 150 | 49.025.10 | |
| | mm - Rm ≥ 1 300 MPa | | |
| CYSEN 4463:2007 | Aerospace series - Steel FE-PM1506 (X5CrNiMoAl13-8-2) - Vacuum induction melted and consumable electrode remelted - Solution treated and precipitation treated - Bar - a or D ≤ 150 | 49.025.10 | |
| | mm - Rm ≥ 1 400 MPa | | |

| | MATERIALS HANDLING EQUIPMENT |
|------|------------------------------|
| 1 54 | MATERIALS HANDLING FOUNDWING |
| 1 33 | |
| | |
| | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------|--|-----------|---|
| CYSEN 14985:2007 | Cranes - Slewing jib cranes | 53.020.20 | |
| CYSENISO 252:2007 | Conveyor belts - Adhesion between constitutive elements - Test methods | 53.040.20 | S/S CYS EN ISO 252- 1:1999 = W/D |
| CYSENISO 703:2007 | Conveyor belts - Transverse flexibility (troughability) - Test method | 53.040.20 | S/S CYS EN ISO 703- 1:2000 = W/D |

| CYSENISO 283:2007 | Textile conveyor belts - Full thickness tensile strength, elongation at break and elongation at the reference load - Test method | 53.040.20 | S/S CYS EN ISO 283- 1:2000 = W/D |
|----------------------|--|-----------|---|
| CYSENISO 583:2007 | Conveyor belts with a textile carcass - Total belt thickness and thickness of constitutive elements - Test methods | 53.040.20 | S/S CYS EN ISO 583- 1:2000 = W/D |

59 TEXTILE AND LEATHER TECHNOLOGY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---|-----------|---|
| CYSENISO 10722:2007 | Geosynthetics - Index test procedure for the evaluation of mechanical damage under repeated loading - Damage caused by granular material | 59.080.70 | S/S CYS ENV ISO 10722- 1:1998 = W/D |
| CYSENISO 20743:2007 | Textiles - Determination of antibacterial activity of antibacterial finished products | 59.080.01 | |
| CYSENISO 105-E16:2007 | Textiles - Tests for colour fastness - Part E16: Colour fastness to water spotting on upholstery fabrics | 59.080.01 | |

61 CLOTHING INDUTRY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------|---|--------|-----------|
| CYSEN14878:2007 | Textiles - Burning behaviour of children's nightwear -Specification | 61.020 | |

65 AGRICULTURE

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|---|-----------|--|
| CYSEN 14910:2007 | Garden equipment - Walk-behind combustion engine powered trimmers - Safety | 65.060.70 | |
| CYSEN 15360:2007 | Fertilizers - Determination of dicyandiamide - Method using high-performance liquid chromatography (HPLC) | 65.080 | S/S CYS CEN/TS 15360:2006 = W/D |

| CYSEN 13525:2005 +A1:2007 | Forestry machinery - Wood chippers - Safety | 65.060.80 | S/S CYS EN 13525:2005 = W/D |
|---------------------------------|--|-----------|-----------------------------------|
| CYSEN 15099-1:2007 | Irrigation techniques - Remote monitoring and control for irrigation systems - Part 1: General considerations | 65.060.35 | |
| CYSEN 14930:2007 | Agricultural and forestry machinery and gardening equipment -Pedestrian controlled and hand-held machines - Determination of accessibility of hot surfaces | 65.060.01 | |

67 FOOD TECHNOLOGY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-------------------------|--|-----------|-----------|
| CYSENISO 8069:2007 | Dried milk - Determination of content of lactic acid and lactates | 67.100.10 | |
| CYSENISO 8968-3:2007 | Milk - Determination of nitrogen content - Part 3: Block-digestion method (Semi- micro rapid routine method) | 67.100.10 | |

71 CHEMICAL TECHNOLOGY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------------|--|-----------|-----------------------------------|
| CYSEN14743: 2005+A1:2007 | Water conditioning equipment inside buildings - Softeners - Requirements for performance, safety and testing | 71.100.80 | S/S CYS EN 14743:2005 = W/D |

75 PETROLEUM AND RELATED TECHNOLOGIES

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------|--|-----------|--|
| CYSENISO 15546:2007 | Petroleum and natural gas industries - Aluminium alloy drill pipe | 75.180.10 | S/S CYS EN ISO 15546:2002 = W/D |

METALLURGY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---|-----------|-----------|
| CYSENISO 14577-4:2007 | Metallic materials - Instrumented indentation test for hardness and materials parameters - Part 4: Test method for metallic and non-metallic coatings | 77.040.10 | |
| CYSEN 15079:2007 | Copper and copper alloys - Analysis by spark source optical emission spectrometry (S-OES) | 77.120.30 | |

79

WOOD TECHNOLOGY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------------|---|-----------|---------------------------------|
| CYSCEN/TS 15534-1:2007 | Wood-plastics composites (WPC) - Part 1: Test methods for characterisation of WPC materials and products | 79.060.01 | |
| CYSCEN/TS 15534-2:2007 | Wood-plastics composites (WPC) - Part 2: Characterisation of WPC materials | 79.060.01 | |
| CYSCEN/TS 15534-3:2007 | Wood-plastics composites (WPC) - Part 3: Characterisation of WPC products | 79.060.01 | |
| CYSEN 859:2007 | Safety of woodworking machines - Hand fed surface planing machines | 79.120.10 | S/S CYS EN 859:1998 = W/D |
| CYSEN 860:2007 | Safety of woodworking machines - One side thickness planing machines | 79.120.10 | S/S CYS EN 860:1997 = W/D |
| CYSEN 861:2007 | Safety of woodworking machines - Surface planing and thicknessing machines | 79.120.10 | S/S CYS EN 861:1998 = W/D |

GLASS AND CHEMICS INDUSTRIES

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|---|-----------|-----------|
| CYSEN 15335:2007 | Advanced technical ceramics - Ceramic composites - Determination of elastic properties by resonant beam method up to 2 000 °C | 81.060.30 | |

83

RUBBER AND PLASTIC INDUSTRIES

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|--|-----------|---|
| CYSENISO 307:2007 | Plastics - Polyamides - Determination of viscosity number | 83.080.20 | S/S CYS EN ISO 307:2003 - iss1= W/D |
| CYSENISO 7823-3:2007 | Plastics - Poly(methyl methacrylate) sheets - Types, dimensions and characteristics - Part 3: Continuous cast sheets | 83.140.10 | S/S CYS EN ISO 7823- 3:2004 = W/D |
| CYSEN 15307:2007 | Adhesives for leather and footwear materials - Sole-upper bonds- Minimum strength requirements | 83.180 | S/S CYS EN 1391:1998, CYS EN 522:1998 = W/D |
| CYSENISO 7214:2007 | Cellular plastics - Polyethylene - Methods of test | 83.100 | S/S CYS EN ISO 7214:2002 = W/D |
| CYSENISO 15103-2:2007 | Plastics - Poly(phenylene ether) (PPE) moulding and extrusion materials - Part 2: Preparation of test specimens and determination of properties | 83.080.20 | S/S CYS EN ISO 15103- 2:2004 = W/D |

87

PAINTS AND COLOUR INDUSTRIES

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|--|--------|-----------|
| CYSENISO 16276-1:2007 | Corrosion protection of steel structures by protective paint systems - Assessment of, and acceptance criteria for, the | 87.020 | |

| | | #2020000000000000000000000000000000000 | |
|--------------------------|--|--|---|
| | adhesion/cohesion (fracture strength) of a coating - Part 1: Pull-off testing | | |
| CYSENISO 16276-2:2007 | Corrosion protection of steel structures by protective paint systems - Assessment of, and acceptance criteria for, the adhesion/cohesion (fracture strength) of a coating - Part 2:Cross-cut testing and X-cut testing | 87.020 | |
| CYSENISO 2409:2007 | Paints and varnishes - Cross-cut test | 87.040 | S/S CYS EN ISO 2409:1995 = W/D |
| CYSENISO 15181-3:2007 | Paints and varnishes - Determination of release rate of biocides from antifouling paints - Part 3: Calculation of the zinc ethylene-bis(dithiocarbamate) (zineb) release rate by determination of the concentration of ethylenethiourea in the extract | 87.040 | |
| CYSENISO 15181-1:2007 | Paints and varnishes - Determination of release rate of biocides from antifouling paints - Part 1: General method for extraction of biocides | 87.040 | S/S CYS EN ISO 15181- 1:2004 = W/D |
| CYSENISO 15181-2:2007 | Paints and varnishes - Determination of release rate of biocides from antifouling paints - Part 2: Determination of copperion concentration in the extract and calculation of the release rate | 87.040 | S/S CYS EN ISO 15181- 2:2004 = W/D |

| 91 | CONSTRUCTION MATERIALS AND BUILDING | |
|----|-------------------------------------|--|
| | | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------------------|---|-----------|-----------------------------------|
| CYSEN 15200:2007 | Sanitary appliances - Multifunction shower cabinets | 91.140.70 | |
| CYSEN 15050:2007 | Precast concrete products - Bridge elements | 91.100.30 | |
| CYSEN 12794:2005 +A1:2007 | Precast concrete products - Foundation piles | 91.100.30 | S/S CYS EN 12794:2005 = W/D |
| CYSEN 15242:2007 | Ventilation for buildings - Calculation methods for the determination of air flow rates in buildings including infiltration | 91.140.30 | |
| CYSEN 15241:2007 | Ventilation for buildings - Calculation methods for energy losses due to ventilation and infiltration in commercial | 91.140.30 | |

| | buildings | | |
|-----------------------------------|---|-----------|---|
| CYSEN 15239:2007 | Ventilation for buildings - Energy performance of buildings -Guidelines for inspection of ventilation systems | 91.140.30 | |
| CYSEN 15251:2007 | Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics | 91.140.01 | |
| CYSEN 1999-1-1:2007 | Eurocode 9 - Design of aluminium structures - Part 1-1: General structural rules | 91.010.30 | S/S CYS ENV 1999-1- 1:2000 = W/D |
| CYSEN 1999-1-3:2007 | Eurocode 9: Design of aluminium structures - Part 1-3:Structures susceptible to fatigue | 91.010.30 | S/S CYS ENV 1999- 2:2000 = W/D |
| CYSEN 13084-2:2007 | Free-standing chimneys - Part 2: Concrete chimneys | 91.060.40 | S/S CYS EN 13084- 2:2001 = W/D |
| CYSEN 15304:2007 | Determination of the freeze-thaw resistance of autoclaved aerated concrete | 91.100.30 | |
| CYSEN 13224:2004+ A1:2007 | Precast concrete products - Ribbed floor elements | 91.100.30 | S/S CYS EN 13224:2004- iss1=W/D |
| CYSEN 15217:2007 | Energy performance of buildings - Methods for expressing energy performance and for energy certification of buildings | 91.120.01 | |
| CYSENISO 15874-2:2003- iss1 | Plastics piping systems for hot and cold water installations -Polypropylene (PP) - Part 2: Pipes | 91.140.60 | S/S CYS EN ISO 15874- 2:2003 = W/D |
| CYSENISO 15875-2:2003- iss1 | Plastics piping systems for hot and cold water installations –Cross linked polyethylene (PE-X) - Part 2: Pipes | 91.140.60 | S/S CYS EN ISO 15875- 2:2003 = W/D |
| CYSENISO 15876-2:2003- iss1 | Plastics piping systems for hot and cold water installations -Polybutylene (PB) - Part 2: Pipes | 91.140.60 | S/S CYS EN ISO 15876- 2:2003 = W/D |
| CYSEN 1506:2007 | Ventilation for buildings - Sheet metal air ducts and fittings with circular cross-section - Dimensions | 91.140.30 | S/S CYS EN 1506:1998 = W/D |
| CYSCEN/TS 15399:2007 | Gas Supply Systems - Guidelines for Management systems for Gas Distribution | 91.140.40 | |

| | Network | | |
|---------------------|---|-----------|--|
| CYSEN 13948:2007 | Flexible sheets for waterproofing - Bitumen, plastic and rubber sheets for roof waterproofing - Determination of resistance to root penetration | 91.100.50 | |

| Į | | | |
|---|----|-------------------|--|
| İ | 93 | CIVIL ENGINEERING | |
| Į | | CIVIL ENGINEERING | |
| | | | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|-----------------------|---|--------|-----------|
| CYSEN 13476-1:2007 | Plastics piping systems for non-pressure underground drainage and sewerage - Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) - Part 1: General requirements and performance characteristics | 93.030 | |
| CYSEN 13476-2:2007 | Plastics piping systems for non-pressure underground drainage and sewerage - Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) - Part 2: Specifications for pipes and fittings with smooth internal and external surface and the system, Type A | 93.030 | |
| CYSEN 13476-3:2007 | Plastics piping systems for non-pressure underground drainage and sewerage - Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) - Part 3: Specifications for pipes and fittings with smooth internal and profiled external surface and the system, Type B | 93.030 | |

| ; | 97 | DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS |
|---|----|--|
| | | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------|--|--------|--------------------------|
| CYSEN 131-3:2007 | Ladders - Part 3: User Instructions | 97.145 | , |
| CYSEN 131-1:2007 | Ladders - Part 1: Terms, types, functional sizes | 97.145 | S/S CYS EN 131-1:1993 |

| DO TO THE STATE OF | | g of the manufacture of the Community of | = W/D |
|--|---|--|--|
| CYSEN 131-4:2007 | Ladders - Part 4: Single or multiple hinge- joint ladders | 97.145 | |
| CYSEN 203-2-7:2007 | Gas heated catering equipment - Part 2-7: Specific requirements- Salamanders and rotisseries | 97.040.20 | S/S CYS EN 203-2:1995 = W/D |
| CYSEN 71-4:1998-iss2 | Safety of toys - Part 4: Experimental sets for chemistry and related activities | 97.200.50 | S/S CYS EN 71-4:1998- iss1 = W/D |
| CYSEN 12278:2007 | Montaineering equipment - Pulleys - Safety requirements and test methods | 97.220.40 | S/S CYS EN 12278:1998 = W/D |
| CYSEN 13834:2007 | Cookware - Ovenware for use in traditional domestic ovens | 97.040.60 | S/S CYS ENV 13834:2000 = W/D |
| CYSEN 71-1:2005 +A4:2007 | Safety of toys - Part 1: Mechanical and physical properties | 97.200.50 | S/S CYS EN 71-1:2005 - iss2=W/D |
| CYSEN 959:2007 | Mountaineering equipment - Rock anchors - Safety requirements and test methods | 97.220.40 | S/S CYS EN 959:1997 = W/D |
| CYSEN 14543:2005+ A1:2007 | Specification for dedicated liquefied petroleum gas appliances -Parasol patio heaters - Flueless radiant heaters for outdoor or amply ventilated area use | 97.100.20 | S/S CYS EN 14543:2005 = W/D |

Τα ακόλουθα πρότυπα έχουν τροποποιηθεί:

| CYS EN 13445-1:2002 | Unfired pressure vessels - Part 1: General |
|---------------------------|--|
| CYS EN 13445-2:2002 | Unfired pressure vessels - Part 2: Materials |
| CYS EN 13445-3:2002 | Unfired pressure vessels - Part 3: Design |
| CYS EN 13445-5:2002 | Unfired pressure vessels — Part 5: Inspection and testing |
| CYS EN 13779:2007 | Ventilation for non-residential buildings – Performance requirements for ventilation and room-conditioning systems |
| CYS EN ISO 7396-1:2007 | Medical gas pipeline systems - Part 1: Pipeline systems for compressed medical gases and vacuum |

| Part and a second secon | | |
|--|--|-----------|
| CYS EN ISO 7396-2:2007 | Medical gas pipeline systems - Part 2: Anaesthetic ga scavenging disposal systems | IS · |
| CYS EN ISO 105-C10:2007 | Textiles - Tests for colour fastness - Part C10: Colour fastness to washing with soap or soap and soda | |
| CYS EN 1999- 1-4:2007 | Eurocode 9 - Design of aluminium structures - Part 1- formed structural sheeting | 4: Cold- |
| CYS EN 1999- 1-5:2007 | Eurocode 9 - Design of aluminium structures - Part 1- structures | 5: Shell |
| CYSEN14878: 2007 | Textiles - Burning behaviour of children's nightwear -Specif | ication |
| CYS EN 12487:2007 | Corrosion protection of metals - Rinsed and non-rinsedchro conversion coatings on aluminium and aluminiumalloys | mate |
| CYS EN ISO 4869- 2:1995/ AC:2007 | Acoustics - Hearing protectors - Part 2: Estimation of effective A-weighted sound pressure levels when hearing protectors are worn | 13.340.20 |
| CYS EN ISO 13366- 2:2006/ AC:2007 | Milk - Enumeration of somatic cells - Part 2: Guidance on the operation offluoro-opto-electronic counters | 67.100.10 |
| CYS EN ISO 15301:2001 /AC:2007 | Animal and vegetable fats and oils - Determination of sediment in crude fats and oils - Centrifuge method | 67.200.10 |
| CYS EN ISO 4869-2:1995 /AC:2007 | Acoustics - Hearing protectors - Part 2: Estimation of effective A-weighted sound pressure levels when hearing protectors are worn | 13.340.20 |
| CYS EN ISO 13366-2:2006 /AC:2007 | Milk - Enumeration of somatic cells - Part 2: Guidance on the operation offluoro-opto-electronic counters | 67.100.10 |
| CYS EN ISO 15301:2001 /AC:2007 | Animal and vegetable fats and oils - Determination of sediment in crude fats and oils - Centrifuge method | 67.200.10 |
| CYS EN 13227:2002 /AC:2007 | Wood flooring - Solid lamparquet products | 79.080 |
| CYS EN 13228:2002 /AC:2007 | Wood flooring - Solid wood overlay flooring elements including blocks with an interlocking system | 79.080 |
| CYS EN 13629:2002 /AC:2007 | Wood flooring - Solid pre-assembled hardwood board | 79.080 |
| CYS EN 12960:2001 /AC:2007 | Adhesives for paper and board, packaging and disposable sanitary products - Determination of shear resistance | 83.180 |
| CYS EN 1895:2001 /AC:2007 | Adhesives for paper and board, packaging and disposable sanitary products — 180°-"T" peel test for a flexible-to-flexible assembly | 83.180 |

| CYS EN 853:1996 /AC:2007 | Rubber hoses and hose assemblies - Wire braid reinforced hydraulic type -Specification | 23.040.70 |
|--------------------------------------|--|-------------------------|
| CYS EN 14848:2005 /AC:2007 | Aerosol containers - Metal containers with 25,4 mm aperture – Dimensions of valve cups | 55.130 |
| CYS EN ISO 13485:2003 /AC:2007 | Medical devices - Quality management systems - Requirements for regulatory purposes | 03.120.10; 11.040.01 |

Επίσης έχουν εκδοθεί από την Ευρωπαϊκή Επιτροπή Τυποποίησης (CEN)οι ακόλουθες εκδόσεις

| | Metalex (Open XML Interchange Format for Legal and Legislative Resources) | 03.160 |
|--|---|--------|
|--|---|--------|

Standards from European Committee for Electrotechnical Standardization (CENELEC)

| 03 | SOCIOLOGY. SERVICES. COMPANY ORGANIZATION AND |
|----|---|
| 03 | MANAGEMENT. ADMINISTRATION. TRANSPORT |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------|--|-----------|-----------|
| CYS CLC/TR 50459-7:2007 | Railway applications - Communication, signalling and processing systems - European Rail Traffic Management System - Driver-Machine interface Part 7: Specific Transmission Modules | 03.220.30 | |

11 HEALTH CARE TECHNOLOGY

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|--|-----------|-----------|
| CYS EN 62464-1:2007 | Magnetic resonance equipment for medical imaging Part 1: Determination of essential image quality parameters | 11.040.50 | |
| CYS EN 61223-2-6:2007 | Evaluation and routine testing in medical imaging departments Part 2-6: Constancy tests - Imaging performance of computed tomography X-ray equipment | 11.040.50 | |

17 METROLOGY AND MEASUREMENT.PHYSICAL PHENOMENA

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------------|--|-----------|-----------|
| CYS EN 60599:1999 /A1:2007 | Mineral oil-impregnated electrical equipment in service - Guide to the interpretation of dissolved and free gases analysis | 17.220.9 | |
| CYS EN 60450:2004/A 1:2007 | Measurement of the average viscometric degree of polymerization of new and aged cellulosic electrically insulating materials | 17.220.99 | |

| 19 | TESTING | 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | and the state of t |
|-------------------------------|---|--|--|
| CYSEN Document: | Title | ICS1 | Withdrawn |
| CYS EN 60068-2- 69:2007 | Environmental testing Part 2-69: Tests - Test Te: Solderability testing of electronic components for surface mounting devices (SMD) by the wetting balance method | 19.04 | Will supersede CYS EN 60068-2- 69:1996 |
| CYS EN 60068-2- 82:2007 | Environmental testing Part 2-82: Tests - Test Tx: Whisker test methods for electronic and electric components | 19.040 | |
| CYS EN 60068-3- 11:2007 | Environmental testing Part 3-11: Supporting documentation and guidance - Calculation of uncertainty of conditions in climatic test chambers | 19.040 | · |

| 25 | MANUFACTURING ENGINEERING |
|----|--|
| | Lance to the state of the state |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--|--|-----------|---|
| CYS EN 60745-2- 11:2003/A11: 2007 | Hand-held motor-operated electric tools - Safety Part 2-11: Particular requirements for reciprocating saws (jig and sabre saws) | 25.140.20 | |
| CYS EN 60745-2- 21:2007 | Hand-held motor-operated electric tools - Safety Part 2-21: Particular requirements for drain cleaners | 25.140.20 | |
| CYS EN 61804-2:2007 | Function blocks (FB) for process control Part 2: Specification of FB concept | 25.040.40 | Partially supersedes CYS EN 61804- 2:2004 |
| CYS EN 61804-3:2007 | Function blocks (FB) for process control Part 3: Electronic Device Description Language (EDDL) | 25.040.40 | Partially supersedes CYS EN 61804- 2:2004 |
| CYS CLC/TR 61804-4:2007 | Function blocks (FB) for process control Part 4: EDD interoperability guideline | 25.040.40 | |
| CYS EN 60745-2- 13:2007 | Hand-held motor-operated electric tools - Safety Part 2-13: Particular requirements for chain saws | 25.140.20 | S/S CYS EN 50144-2- 13:2002 = W/D |

| CYS EN 60745-2- 18:2004/A11: 2007 | Hand-held motor-operated electric tools - Safety Part 2-18: Particular requirements of strapping tools | 25.140.20 | |
|--|--|-----------|---|
| CYS EN 60745-2- 20:2003/A11: 2007 | Hand-held motor-operated electric tools - Safety Part 2-20: Particular requirements for band saws | 25.140.20 | |
| CYS EN 60745-2- 9:2003/A11:2 007 | Hand-held motor-operated electric tools - Safety Part 2-9: Particular requirements for tappers | 25.140.20 | - |

| 27 | ENERGY AND HEAT TRANSFER ENGINEERING |
|----|--------------------------------------|
| | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|------------------------------|---|--------|---|
| CYS EN 61730-1:2007 | Photovoltaic (PV) module safety qualification Part 1: Requirements for construction | 27.160 | |
| CYS EN 61730-2:2007 | Photovoltaic (PV) module safety qualification Part 2: Requirements for testing | 27.160 | |
| CYS EN 60904-2:2007 | Photovoltaic devices Part 2: Requirements for reference solar devices | 27.160 | S/S CYS EN 60904- 2:1993 + A1:1998 and CYS EN 60904- 6:1994 + A1:1998 = W/D |
| CYS EN 62282-5- 1:2007 | Fuel cell technologies Part 5-1: Portable fuel cell power systems - Safety | 27.070 | |
| CYS EN 62282-3- 1:2007 | Fuel cell technologies Part 3-1: Stationary fuel cell power systems - Safety | 27.070 | |

| 29 | ELECTRICAL ENGINEERING |
|----|-------------------------------|
|----|-------------------------------|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---------------------------------------|---|-----------|--|
| CYS EN 60684- 3-211:2007 | Flexible insulating sleeving Part 3: Specifications for individual types of sleeving Sheet 211: Heat-shrinkable sleeving, semi-rigid polyolefin, shrink ratio 2:1 | 29.035.20 | |
| CYS CLC/TR 50453:2007 | Evaluation of electromagnetic fields around power transformers | 29.020 | |
| CYS CLC/TR 50473:2007 | Recommendations for dimensional co- ordination between enclosures and built-in devices for rail fixing for household and similar installations | 29.060.10 | S/S R023- 001:1995 = W/D |
| CYS EN 60034- 28:2007 | Rotating electrical machines Part 28: Test methods for determining quantities of equivalent circuit diagrams for three- phase low-voltage cage induction motors | 29.160 | |
| CYS EN 60061- 1:1993/A39:200 7 | Lamp caps and holders together with gauges for the control of interchangeability and safety Part 1: Lamp caps | 29.140.10 | |
| CYS EN 60061- 2:1993/A36:200 7 | Lamp caps and holders together with gauges for the control of interchangeability and safety Part 2: Lampholders | 29.140.10 | , |
| CYS EN 60061- 3:1993/A38:200 7 | Lamp caps and holders together with gauges for the control of interchangeability and safety Part 3: Gauges | 29.140.10 | |
| CYS EN 60079- 6:2007 | Explosive atmospheres Part 6: Equipment protection by oil immersion "o" | 29.260.20 | S/S CYS EN 50015:1998 = W/D |
| CYS EN 60371- 3- 8:1995/A1:2007 | Insulating materials based on mica Part 3: Specifications for individual materials Sheet 8: Mica paper tapes for flame-resistant security cables | 29.035.10 | |
| CYS EN 60371- 3- 9:1995/A1:2007 | Insulating materials based on mica Part 3: Specifications for individual materials Sheet 9: Moulding micanite | 29.035.50 | |
| CYS EN 60269- 1:2007 | Low-voltage fuses Part 1: General requirements | 29.120.50 | S/S CYS EN 60269- 1:1998 + A1:2005 and partially s/s CYS EN |

| | | The state of the s | · |
|---|--|--|--|
| | | | 60269- 2:1995 + A1:1998 + A2:2005 and CYS EN 60269- 3:1995 + A1:2003 = W/D |
| CYS EN 60269- 4:2007 | Low-voltage fuses Part 4: Supplementary requirements for fuse- links for the protection of semiconductor devices | 29.120.50 | S/S CYS EN 60269- 4:1996 + A1:1997 + A2:2003 and CYS EN 60269- 4-1:2002 = W/D |
| CYS HD 60269- 2:2007 | Low-voltage fuses Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) - Examples of standardized systems of fuses A to I | 29.120.50 | Partially s/s CYS EN 60269- 2:1995 + A1:1998 + A2:2002 and s/s CYS HD 60269- 2-1:2005 = W/D |
| CYS HD 60269- 3:2007 | Low-voltage fuses Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household or similar applications) - Examples of standardized systems of fuses A to F | 29.120.50 | S/s CYS HD 60269- 3-1:2004 and partially s/s CYS EN 60269- 3:1995 + A1:2003 = W/D |
| CYS EN 60309- 4:2007 | Plugs, socket-outlets and couplers for industrial purposes Part 4: Switched socket-outlets and connectors with or without interlock | 29.120.30 | |
| CYS EN 50290- 2-21:2001/ A1:2007 | Communication cables Part 2-21: Common design rules and construction - PVC insulation compounds | 29.035.20 | _ |
| CYS EN 50290- 2-22:2001/ A1:2007 CYS EN 50290- | Communication cables Part 2-22: Common design rules and construction - PVC sheathing compounds | 29.035.20 | |
| 2-26:2002/ A1:2007 | Communication cables Part 2-26: Common design rules and construction - Halogen free flame retardant | 29.035.20 | |

| | insulation compounds | entrolypis clarifold for the fight forms for sale was insisten — was no entroly course. | |
|--|--|---|---|
| CYS EN 50290- 2-27:2002/ A1:2007 | Communication cables Part 2-27: Common design rules and construction - Halogen free flame retardant thermoplastic sheathing compounds | 29.035.20 | |
| CYS EN 60034- 14:2004/ A1:2007 | Rotating electrical machines Part 14: Mechanical vibration of certain machines with shaft heights 56 mm and higher - Measurement, evaluation and limits of vibration severity | 29.160 | · |
| CYS EN 60670- 21:2007 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations Part 21: Particular requirements for boxes and enclosures with provision for suspension means | 29.120.99 | |

| 3' | | LECTRONICS | |
|----|--|------------|--|

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------|--|-----------|-----------|
| CYS EN 61587- 1:2007 | Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 Part 1: Climatic, mechanical tests and safety aspects for cabinets, racks, subracks and chassis | 31.240 | |
| CYS EN 60384- 18:2007 | Fixed capacitors for use in electronic equipment Part 18: Sectional specification - Fixed aluminium electrolytic surface mount capacitors with solid (MnO2) and non-solid electrolyte | 31.060.50 | |
| CYS ÉN 60384- 18-1:2007 | Fixed capacitors for use in electronic equipment Part 18-1: Blank detail specification - Fixed aluminium electrolytic surface mount capacitors with solid (MnO2) electrolyte - Assessment level EZ | 31.060.50 | |
| CYS EN 60384- 18-2:2007 | Fixed capacitors for use in electronic equipment Part 18-2: Blank detail specification - Fixed aluminium electrolytic surface mount capacitors with non-solid electrolyte - Assessment level EZ | 31.060.50 | |
| CYS EN 60384- 4:2007 | Fixed capacitors for use in electronic equipment Part 4: Sectional | 31.060.50 | |

| | specification - Aluminium electrolytic capacitors with solid (MnO2) and non-solid electrolyte | | |
|----------------------------|---|-----------|---|
| CYS EN 60384- 4-1:2007 | Fixed capacitors for use in electronic equipment Part 4-1: Blank detail specification - Fixed aluminium electrolytic capacitors with non-solid electrolyte - Assessment level EZ | 31.060.50 | |
| CYS EN 60384- 4-2:2007 | Fixed capacitors for use in electronic equipment - Part 4-2: Blank detail specification - Fixed aluminium electrolytic capacitors with solid (MnO2) electrolyte - Assessment level EZ | 31.060.50 | |
| CYS EN 60679- 1:2007 | Quartz crystal controlled oscillators of assessed quality Part 1: Generic specification | 31.140 | |
| CYS EN 60191- 1:2007 | Mechanical standardization of semiconductor devices Part 1: General rules for the preparation of outline drawings of discrete devices | 31.080.01 | |
| CYS EN 60191- 6-16:2007 | Mechanical standardization of semiconductor devices Part 6-16: Glossary of semiconductor tests and burn-in sockets for BGA, LGA, FBGA and FLGA | 31.080.01 | |
| CYS EN 61190- 1-2:2007 | Attachment materials for electronic assembly Part 1-2: Requirements for soldering pastes for high-quality interconnects in electronics assembly | 31.190 | |
| CYS EN 61190- 1-3:2007 | Attachment materials for electronic assembly Part 1-3: Requirements for electronic grade solder alloys and fluxed and non-fluxed solid solders for electronic soldering applications | 31.190 | |
| CYS EN 61192- 5:2007 | Workmanship requirements for soldered electronic assemblies Part 5: Rework, modification and repair of soldered electronic assemblies | 31.190 | , |
| CYS EN 61760- 2:2007 | Surface mounting technology Part 2: Transportation and storage conditions of surface mounting devices (SMD) - Application guide | 31.020 | |

TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------------|---|-----------|--|
| CYS EN 61000- 4-34:2007 | Electromagnetic compatibility (EMC) Part 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase | 33.100.20 | |
| CYS EN 61300- 3-10:2007 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Part 3-10: Examinations and measurements - Gauge retention force | 33.180.20 | |
| CYS CLC/TR 50412-1:2007 | Power line communication apparatus and systems used in low-voltage installations in the frequency range 1,6 MHz to 30 MHz Part 1: General | 33.100.20 | |
| CYS CLC/TR 50452:2007 | Railway applications - Radio remote control system of traction vehicle for freight traffic in multiple traction operation | 33.200 | S/S R009- 005:2001 = W/D |
| CYS EN 55015:2006 /A1:2007 | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment | 33.100.10 | |
| CYS EN 50173- 1:2007 | Information technology - Generic cabling systems Part 1: General requirements | 33.040.50 | Partially s/s CYS EN 50173- 1:2002 = W/D |
| CYS EN 50173- 2:2007 | Information technology - Generic cabling systems Part 2: Office premises | 33.040.50 | Partially s/s CYS EN 50173- 1:2002 = W/D |
| CYS EN 50173- 4:2007 | Information technology - Generic cabling systems Part 4: Homes | 33.040.50 | |
| CYS EN 50173- 5:2007 | Information technology - Generic cabling systems Part 5: Data centres | 33.040.50 | |
| CYS EN 61988- 4:2007 | Plasma display panels Part 4: Climatic and mechanical testing methods | 33.180.20 | |
| CYS EN 55016- 1-4:2007 | Specification for radio disturbance and immunity measuring apparatus and methods Part 1-4: Radio disturbance and immunity measuring apparatus - Ancillary equipment - Radiated disturbances | 33.100.10 | |

| CYS EN 61000- 4-20:2003 /A1:2007 | Electromagnetic compatibility (EMC) Part 4-20: Testing and measurement techniques - Emission and immunity testing in transverse electromagnetic (TEM) waveguides | 33.100.10 |
|--|--|-----------|
| CYS EN 61000- 4-6:2007 | Electromagnetic compatibility (EMC) Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio- frequency fields | 33.100.20 |
| CYS EN 60793- 1-42:2007 | Optical fibres Part 1-42: Measurement methods and test procedures Chromatic dispersion | 33.180.10 |
| CYS EN 60793- 1-47:2007 | Optical fibres Part 1-47: Measurement methods and test procedures - Macrobending loss | 33.180.10 |
| CYS EN 61290- 7-1:2007 | Optical amplifiers - Test methods Part 7-1: Out-of-band insertion losses - Filtered optical power meter method | 33.180.30 |
| CYS EN 61291- 2:2007 | Optical amplifiers Part 2: Digital applications - Performance specification template | 33.180.30 |
| CYS EN 61300- 2-22:2007 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Part 2-22: Tests - Change of temperature | 33.180.20 |
| CYS EN 61300- 2-26:2007 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Part 2-26: Tests - Salt mist | 33.180.20 |

| 1 | 9 P | INFORMATION TROUBLES ONL OFFICE BELOUDE | 4.60 |
|---|-----|---|------|
| 4 | .55 | INFORMATION TECHNOLOGY, OFFICE MACHINE | |
| I | | IN CHARTON IECHNOLOGI. OF THE MINORITY | |
| | | | |

| CYSEN Document: | Title | ICS1 | Withdrawn |
|----------------------------|---|-----------|-----------|
| CYS CLC/TR 50501-1:2007 | Rolling stock - Intercommunication between vehicles and train/wayside Part 1: Data dictionary and rules for functional standardisation | 35.240.60 | |

RAILWAY ENGINEERING

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--------------------------|---|-----------|--|
| CYS CLC/TR 50507:2007 | Railway applications – Interference limits of existing track circuits used on European railways | 45.060.01 | Action in the second se |
| CYS CLC/TR 50451:2007 | Railway applications - Systematic allocation of safety integrity requirements | 45.020 | S/S R009- 004:2001 = W/D |
| CYS CLC/TS 62441:2007 | Accidentally caused candle flame ignition for audio/video, communication and information technology equipment | 35.020 | |

65

AGRICULTURE

| CYSEN Document: | Title | ICS1 | Withdrawn |
|--|--|-----------|-----------|
| CYS EN 60335- 2-70:2002 /A1:2007 | Household and similar electrical appliances - Safety Part 2-70: Particular requirements for milking machines | 65.060.99 | |
| CYS EN 60335- 2-71:2003 /A1:2007 | Household and similar electrical appliances - Safety Part 2-71: Particular requirements for electrical heating appliances for breeding and rearing animals | 65.020.30 | |
| CYS EN 60335- 2-87:2002 /A1:2007 | Household and similar electrical appliances - Safety Part 2-87: Particular requirements for electrical animal-stunning equipment | 65.060.99 | |

97

DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS

| CYSEN Document: | Title | ICS1 | Withdrawn |
|---|--|-----------|-----------|
| CYS EN 60335-2- 30:2003/A2:2 007 | Household and similar electrical appliances - Safety Part 2-30: Particular requirements for room heaters | 97.100.10 | |

| CYS EN 60335-2- 68:2003/A2:2 007 | Household and similar electrical appliances - Safety Part 2-68: Particular requirements for spray extraction appliances, for industrial and commercial use | 97.020 | |
|---|--|--------|--|
|---|--|--------|--|

LIST OF CORRECTIVE ACTIONS

| CYS EN 60062:2005 + corr Jan 2007 | |
|---|----------------|
| CYS EN 60335-1:2002/A1:2004 + corr. Jan. 2007 | and a tomorrow |
| CYS EN 60669-1:1999/A1:2002 + corr. Jan. 2007 | |